Optical Engineering

2001 Author Index (Volume 40)

KEY TO INDEX USE

Each principal author's entry includes coauthors, title of paper, and location of the paper in Volume 40. A "See" reference means the person is a coauthor of the referenced paper.

A

Abbate, Giancarlo — See Hermann, David S., **40** (10), 2188-98 (2001).
Abookasis, David — Security optical systems based on a joint transform correlator with significant output images. — David Abookasis, Ortal Arazi, Joseph Rosen, and Bahram Javidi; **40** (8), 1584-9 (2001).
Abraham, Joseph — See Stephens, James Michael, **40** (12), 2788-801 (2001).
Abril, Héctor C. — See Millán, María S., **40** (7), 1281-6 (2001).
Aghdasi, Farzin — See Pfisterer, Richard, **40** (2), 209-16 (2001).
Agnesi, Antonio — See Jabczyński, Jan K., **40** (12), 2802-11 (2001).
Ahmad, H. — See Mahdi, Mohd A., **40** (2), 186-92 (2001).
Ahn, Seongkeun — See Cho, Hangyu, **40** (8), 1621-8 (2001).
Ailisto, Heikki — See Laitinen, Jyrki, **40** (6), 896-901 (2001).
Alacakir, Ali — See Udrea, Mircea, **40** (9), 2026-30 (2001).
Alam, Mohammad S. — See Qian, Feng, **40** (2), 275-82 (2001).
— Color pattern recognition using fringe-adjusted joint transform correlation. — Mohammad S. Alam and C. N. Wai; **40** (11), 2407-13 (2001).
Albert, Keith J. — See Karunamuni, Jeevananda, **40** (6), 888-95 (2001).
Al-Habash, M. A. — Mathematical model for the irradiance probability density function of a laser beam propagating through turbulent media. — M. A. Al-Habash, L. C. Andrews, and R. L. Phillips; **40** (8), 1554-62 (2001).
Allington-Smith, J. R. — See Ren, Deqing, **40** (12), 2709-17 (2001).
Alonso, José — See Canabal, Héctor, **40** (11), 2517-23 (2001).
Alvarez-Borrego, Josué — See Kober, Vitaly, **40** (6), 971-83 (2001).
Amako, Jun — Fabrication of continuous surface-relief gratings using a high-precision diamond-cutting process. — Jun Amako, Hitoshi Nakao, and Shinichiro Ochiai; **40** (8), 1456-63 (2001).
Amann, Markus-Christian — Laser ranging: a critical review of usual techniques for distance measurement. — Markus-Christian Amann, Thierry Bosch, Marc Lescure, Risto Myllylä, and Marc Rioux; **40** (1), 10-9 (2001).
Ambrosini, Dario — See Spagnolo, Giuseppe Schirripa, **40** (1), 44-52 (2001).
— Sandwich holography for simultaneous temperature visualization and heat-transfer coefficient measurement. — Dario Ambrosini, Domenica Paoletti, and Giuseppe Schirripa Spagnolo; **40** (7), 1274-80 (2001).
An, Dechang — See Sun, Lin, **40** (7), 1217-22 (2001).
An, Jonghoe — See Cho, Hangyu, **40** (8), 1621-8 (2001).
Andrejco, Matthew — See Liu, Jian, **40** (7), 1195-8 (2001).
Andrews, L. C. — See Al-Habash, M. A., **40** (8), 1554-62 (2001).
Angelini, Leonardo — Chaotic neural network clustering: an application to landmine detection by dynamic infrared imaging. — Leonardo Angelini, Francesco De Carlo, Carmela Marangi, Massimo Mannarelli, Giuseppe Nardulli, Mario Pellicoro, Giuseppe Satalino, and Sebastiano Stramaglia; **40** (12), 2878-84 (2001).
Angelsky, Oleg V. — Optical control of monocrystalline films. — Oleg V. Angelsky, Peter P. Maksimyak, S. Reed, and Vasyl V. Ryukhtin; **40** (10), 2227-33 (2001).
Arai, Yasuhiko — Improvement of measuring accuracy of spatial fringe analysis method using a Kalman filter and its application. — Yasuhiko Arai and Shunsuke Yokozeki; **40** (11), 2605-11 (2001).
Araki, Kenichi — See Toyoshima, Morio, **40** (5), 827-32 (2001).
Aramburu, Cándido — See Vázquez, Carmen, **40** (7), 1160-2 (2001).
Arazi, Ortal — See Abookasis, David, **40** (8), 1584-9 (2001).
Arimoto, Yoshinori — See Izawa, Jun, **40** (3), 466-8 (2001).
Astola, Jaakko T. — See Melnik, Vladimir P., **40** (8), 1441-55 (2001).
Asundi, Anand K. — See KrishnaKumar, V., **40** (3), 340-1 (2001).
— See Peng, Xiaoyuan, **40** (6), 1100-5 (2001).
— See Liu, Tong, **40** (8), 1629-35 (2001).
— See Xu, Lei, **40** (11), 2533-9 (2001).
Aswendt, Petra — See Kreis, Thomas, **40** (6), 926-33 (2001).
Auslender, Mark — See Hava, Shlomo, **40** (7), 1244-8 (2001).
Aviram, Guy — Analyzing the effect of imagery wavelength on the agreement between various image metrics and human detection performance of targets embedded in natural images. — Guy Aviram and Stanley R. Rotman; **40** (9), 1877-84 (2001).
Awatsuji, Yasuhiro — See Shimizu, Tohru, **40** (11), 2524-32 (2001).
Awwal, Abdul A. S. — Optical Computing Systems, Materials, and Devices. — Abdul A. S. Awwal and Khan M. Iftekharuddin; **40** (11), 2369-70 (2001).
— See Iftekharuddin, Khan M., **40** (11), 2442-5 (2001).

B

Baba, Mitsuru — New laser rangefinder for three-dimensional shape measurement of specular objects. — Mitsuru Baba, Kozo Ohtani, Makoto Imai, and Tadataka Konishi; **40** (1), 53-60 (2001).
Bae, Eui Won — See Kim, Jong-Ahn, **40** (12), 2837-44 (2001).
Baeder, Janet — See Ruffin, Paul B., **40** (4), 605-11 (2001).
Báez-Rojas, Javier — See Urcid, Gonzalo, **40** (10), 2084-91 (2001).
Bai, Jing — See Xie, Yuxiao, **40** (10), 2302-7 (2001).
Bai, Lifen — See Li, Qingxiang, **40** (10), 2120-4 (2001).
Bainier, Claudine — See Thiery, Laurent, **40** (6), 1010-5 (2001).
Baker, Lionel R. — Surface imperfections: specimen measurement by microscope and digital camera. — Lionel R. Baker; **40** (10), 2059-60 (2001).
Baldacci, A. — See Diani, M., **40** (8), 1729-34 (2001).
Ballard, Jerrell R., Jr. — See Smith, James A., **40** (8), 1435-7 (2001).
Ballerini, Gaia — Lidar remote sensing of stone cultural heritage: detection of protective treatments. — Gaia Ballerini, Susanna Bracci, Luca Pantani, and Piero Tiano; **40** (8), 1579-83 (2001).
Barbehenn, R. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Barbosa, Eduardo Acedo — See Maldonado, Edison Puig, **40** (8), 1573-8 (2001).
Barela, Jaroslaw — See Chrzanowski, Krzysztof, **40** (6), 1106-14 (2001).
Bartoli, Alessandro — Optical profilometer with a standalone scanning sensor head. — Alessandro Bartoli, Pasquale Poggi, Franco Quercioli, Bruno Tiribilli, and Massimo Vassalli; **40** (12), 2852-9 (2001).
Basu, A. N. — See Manik, N. B., **40** (12), 2830-6 (2001).
Batchman, Ted E. — See Mackie, David M., **40** (10), 2265-72 (2001).
Baukens, Valérie — Free-space optical interconnection modules for two-dimensional photonic very large scale integration circuitry based on microlenses and gradient-refractive-index lenses. — Valérie Baukens, Irina Veretennicoff, and Hugo Thienpont; **40** (11), 2431-41 (2001).
Beadle, Brad M. — Measurement of speed and attenuation of longitudinal elastic waves in optical fibers. — Brad M. Beadle and Jacek Jarzynski; **40** (10), 2115-9 (2001).
Bell, Daryl C. — Inverse synthetic aperture radar imaging using a coherent ultrawideband random noise radar system. — Daryl C. Bell and Ram M. Narayanan; **40** (11), 2612-23 (2001).
Bernabeu, Eusebio — See Canabal, Héctor, **40** (11), 2517-23 (2001).
Berthelot, Jean-Marie — See Picart, Pascal, **40** (1), 81-9 (2001).
Bertinetto, Fabrizio — Subnanometer digital positioning of large bodies by Fabry-Pérot interferometry. — Fabrizio Bertinetto and Enrico Canuto; **40** (1), 76-80 (2001).
Beyette, Fred R., Jr. — See Tang, Jianjing, **40** (11), 2419-30 (2001).
Bijl, Piet — See Toet, Alexander, **40** (9), 1760-7 (2001).
Birkemark, Christian M. — CAMEVA, a methodology for estimation of target detectability. — Christian M. Birkemark; **40** (9), 1835-43 (2001).
Blöcker, T. — See Przygodda, F., **40** (5), 753-60 (2001).
Blomberg, Martti — See Keränen, Kimmo, **40** (10), 2308-14 (2001).
Boay, Chai Gin — See Liu, Tong, **40** (8), 1629-35 (2001).
Bohman, Lars — See Nyberg, Sten, **40** (9), 1869-76 (2001).
Boitel, Ch. — See Werner, Ch., **40** (1), 115-25 (2001).
Bones, P. J. — See Leung, W.-Y. V., **40** (4), 547-53 (2001).
Bonzo, David — See O'Kane, Barbara L., **40** (9), 1768-75 (2001).
Bormashenko, Edward — Development of new near-infrared filters based on the "sandwich" polymer-chalcogenide glass-polymer composites. — Edward Bormashenko, Roman Pogreb, Zosya Pogreb, and Semion Sutovski; **40** (5), 661-2 (2001).
— Development of the technology of contacting ZnSe infrared optical windows using polyethylene films. — Edward Bormashenko, Roman Pogreb, Avigdor Sheshnev, Semion Sutovski, Yelena Bormashenko, Zosya Pogreb, and Abraham Katzir; **40** (9), 1754-5 (2001).
Bormashenko, Yelena — See Bormashenko, Edward, **40** (9), 1754-5 (2001).
Bosch, Thierry — Distance and Displacement Measurements by Laser Technique. — Thierry Bosch and Silvano Donati; **40** (1), 8-9 (2001).
— See Amann, Markus-Christian, **40** (1), 10-9 (2001).
— Optical feedback interferometry for sensing application. — Thierry Bosch, Noël Servagent, and Silvano Donati; **40** (1), 20-7 (2001).
— See Giuliani, Guido, **40** (1), 95-9 (2001).
Botello, S. — See Puga, Héctor J., **40** (8), 1598-607 (2001).
Bourbakis, Nikolaos G. — Three-dimensional perceived-shape representation fusing range data and fuzzy-like segmented image data. — Nikolaos G. Bourbakis; **40** (4), 618-26 (2001).
Bouzoubaa, Mounir — See Nikulin, Vladimir V., **40** (10), 2208-14 (2001).
Bovais, C. S. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Boyd, Joseph T. — See Zhou, Jie, **40** (4), 598-604 (2001).
Bracci, Susanna — See Ballerini, Gaia, **40** (8), 1579-83 (2001).
Brown, Steven B. — See Karunamuni, Jeevananda, **40** (6), 888-95 (2001).
Browne, Steve — See Dayton, David, **40** (6), 1001-9 (2001).
Bruneau, D. — See Werner, Ch., **40** (1), 115-25 (2001).
Bruyneel, Filip — Method for measuring the cell gap in liquid-crystal displays. — Filip Bruyneel, Herbert De Smet, Jan Vanfleteren, and André Van Calster; **40** (2), 259-67 (2001).
Bühling, Sven — Solving tolerancing and three-dimensional beam shaping problems by multifunctional wave optical design. — Sven Bühling and Frank Wyrowski; **40** (8), 1590-7 (2001).
Buimovich, Efraim — Inclusive modeling tool for homodyne crosstalk in optical networks. — Efraim Buimovich, Dan Sadot, and Sam Rubin; **40** (6), 1065-70 (2001).
Bunimovich, David — See Oron, Ram, **40** (8), 1516-20 (2001).
Burris, Ray — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Busch, Timothy E. — See Nikulin, Vladimir V., **40** (10), 2208-14 (2001).

C

Cafforio, Ciro — Edge enhancement for subband-coded images. — Ciro Cafforio, Eugenio Di Sciascio, and Cataldo Guaragnella; **40** (5), 729-39 (2001).
Cagigal, Manuel P. — Experimental checking of the Rician statistics in partially compensated wavefronts. — Manuel P. Cagigal and Vidal F. Canales; **40** (12), 2690-7 (2001).
Cai, Lilong — See Zhou, Weidong, **40** (2), 289-94 (2001).
Calixto, Sergio — See Ornelas-Rodriguez, Manuel, **40** (6), 921-5 (2001).
Campos, Juan — See Davis, Jeffrey A., **40** (2), 327-9 (2001).
— See Márquez, Andrés, **40** (11), 2558-64 (2001).
Campos, Wesley — See de Oliveira Maionchi, Daniela, **40** (7), 1260-4 (2001).
Canabal, Héctor — Laser beam deflectometry based on a subpixel resolution algorithm. — Héctor Canabal, José Alonso, and Eusebio Bernabeu; **40** (11), 2517-23 (2001).

Optical Engineering

2001 Author Index (Volume 40)

KEY TO INDEX USE

Each principal author's entry includes coauthors, title of paper, and location of the paper in Volume 40. A "See" reference means the person is a coauthor of the referenced paper.

A

Abbate, Giancarlo — See Hermann, David S., **40** (10), 2188-98 (2001).
Abookasis, David — Security optical systems based on a joint transform correlator with significant output images. — David Abookasis, Ortal Arazi, Joseph Rosen, and Bahram Javidi; **40** (8), 1584-9 (2001).
Abraham, Joseph — See Stephens, James Michael, **40** (12), 2788-801 (2001).
Abril, Héctor C. — See Millán, María S., **40** (7), 1281-6 (2001).
Aghdasi, Farzin — See Pfisterer, Richard, **40** (2), 209-16 (2001).
Agnesi, Antonio — See Jabczyński, Jan K., **40** (12), 2802-11 (2001).
Ahmad, H. — See Mahdi, Mohd A., **40** (2), 186-92 (2001).
Ahn, Seongkeun — See Cho, Hangyu, **40** (8), 1621-8 (2001).
Ailisto, Heikki — See Laitinen, Jyrki, **40** (6), 896-901 (2001).
Alacakir, Ali — See Udrea, Mircea, **40** (9), 2026-30 (2001).
Alam, Mohammad S. — See Qian, Feng, **40** (2), 275-82 (2001).
— Color pattern recognition using fringe-adjusted joint transform correlation. — Mohammad S. Alam and C. N. Wai; **40** (11), 2407-13 (2001).
Albert, Keith J. — See Karunamuni, Jeevananda, **40** (6), 888-95 (2001).
Al-Habash, M. A. — Mathematical model for the irradiance probability density function of a laser beam propagating through turbulent media. — M. A. Al-Habash, L. C. Andrews, and R. L. Phillips; **40** (8), 1554-62 (2001).
Allington-Smith, J. R. — See Ren, Deqing, **40** (12), 2709-17 (2001).
Alonso, José — See Canabal, Héctor, **40** (11), 2517-23 (2001).
Alvarez-Borrego, Josué — See Kober, Vitaly, **40** (6), 971-83 (2001).
Amako, Jun — Fabrication of continuous surface-relief gratings using a high-precision diamond-cutting process. — Jun Amako, Hitoshi Nakao, and Shinichiro Ochiai; **40** (8), 1456-63 (2001).
Amann, Markus-Christian — Laser ranging: a critical review of usual techniques for distance measurement. — Markus-Christian Amann, Thierry Bosch, Marc Lescure, Risto Myllylä, and Marc Rioux; **40** (1), 10-9 (2001).
Ambrosini, Dario — See Spagnolo, Giuseppe Schirripa, **40** (1), 44-52 (2001).
— Sandwich holography for simultaneous temperature visualization and heat-transfer coefficient measurement. — Dario Ambrosini, Domenica Paoletti, and Giuseppe Schirripa Spagnolo; **40** (7), 1274-80 (2001).
An, Dechang — See Sun, Lin, **40** (7), 1217-22 (2001).
An, Jonghoe — See Cho, Hangyu, **40** (8), 1621-8 (2001).
Andrejco, Matthew — See Liu, Jian, **40** (7), 1195-8 (2001).
Andrews, L. C. — See Al-Habash, M. A., **40** (8), 1554-62 (2001).
Angelini, Leonardo — Chaotic neural network clustering: an application to landmine detection by dynamic infrared imaging. — Leonardo Angelini, Francesco De Carlo, Carmela Marangi, Massimo Mannarelli, Giuseppe Nardulli, Mario Pellicoro, Giuseppe Satalino, and Sebastiano Stramaglia; **40** (12), 2878-84 (2001).
Angelsky, Oleg V. — Optical control of monocrystalline films. — Oleg V. Angelsky, Peter P. Maksimyak, S. Reed, and Vasyl V. Ryukhtin; **40** (10), 2227-33 (2001).
Arai, Yasuhiko — Improvement of measuring accuracy of spatial fringe analysis method using a Kalman filter and its application. — Yasuhiko Arai and Shunsuke Yokozeki; **40** (11), 2605-11 (2001).
Araki, Kenichi — See Toyoshima, Morio, **40** (5), 827-32 (2001).
Aramburu, Cándido — See Vázquez, Carmen, **40** (7), 1160-2 (2001).
Arazi, Ortal — See Abookasis, David, **40** (8), 1584-9 (2001).
Arimoto, Yoshinori — See Izawa, Jun, **40** (3), 466-8 (2001).
Astola, Jaakko T. — See Melnik, Vladimir P., **40** (8), 1441-55 (2001).
Asundi, Anand K. — See KrishnaKumar, V., **40** (3), 340-1 (2001).
— See Peng, Xiaoyuan, **40** (6), 1100-5 (2001).
— See Liu, Tong, **40** (8), 1629-35 (2001).
— See Xu, Lei, **40** (11), 2533-9 (2001).
Aswendt, Petra — See Kreis, Thomas, **40** (6), 926-33 (2001).
Auslender, Mark — See Hava, Shlomo, **40** (7), 1244-8 (2001).
Aviram, Guy — Analyzing the effect of imagery wavelength on the agreement between various image metrics and human detection performance of targets embedded in natural images. — Guy Aviram and Stanley R. Rotman; **40** (9), 1877-84 (2001).
Awatsuji, Yasuhiro — See Shimizu, Tohru, **40** (11), 2524-32 (2001).
Awwal, Abdul A. S. — Optical Computing Systems, Materials, and Devices. — Abdul A. S. Awwal and Khan M. Iftekharuddin; **40** (11), 2369-70 (2001).
— See Iftekharuddin, Khan M., **40** (11), 2442-5 (2001).

B

Baba, Mitsuru — New laser rangefinder for three-dimensional shape measurement of specular objects. — Mitsuru Baba, Kozo Ohtani, Makoto Imai, and Tadataka Konishi; **40** (1), 53-60 (2001).
Bae, Eui Won — See Kim, Jong-Ahn, **40** (12), 2837-44 (2001).
Baeder, Janet — See Ruffin, Paul B., **40** (4), 605-11 (2001).
Báez-Rojas, Javier — See Urcid, Gonzalo, **40** (10), 2084-91 (2001).
Bai, Jing — See Xie, Yuxiao, **40** (10), 2302-7 (2001).
Bai, Lifen — See Li, Qingxiang, **40** (10), 2120-4 (2001).
Bainier, Claudine — See Thiery, Laurent, **40** (6), 1010-5 (2001).
Baker, Lionel R. — Surface imperfections: specimen measurement by microscope and digital camera. — Lionel R. Baker; **40** (10), 2059-60 (2001).
Baldacci, A. — See Diani, M., **40** (8), 1729-34 (2001).
Ballard, Jerrell R., Jr. — See Smith, James A., **40** (8), 1435-7 (2001).
Ballerini, Gaia — Lidar remote sensing of stone cultural heritage: detection of protective treatments. — Gaia Ballerini, Susanna Bracci, Luca Pantani, and Piero Tiano; **40** (8), 1579-83 (2001).
Barbehenn, R. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Barbosa, Eduardo Acedo — See Maldonado, Edison Puig, **40** (8), 1573-8 (2001).
Barela, Jaroslaw — See Chrzanowski, Krzysztof, **40** (6), 1106-14 (2001).
Bartoli, Alessandro — Optical profilometer with a standalone scanning sensor head. — Alessandro Bartoli, Pasquale Poggi, Franco Quercioli, Bruno Tiribilli, and Massimo Vassalli; **40** (12), 2852-9 (2001).
Basu, A. N. — See Manik, N. B., **40** (12), 2830-6 (2001).
Batchman, Ted E. — See Mackie, David M., **40** (10), 2265-72 (2001).
Baukens, Valérie — Free-space optical interconnection modules for two-dimensional photonic very large scale integration circuitry based on microlenses and gradient-refractive-index lenses. — Valérie Baukens, Irina Veretennicoff, and Hugo Thienpont; **40** (11), 2431-41 (2001).
Beadle, Brad M. — Measurement of speed and attenuation of longitudinal elastic waves in optical fibers. — Brad M. Beadle and Jacek Jarzynski; **40** (10), 2115-9 (2001).
Bell, Daryl C. — Inverse synthetic aperture radar imaging using a coherent ultrawideband random noise radar system. — Daryl C. Bell and Ram M. Narayanan; **40** (11), 2612-23 (2001).
Bernabeu, Eusebio — See Canabal, Héctor, **40** (11), 2517-23 (2001).
Berthelot, Jean-Marie — See Picart, Pascal, **40** (1), 81-9 (2001).
Bertinetto, Fabrizio — Subnanometer digital positioning of large bodies by Fabry-Pérot interferometry. — Fabrizio Bertinetto and Enrico Canuto; **40** (1), 76-80 (2001).
Beyette, Fred R., Jr. — See Tang, Jianjing, **40** (11), 2419-30 (2001).
Bijl, Piet — See Toet, Alexander, **40** (9), 1760-7 (2001).
Birkemark, Christian M. — CAMEVA, a methodology for estimation of target detectability. — Christian M. Birkemark; **40** (9), 1835-43 (2001).
Blöcker, T. — See Przygodda, F., **40** (5), 753-60 (2001).
Blomberg, Martti — See Keränen, Kimmo, **40** (10), 2308-14 (2001).
Boay, Chai Gin — See Liu, Tong, **40** (8), 1629-35 (2001).
Bohman, Lars — See Nyberg, Sten, **40** (9), 1869-76 (2001).
Boitel, Ch. — See Werner, Ch., **40** (1), 115-25 (2001).
Bones, P. J. — See Leung, W.-Y. V., **40** (4), 547-53 (2001).
Bonzo, David — See O'Kane, Barbara L., **40** (9), 1768-75 (2001).
Bormashenko, Edward — Development of new near-infrared filters based on the "sandwich" polymer-chalcogenide glass-polymer composites. — Edward Bormashenko, Roman Pogreb, Zosya Pogreb, and Semion Sutovski; **40** (5), 661-2 (2001).
— Development of the technology of contacting ZnSe infrared optical windows using polyethylene films. — Edward Bormashenko, Roman Pogreb, Avigdor Sheshnev, Semion Sutovski, Yelena Bormashenko, Zosya Pogreb, and Abraham Katzir; **40** (9), 1754-5 (2001).
Bormashenko, Yelena — See Bormashenko, Edward, **40** (9), 1754-5 (2001).
Bosch, Thierry — Distance and Displacement Measurements by Laser Technique. — Thierry Bosch and Silvano Donati; **40** (1), 8-9 (2001).
— See Amann, Markus-Christian, **40** (1), 10-9 (2001).
— Optical feedback interferometry for sensing application. — Thierry Bosch, Noël Servagent, and Silvano Donati; **40** (1), 20-7 (2001).
— See Giuliani, Guido, **40** (1), 95-9 (2001).
Botello, S. — See Puga, Héctor J., **40** (8), 1598-607 (2001).
Bourbakis, Nikolaos G. — Three-dimensional perceived-shape representation fusing range data and fuzzy-like segmented image data. — Nikolaos G. Bourbakis; **40** (4), 618-26 (2001).
Bouzoubaa, Mounir — See Nikulin, Vladimir V., **40** (10), 2208-14 (2001).
Bovais, C. S. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Boyd, Joseph T. — See Zhou, Jie, **40** (4), 598-604 (2001).
Bracci, Susanna — See Ballerini, Gaia, **40** (8), 1579-83 (2001).
Brown, Steven B. — See Karunamuni, Jeevananda, **40** (6), 888-95 (2001).
Browne, Steve — See Dayton, David, **40** (6), 1001-9 (2001).
Bruneau, D. — See Werner, Ch., **40** (1), 115-25 (2001).
Bruyneel, Filip — Method for measuring the cell gap in liquid-crystal displays. — Filip Bruyneel, Herbert De Smet, Jan Vanfleteren, and André Van Calster; **40** (2), 259-67 (2001).
Bühling, Sven — Solving tolerancing and three-dimensional beam shaping problems by multifunctional wave optical design. — Sven Bühling and Frank Wyrowski; **40** (8), 1590-7 (2001).
Buimovich, Efraim — Inclusive modeling tool for homodyne crosstalk in optical networks. — Efraim Buimovich, Dan Sadot, and Sam Rubin; **40** (6), 1065-70 (2001).
Bunimovich, David — See Oron, Ram, **40** (8), 1516-20 (2001).
Burris, Ray — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Busch, Timothy E. — See Nikulin, Vladimir V., **40** (10), 2208-14 (2001).

C

Cafforio, Ciro — Edge enhancement for subband-coded images. — Ciro Cafforio, Eugenio Di Sciascio, and Cataldo Guaragnella; **40** (5), 729-39 (2001).
Cagigal, Manuel P. — Experimental checking of the Rician statistics in partially compensated wavefronts. — Manuel P. Cagigal and Vidal F. Canales; **40** (12), 2690-7 (2001).
Cai, Lilong — See Zhou, Weidong, **40** (2), 289-94 (2001).
Calixto, Sergio — See Ornelas-Rodriguez, Manuel, **40** (6), 921-5 (2001).
Campos, Juan — See Davis, Jeffrey A., **40** (2), 327-9 (2001).
— See Márquez, Andrés, **40** (11), 2558-64 (2001).
Campos, Wesley — See de Oliveira Maionchi, Daniela, **40** (7), 1260-4 (2001).
Canabal, Héctor — Laser beam deflectometry based on a subpixel resolution algorithm. — Héctor Canabal, José Alonso, and Eusebio Bernabeu; **40** (11), 2517-23 (2001).

Canales, Vidal F. — See Cagigal, Manuel P., **40** (12), 2690-7 (2001).
Canuto, Enrico — See Bertinetto, Fabrizio, **40** (1), 76-80 (2001).
Cao, Nianwen — See Fukuchi, Tetsuo, **40** (9), 1944-9 (2001).
Carlisle, Gene O. — See Pei, Manlin, **40** (8), 1481-5 (2001).
Carlsson, Jörgen — See Nilsson, Carl Magnus, **40** (8), 1674-81 (2001).
Carlsson, Torgny E. — System for acquisition of three-dimensional shape and movement using digital Light-in-Flight holography. — Torgny E. Carlsson, Bengt Nilsson, and Jonny Gustafsson; **40** (1), 67-75 (2001).
Carlsten, John L. — See Repasky, Kevin S., **40** (11), 2505-9 (2001).
Carver, Albrecht E. — Deformation detection on composite reflectance surfaces using two-image photometric stereo. — Albrecht E. Carver and Robert J. Schalkoff; **40** (2), 295-302 (2001).
Cassarly, William J. — See Riser, Andrew P., **40** (5), 805-13 (2001).
Caulfield, H. John — Independent task Fourier filters. — H. John Caulfield; **40** (11), 2414-8 (2001).
Cavayas, François — See Meunier, François, **40** (10), 2319-30 (2001).
Cazé, Claude — See Philips-Invernizzi, Bernadette, **40** (6), 1082-92 (2001).
Celanese, Hoechst — See Khanarian, G., **40** (6), 1024-9 (2001).
Chan, Choon-Hao — See Tam, Siu-Chung, **40** (2), 237-44 (2001).
Chan, Lipchen Alex — Eigenspace transformation for automatic clutter rejection. — Lipchen Alex Chan, Nasser M. Nasrabadi, and Don Torrieri; **40** (4), 564-73 (2001).
Chan, Y. C. — See Jiang, H. J., **40** (9), 2017-21 (2001).
Chang, Benkang — See Li, Wei, **40** (5), 674-8 (2001).
Chang, Chein-I — See Du, Qian, **40** (10), 2277-84 (2001).
Chang, Chin-Chen — See Hu, Yu-Chen, **40** (1), 108-14 (2001).
— See Hwang, Ren-Junn, **40** (3), 342-51 (2001).
— See Hwang, Kuo-Feng, **40** (9), 1749-51 (2001).
— See Hung, Kuo-Lung, **40** (9), 1950-8 (2001).
Chang, Hong-I — See Hu, Neng-Chung, **40** (8), 1687-98 (2001).
Chang, Hsuan T. — Relocation, scaling, and quantization effects on fractal images. — Hsuan T. Chang; **40** (6), 941-51 (2001).
— Image encryption using separable amplitude-based virtual image and iteratively retrieved phase information. — Hsuan T. Chang; **40** (10), 2165-71 (2001).
Chang, Jih-Yuan — See Kuo, Yen-Kuang, **40** (9), 2031-5 (2001).
Chang, Kwei K. — See Zhao, Feng, **40** (7), 1204-11 (2001).
Chang, Ming — Noncontact probe for profilometric measurement of small-form parts. — Ming Chang and Kao-Hui Lin; **40** (10), 2057-8 (2001).
Chao, Zhixia — 633-nm tunable external-cavity diode laser with an intracavity glass plate as the fine-tuning device. — Zhixia Chao, Jian Wu, Chunyong Yin, and Yi Xu; **40** (5), 801-4 (2001).
Charraut, Daniel — See Thiery, Laurent, **40** (6), 1010-5 (2001).
Chen, Chu-Song — See Chen, Yong-Sheng, **40** (12), 2726-34 (2001).
Chen, Chulung — See Fang, Jian-Shuen, **40** (10), 2159-64 (2001).
Chen, Chun-Yen — See Lee, Bore-Kuen, **40** (10), 2069-76 (2001).
Chen, Horng-Min — See Kuo, Yen-Kuang, **40** (9), 2031-5 (2001).
Chen, Jiun-Hung — See Chen, Yong-Sheng, **40** (12), 2726-34 (2001).
Chen, Ray T. — See Zhao, Feng, **40** (7), 1204-11 (2001).
— See Sun, Lin, **40** (7), 1217-22 (2001).
— See Li, Bing, **40** (7), 1234-7 (2001).
— See Shi, Zan, **40** (7), 1238-43 (2001).
— See Qiao, Jie, **40** (7), 1255-9 (2001).
Chen, Tung-Shou — See Hung, Kuo-Lung, **40** (9), 1950-8 (2001).
Chen, Wei R. — Dynamically observing intratumor injection of laser-absorbing dye and immunoadjuvant using digital x-ray imaging technique. — Wei R. Chen, Hong Liu, Wei Yue, Jiping Wang, and Robert E. Nordquist; **40** (7), 1249-54 (2001).
Chen, Xin — See Chen, Zikuan, **40** (5), 868-74 (2001).
Chen, Xue — See Ren, Xiaomin, **40** (7), 1223-6 (2001).
Chen, Yi-Ming — See Sun, Ching-Cherng, **40** (2), 160-1 (2001).
Chen, Yihong — See Peng, Xiaoyuan, **40** (6), 1100-5 (2001).
Chen, Yong-Sheng — Video-based eye tracking for autostereoscopic displays. — Yong-Sheng Chen, Chan-Hung Su, Jiun-Hung Chen, Chu-Song Chen, Yi-Ping Hung, and Chiou-Shann Fuh; **40** (12), 2726-34 (2001).
Chen, Zhihao — Tunable chirped fiber Bragg gratings by a distributed heater. — Zhihao Chen, Chao Lu, Jun Hong Ng, Xiufeng Yang, and Tee Hiang Cheng; **40** (7), 1156-7 (2001).
— See Lee, Ka On, **40** (11), 2582-5 (2001).
Chen, Zhongyu — See Wang, Haifeng, **40** (6), 991-4 (2001).
Chen, Zikuan — Subband correlation of Daubechies wavelet representations. — Zikuan Chen and Yang Tao; **40** (3), 362-71 (2001).
— Wavelet-based adaptive thresholding method for image segmentation. — Zikuan Chen, Yang Tao, Xin Chen, and Carl Griffis; **40** (5), 868-74 (2001).
Cheng, Buwen — See Wang, Qiming, **40** (7), 1192-4 (2001).
Cheng, Taiyi — See Park, HyunWook, **40** (1), 100-7 (2001).
Cheng, Tee Hiang — See Chen, Zhihao, **40** (7), 1156-7 (2001).
Cheng, Zuhai — See Peng, Yufeng, **40** (12), 2822-9 (2001).
Cheung, Chin Y. — See Swift, Graham, **40** (7), 1357-63 (2001).
Cheung, P. Y. S. — See Chung, Hing Yip, **40** (6), 952-63 (2001).
Chhetri, Bhupendra B. — Iterative stepwise binarization of digital amplitude holograms with added energy to the signal window. — Bhupendra B. Chhetri, Shiyuan Yang, and Teruo Shimomura; **40** (12), 2718-25 (2001).
Chiang, Huang-Cheng — See Yeh, Yeou-Min, **40** (10), 2172-8 (2001).
Chiang, Kin Seng — See Yi, Benshun, **40** (6), 914-20 (2001).
— See Lee, Ka On, **40** (11), 2582-5 (2001).
Cho, Hangyu — Partial response maximum-likelihood system and crosstalk cancellation method for high-density optical recording. — Hangyu Cho, Jonghoe An, Sunghwan Ong, Daesik Hong, Seongkeun Ahn, and Jinyong Kim; **40** (8), 1621-8 (2001).
Cho, Soon-Jae — See Ko, Yun-Ho, **40** (2), 200-8 (2001).
Choi, Jae Gark — See Ko, Yun-Ho, **40** (2), 200-8 (2001).
— See Kang, Hyun Soo, **40** (7), 1265-73 (2001).
Choi, Jong-Soo — See Hong, Hyun-Ki, **40** (6), 1093-9 (2001).
— See Oh, Jeong-Su, **40** (8), 1699-708 (2001).
— See Doo, Kyoung-Soo, **40** (11), 2646-54 (2001).
Choi, Tae Sun — See Dinh, T. Bui, **40** (2), 325-7 (2001).
— See Mozerov, Mikhail, **40** (10), 2234-9 (2001).
Choi, Young-Wan — See Kang, Tae-Gu, **40** (10), 2240-6 (2001).
Chollet, Franck — Limitations imposed by birefringence uniformity on narrow-linewidth filters based on mode coupling. — Franck Chollet, Jean-Pierre Goedgebuer, and Gadang Ramantoko; **40** (12), 2763-70 (2001).
Chouanine, Lotfi — Nanotribology of thin films in a lithium niobate optical waveguide modulator $LiNbO_3$-Ti(20 nm)-Pt(10 nm)-Au(100 nm)-Au(10 μm) using depth-sensing nanoindentation and scratching techniques. — Lotfi Chouanine; **40** (8), 1709-16 (2001).
Chrzanowski, Krzysztof — Uncertainty of temperature measurement with thermal cameras. — Krzysztof Chrzanowski, Robert Matyszkiel, Joachim Fischer, and Jaroslaw Barela; **40** (6), 1106-14 (2001).
Chu, Beatrice C. B. — See Yi, Benshun, **40** (6), 914-20 (2001).
Chua, Hock-Chuan — See Tam, Siu-Chung, **40** (2), 237-44 (2001).
Chung, Hing Yip — Fast motion estimation with search-center prediction. — Hing Yip Chung, N. H. C. Yung, and P. Y. S. Cheung; **40** (6), 952-63 (2001).
Chung, Jae-won — See Kang, Hyun-Soo, **40** (5), 703-12 (2001).
Churnside, James H. — Airborne lidar for fisheries applications. — James H. Churnside, James J. Wilson, and Viatcheslav V. Tatarskii; **40** (3), 406-14 (2001).
Chydzinski, A. — See Smolka, B., **40** (6), 902-8 (2001).
Clark, Stephan R. — Optical reference profilometry. — Stephan R. Clark and John E. Greivenkamp; **40** (12), 2845-51 (2001).
Cochrell, K. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Coggrave, C. Russell — See Ruiz, Pablo D., **40** (9), 1984-92 (2001).
Cohn, Robert W. — Fundamental properties of spatial light modulators for the approximate optical computation of Fourier transforms: a review. — Robert W. Cohn; **40** (11), 2452-63 (2001).
Collins, Ray — See Zhao, Feng, **40** (7), 1204-11 (2001).
Comerón, Adolfo — See Rodriguez, Alejandro, **40** (3), 398-405 (2001).
— See Dios, Federico, **40** (5), 774-82 (2001).
— See Rodriguez, Alejandro, **40** (12), 2812-21 (2001).
Consortini, Anna — See Innocenti, Claudia, **40** (12), 2685-9 (2001).
Cook, Anthony L. — See Koch, Grady J., **40** (4), 525-8 (2001).
Copeland, Anthony C. — Computational models for search and discrimination. — Anthony C. Copeland and Mohan M. Trivedi; **40** (9), 1885-95 (2001).
— Texture synthesis using gray-level co-occurrence models: algorithms, experimental analysis, and psychophysical support. — Anthony C. Copeland, Gopalan Ravichandran, and Mohan M. Trivedi; **40** (11), 2655-73 (2001).
Coppola, Giuseppe — Simulation and analysis of a high-efficiency silicon optoelectronic modulator based on a Bragg mirror. — Giuseppe Coppola, Andrea Irace, Mario Iodice, and Antonello Cutolo; **40** (6), 1076-81 (2001).
Corbin, Elizabeth — Structure and doping optimization of SiGe heterojunction internal photoemission detectors for mid-infrared applications. — Elizabeth Corbin, Michael J. Shaw, Matt R. Kitchin, Milan Jaros, Johannes Konle, and Hartmut Presting; **40** (12), 2753-62 (2001).
Cornejo-Rodríguez, Alejandro — See Urcid, Gonzalo, **40** (10), 2084-91 (2001).
Corsini, G. — See Diani, M., **40** (8), 1729-34 (2001).
Costa, Luciano da Fontoura — Optimized approach to multiscale skeleton generation. — Luciano da Fontoura Costa and Edson Tadeu M. Manoel; **40** (9), 1752-3 (2001).
Cottrell, Don M. — See Davis, Jeffrey A., **40** (2), 327-9 (2001).
Courrol, Lilia Coronato — See Maldonado, Edison Puig, **40** (8), 1573-8 (2001).
Cranton, Wayne — See Otero Barros, Sara, **40** (6), 934-40 (2001).
Čučej, Zarko — See Planinšič, Peter, **40** (8), 1529-44 (2001).
— See Gleich, Dušan, **40** (10), 2143-50 (2001).
Cui, Zheng — See Yao, Jun, **40** (9), 2022-5 (2001).
Cutolo, Antonello — See Coppola, Giuseppe, **40** (6), 1076-81 (2001).

D

Dabas, A. — See Werner, Ch., **40** (1), 115-25 (2001).
Dabke, Kishor P. — See Le, Khoa Nguyen, **40** (12), 2866-77 (2001).
Dabu, R. — Eye-safe singly resonant KTP parametric oscillator pumped inside a Nd:YAG laser cavity. — R. Dabu, A. Stratan, C. Fenic, C. Luculescu, and L. Muscalu; **40** (3), 455-9 (2001).
Dai, Hongjun — Shape measurement by digital speckle temporal sequence correlation with digital light projector. — Hongjun Dai and Xianyu Su; **40** (5), 793-800 (2001).
Dalton, G. — See Ren, Deqing, **40** (12), 2709-17 (2001).
Dalton, Larry R. — See Sun, Lin, **40** (7), 1217-22 (2001).
— See Grote, James G., **40** (11), 2464-73 (2001).
Dändliker, René — See Roulet, Jean-Christophe, **40** (5), 814-21 (2001).
Das, Debendra Nath — See Mukhopadhyay, Sourangshu, **40** (9), 1998-2002 (2001).
Das, Partha Pratima — See Mukhopadhyay, Sourangshu, **40** (9), 1998-2002 (2001).
Dasgupta, Samhita — See Zhou, Jie, **40** (4), 598-604 (2001).
Davidson, Kenneth L. — See Jensen, Douglas R., **40** (8), 1486-98 (2001).
Dávila, Abundio — See Ruiz, Pablo D., **40** (2), 318-24 (2001).
Davis, Jeffrey A. — Encoding complex diffractive optical elements onto a phase-only liquid-crystal spatial light modulator. — Jeffrey A. Davis, Dylan E. McNamara, Don M. Cottrell, Juan Campos, Maria J. Yzuel, and Ignacio Moreno; **40** (2), 327-9 (2001).
— See Moreno, Ignacio, **40** (10), 2220-6 (2001).
— See Márquez, Andrés, **40** (11), 2558-64 (2001).
Dayton, David — Long-range laser illuminated imaging: analysis and experimental demonstrations. — David Dayton, Steve Browne, John Gonglewski, Steve Sandven, Joe Gallegos, and Mike Shilko; **40** (6), 1001-9 (2001).
De Carlo, Francesco — See Angelini, Leonardo, **40** (12), 2878-84 (2001).
Decker, Alfred — See Swift, Graham, **40** (7), 1357-63 (2001).
de Groot, Peter — Unusual techniques for absolute distance measurement. — Peter de Groot; **40** (1), 28-32 (2001).
de Leeuw, Gerrit — See Jensen, Douglas R., **40** (8), 1486-98 (2001).
Delville, P. — See Werner, Ch., **40** (1), 115-25 (2001).
De Marco, Francesco — See Hermann, David S., **40** (10), 2188-98 (2001).
Deng, Xuegong — See Zhao, Feng, **40** (7), 1204-11 (2001).
Denker, Carsten — See Wang, Jingshan, **40** (6), 1016-23 (2001).
de Oliveira Maionchi, Daniela — Angular alignment of a polarization-maintaining optical fiber. — Daniela de Oliveira Maionchi, Wesley Campos, and Jaime Frejlich; **40** (7), 1260-4 (2001).
de Rooij, Nico F. — See Roulet, Jean-Christophe, **40** (5), 814-21 (2001).
De Smet, Herbert — See Bruyneel, Filip, **40** (2), 259-67 (2001).
Devaux, J. C. — Karhunen-Loève transform applied to region-based segmentation of color aerial images. — J. C. Devaux, P. Gouton, and F. Truchetet; **40** (7), 1302-8 (2001).
DeYoung, Russell J. — See Refaat, Tamer F., **40** (9), 1928-35 (2001).
Dhar, Vikram — Infrared detector performance in an area array. — Vikram Dhar and Vishnu Gopal; **40** (5), 679-91 (2001).

— Ratio of quantum efficiency to crosstalk: a proposed figure of merit for a mosaic infrared diode array. — Vikram Dhar and Vishnu Gopal; **40** (10), 2345-9 (2001).
Dharamsi, Amin N. — See Koch, Grady J., **40** (4), 525-8 (2001).
Dharmsaktu, K. S. — Out-of-plane vibration measurement by speckle photography using photorefractive $BaTiO_3$ crystal. — K. S. Dharmsaktu, Arvind Kumar, and Kehar Singh; **40** (6), 1132-7 (2001).
D'havé, Koen — See Hermann, David S., **40** (10), 2188-98 (2001).
Diani, M. — Novel background removal algorithm for Navy infrared search and track systems. — M. Diani, A. Baldacci, and G. Corsini; **40** (8), 1729-34 (2001).
Dinh, T. Bui — Instantaneous bubble velocity measurements using digital image analysis. — T. Bui Dinh and T. S. Choi; **40** (2), 325-7 (2001).
Dios, Federico — On the choice of the number of samples in laser Doppler anemometry signal processing. — Federico Dios, Adolfo Comerón, and David García-Vizcaíno; **40** (5), 774-82 (2001).
Di Sciascio, Eugenio — See Cafforio, Ciro, **40** (5), 729-39 (2001).
Dodsworth, G. N. — See Ren, Deqing, **40** (12), 2709-17 (2001).
Doll, Theodore J. — Guidelines for developing and validating models of visual search and target acquisition. — Theodore J. Doll and Richard Home; **40** (9), 1776-83 (2001).
Donati, Silvano — See Bosch, Thierry, **40** (1), 8-9 (2001).
— See Bosch, Thierry, **40** (1), 20-7 (2001).
— See Giuliani, Guido, **40** (1), 95-9 (2001).
Donskoy, Dmitry — See Zhang, Chengping, **40** (7), 1337-42 (2001).
Doo, Kyoung-Soo — See Hong, Hyun-Ki, **40** (6), 1093-9 (2001).
— Simulation of target detection in ultraviolet and infrared bands. — Kyoung-Soo Doo, Jeong-Su Oh, Sung-Gabb Jahng, Hyun-Ki Hong, Jong-Soo Choi, and Dong-Sun Seo; **40** (11), 2646-54 (2001).
Doo, Kyung-Soo — See Oh, Jeong-Su, **40** (8), 1699-708 (2001).
Driggers, Ronald G. — Target identification performance as a function of temporal and fixed pattern noise. — Ronald G. Driggers, Richard Vollmerhausen, and Keith Krapels; **40** (3), 443-7 (2001).
— See Krapels, Keith, **40** (9), 1906-13 (2001).
Drobinski, Ph. — See Werner, Ch., **40** (1), 115-25 (2001).
Du, Qian — Hidden Markov model approach to spectral analysis for hyperspectral imagery. — Qian Du and Chein-I Chang; **40** (10), 2277-84 (2001).
Du, Shanyi — See Zhang, Boming, **40** (4), 612-7 (2001).
Duoyuan, Wang — See Yu, Chen, **40** (12), 2683-4 (2001).
Dupont, Daniel — See Philips-Invernizzi, Bernadette, **40** (6), 1082-92 (2001).

E

Eastwood, DeLyle — See Karunamuni, Jeevananda, **40** (6), 888-95 (2001).
Ebeling, Karl J. — See Michalzik, Rainer, **40** (7), 1179-85 (2001).
Egan, Gregory K. — See Le, Khoa Nguyen, **40** (12), 2866-77 (2001).
Eknoyan, O. — See Jung, H. S., **40** (8), 1499-501 (2001).
Eldada, Louay — Advances in telecom and datacom optical components. — Louay Eldada; **40** (7), 1165-78 (2001).
Elgarhi, Abdelakrim — See Meitzler, Thomas J., **40** (9), 1844-51 (2001).
Ellis, R. Darin — See Witus, Gary, **40** (9), 1858-68 (2001).
Elsayed-Ali, Hani E. — See Refaat, Tamer F., **40** (9), 1928-35 (2001).
Elstrom, Mark D. — See Smith, Philip W., **40** (3), 352-61 (2001).
Eriksson, Henrik — See Löfdahl, Mats G., **40** (6), 984-90 (2001).

F

Fan, Z. X. — See Tang, Z. S., **40** (5), 856-60 (2001).
Fang, Jian-Shuen — Chinese seal imprint recognition with joint transform correlators. — Jian-Shuen Fang and Chulung Chen; **40** (10), 2159-64 (2001).
Fdez-Valdivia, Joaquín — See García, Jose A., **40** (9), 1794-817 (2001).
Fdez-Vidal, Xose R. — See García, José A., **40** (9), 1794-817 (2001).
Federico, Alejandro — Comparative study of wavelet thresholding methods for denoising electronic speckle pattern interferometry fringes. — Alejandro Federico and Guillermo H. Kaufmann; **40** (11), 2598-604 (2001).
Fenic, C. — See Dabu, R., **40** (3), 455-9 (2001).
Fenster, A. — See Galigekere, R. R., **40** (7), 1409-11 (2001).
Fernández-Pousa, Carlos R. — See Moreno, Ignacio, **40** (10), 2220-6 (2001).
Ferraro, M. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Ferrell, T. L. — See Meriaudeau, F., **40** (5), 658-60 (2001).
Fesharaki, Mehdi N. — See Mahmoodi, Ali, **40** (2), 227-36 (2001).
Feuermann, Daniel — Gradient-index rods as flux concentrators with applications to laser fiber optic surgery. — Daniel Feuermann and Jeffrey M. Gordon; **40** (3), 418-25 (2001).
Fiete, Robert D. — Comparison of SNR image quality metrics for remote sensing systems. — Robert D. Fiete and Theodore Tantalo; **40** (4), 574-85 (2001).
Filatov, Yurii D. — See Rogov, Valentin V., **40** (8), 1641-5 (2001).
Filbee, David — See Moorhead, Ian R., **40** (9), 1896-905 (2001).
Fischer, Joachim — See Chrzanowski, Krzysztof, **40** (6), 1106-14 (2001).
Fisher, Etan — See Stern, Adrian, **40** (6), 964-70 (2001).
Fitzgerald, Colleen M. — See Koch, Grady J., **40** (4), 525-8 (2001).
Flamant, P. H. — See Werner, Ch., **40** (1), 115-25 (2001).
Fleischer, Matthias — See Körner, Klaus, **40** (8), 1653-60 (2001).
Flores, Benjamin C. — See Thomas, Gabriel, **40** (2), 217-26 (2001).
— Efficient method for the translational motion compensation of inverse synthetic aperture radar imagery. — Benjamin C. Flores, Jae Sok Son, and Salim Tariq; **40** (3), 433-42 (2001).
Foong, Sze-Chern — See Tam, Siu-Chung, **40** (2), 237-44 (2001).
Forno, Colin — Digital moiré subtraction in optical engineering. — Colin Forno and Maurice P. Whelan; **40** (10), 2199-207 (2001).
Foshee, James J. — See Shi, Zan, **40** (7), 1238-43 (2001).
Franich, David J. — See Moreno, Ignacio, **40** (10), 2220-6 (2001).
Franke, H. — See Leitz, M., **40** (7), 1315-20 (2001).
Fränti, Pasi — See Virmajoki, Olli, **40** (11), 2495-504 (2001).
Frederickson, Pual A. — See Jensen, Douglas R., **40** (8), 1486-98 (2001).
Freeman, Dennis M. — See Timoner, Samson J., **40** (9), 2003-16 (2001).
Frejlich, Jaime — See de Oliveira Maionchi, Daniela, **40** (7), 1260-4 (2001).
Fryc, Irena — Analysis of the spectral correction errors of illuminance meter photometric head under the influence of the diffusing element. — Irena Fryc; **40** (8), 1636-40 (2001).
Fu, Jie — See Zhang, Shulian, **40** (4), 594-7 (2001).
Fu, Shan — Detection of velocity distribution of a flow field using sequences of Schlieren images. — Shan Fu and Yajue Wu; **40** (8), 1661-6 (2001).
Fu, Yongqi — Investigation of diffractive-refractive microlens array fabricated by focused ion beam technology. — Yongqi Fu and Bryan Kok Ann Ngoi; **40** (4), 511-6 (2001).
— Novel one-step method of microlens mold array fabrication. — Yongqi Fu and Bryan Kok Ann Ngoi; **40** (8), 1433-4 (2001).
Fuertes, José M. — See García, Jose A., **40** (9), 1794-817 (2001).
Fuh, Chiou-Shann — See Chen, Yong-Sheng, **40** (12), 2726-34 (2001).
Fujii, Takashi — See Fukuchi, Tetsuo, **40** (3), 392-7 (2001).
— See Fukuchi, Tetsuo, **40** (9), 1944-9 (2001).
Fujisawa, Tadahito — See Inoue, Soichi, **40** (10), 2338-44 (2001).
Fukuchi, Tetsuo — Evaluation of differential absorption lidar (DIAL) measurement error by simultaneous DIAL and null profiling. — Tetsuo Fukuchi, Takashi Fujii, Naohiko Goto, Koshichi Nemoto, and Nobuo Takeuchi; **40** (3), 392-7 (2001).
— Tropospheric O_3 measurement by simultaneous differential absorption lidar and null profiling and comparison with sonde measurement. — Tetsuo Fukuchi, Takashi Fujii, Nianwen Cao, Koshichi Nemoto, and Nobuo Takeuchi; **40** (9), 1944-9 (2001).

G

Galarza, Marko — See Vázquez, Carmen, **40** (7), 1160-2 (2001).
Galigekere, R. R. — Moment patterns in the radon space: invariance to intensity scaling. — R. R. Galigekere, D. W. Holdsworth, M. N. S. Swamy, and A. Fenster; **40** (7), 1409-11 (2001).
Gallegos, Joe — See Dayton, David, **40** (6), 1001-9 (2001).
Gan, Fuxi — See Wang, Haifeng, **40** (5), 851-5 (2001).
— See Wang, Haifeng, **40** (6), 991-4 (2001).
Gao, Fuhua — See Yao, Jun, **40** (9), 2022-5 (2001).
Gao, Hong — See Li, Qingxiang, **40** (5), 833-6 (2001).
Gao, Yun — Optimal dithering of focal plane arrays in passive millimeter-wave imaging. — Yun Gao and Stanley J. Reeves; **40** (10), 2179-87 (2001).
Garavaglia, Mario — Optoelectronic hidden grids and moiré patterns: basics and applications in distance measurement. — Mario Garavaglia and Anibal Pablo Laquidara; **40** (11), 2510-6 (2001).
Garcia, David — See Rodriguez, Alejandro, **40** (3), 398-405 (2001).
García, Ernesto — Low-cost three-dimensional vision system based on a low-power semiconductor laser rangefinder and a single scanning mirror. — Ernesto García and Horacio Lamela; **40** (1), 61-6 (2001).
García, Jose A. — Minimum error gain for predicting visual target distinctness. — Jose A. García, Joaquín Fdez-Valdivia, Xose R. Fdez-Vidal, Rosa Rodriguez-Sánchez, and José M. Fuertes; **40** (9), 1794-817 (2001).
García-Torales, Guillermo — Simulations and experimental results with a vectorial shearing interferometer. — Guillermo García-Torales, Gonzalo Paez, and Marija Strojnik; **40** (5), 767-73 (2001).
García-Vizcaíno, David — See Dios, Federico, **40** (5), 774-82 (2001).
Gathman, Stuart G. — See Jensen, Douglas R., **40** (8), 1486-98 (2001).
Gelbart, Asher — See Sitter, David N., Jr., **40** (8), 1545-53 (2001).
Georgakilas, A. — See Kyriakis-Bitzaros, E.D., **40** (1), 144-6 (2001).
George, A. K. — See George, Nibu A., **40** (7), 1343-7 (2001).
George, Nibu A. — Open-cell photoacoustic investigation of the thermal effusivity of liquid crystals. — Nibu A. George, C. P. G. Vallabhan, V. P. N. Nampoori, A. K. George, and P. Radhakrishnan; **40** (7), 1343-7 (2001).
Gergič, Bojan — See Planinšič, Peter, **40** (8), 1529-44 (2001).
— See Gleich, Dušan, **40** (10), 2143-50 (2001).
Gerhart, Grant R. — See Witus, Gary, **40** (9), 1858-68 (2001).
— See Matchko, Roy M., **40** (12), 2735-45 (2001).
Ghassemlooy, Zabih — See Swift, Graham, **40** (7), 1357-63 (2001).
Ghosh, Partha — See Mukhopadhyay, Sourangshu, **40** (9), 1998-2002 (2001).
Gianino, Peter D. — See Khoury, J., **40** (11), 2624-37 (2001).
Giaretta, Giorgio — See Michalzik, Rainer, **40** (7), 1179-85 (2001).
Gilbreath, G. C. — Large-aperture multiple quantum well modulating retroreflector for free-space optical data transfer on unmanned aerial vehicles. — G. C. Gilbreath, W. S. Rabinovich, T. J. Meehan, M. J. Vilcheck, R. Mahon, Ray Burris, M. Ferraro, I. Sokolsky, J. A. Vasquez, C. S. Bovais, K. Cochrell, K. C. Goins, R. Barbehenn, D. S. Katzer, K. Ikossi-Anastasiou, and Marcos J. Montes; **40** (7), 1348-56 (2001).
Gilmore, Marilyn A. — See Moorhead, Ian R., **40** (9), 1896-905 (2001).
Giuliani, Guido — Angle measurement by injection detection in a laser diode. — Guido Giuliani, Silvano Donati, Marco Passerini, and Thierry Bosch; **40** (1), 95-9 (2001).
Gleich, Dušan — See Planinšič, Peter, **40** (8), 1529-44 (2001).
— Subjective quality of reconstructed images obtained with classical and advanced wavelet coders. — Dušan Gleich, Peter Planinšič, Bojan Gergič, and Žarko Čučej; **40** (10), 2143-50 (2001).
Goedgebuer, Jean-Pierre — See Chollet, Franck, **40** (12), 2763-70 (2001).
Goins, K. C. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Gold, Carl — See Itti, Laurent, **40** (9), 1784-93 (2001).
Gole, James L. — See Stephens, James Michael, **40** (12), 2788-801 (2001).
Gómez-Pedrero, Jose A. — See Quiroga, Juan A., **40** (12), 2885-91 (2001).
Gong, Mali — See Zhang, Haitao, **40** (11), 2540-5 (2001).
Gonglewski, John — See Dayton, David, **40** (6), 1001-9 (2001).
González, L. A. — See Iturbe Castillo, M. D., **40** (11), 2367-8 (2001).
González-Marcos, Ana — Method to analyze the influence of hysteresis in optical arithmetic units. — Ana González-Marcos and José A. Martín-Pereda; **40** (11), 2371-85 (2001).
Goode, Philip R. — See Wang, Jingshan, **40** (6), 1016-23 (2001).
Goodson, Kenneth E. — See Zhou, Peng, **40** (8), 1613-20 (2001).
Gopal, Vishnu — See Dhar, Vikram, **40** (5), 679-91 (2001).
— See Dhar, Vikram, **40** (10), 2345-9 (2001).
Gordon, Jeffrey M. — See Feuermann, Daniel, **40** (3), 418-25 (2001).
Gordova, Marina R. — Prototype of hybrid diffractive/graded-index splitter for fiber optics. — Marina R. Gordova, Jesús Liñares, Andrey A. Lipovskii, Valentina V. Zhurihina, Dmitry K. Tagantsev, Boris V. Tatarintsev, and Jari Turunen; **40** (8), 1507-12 (2001).
Goto, Naohiko — See Fukuchi, Tetsuo, **40** (3), 392-7 (2001).
Gottschling, Harald — See Grohe, Oliver, **40** (4), 529-32 (2001).
Gouton, P. — See Devaux, J. C., **40** (7), 1302-8 (2001).
Grant, Peter M. — See Saw, Yoo-Sok, **40** (7), 1387-95 (2001).
Gregory, Don A. — Random facet Fresnel lenses and mirrors. — Don A. Gregory and Guolin Peng; **40** (5), 713-9 (2001).
Greivenkamp, John E. — See Suzuki, Takamasa, **40** (3), 426-32 (2001).
— See Clark, Stephan R., **40** (12), 2845-51 (2001).
Griffis, Carl — See Chen, Zikuan, **40** (5), 868-74 (2001).

Griffiths, Peter R. — See Richardson, Robert L., **40** (2), 252-8 (2001).
Grohe, Oliver — Frequency stabilization of a semiconductor laser using water-vapor absorption lines. — Oliver Grohe, Harald Gottschling, Holger Jennewein, and Theo Tschudi; **40** (4), 529-32 (2001).
Grote, James G. — Effect of conductivity and dielectric constant on the modulation voltage for optoelectronic devices based on nonlinear optical polymers. — James G. Grote, John S. Zetts, Robert L. Nelson, Frank K. Hopkins, Larry R. Dalton, Cheng Zhang, and William H. Steier; **40** (11), 2464-73 (2001).
Guandalini, Annalisa — See Jabczyński, Jan K., **40** (12), 2802-11 (2001).
Guaragnella, Cataldo — See Cafforio, Ciro, **40** (5), 729-39 (2001).
Guillemant, Philippe — Real-time identification of smoke images by clustering motions on a fractal curve with a temporal embedding method. — Philippe Guillemant and Jérôme Vicente; **40** (4), 554-63 (2001).
Guo, Baoping — See Zhao, Feng, **40** (7), 1204-11 (2001).
Guo, Fengqi — Optical limiting of pentaazadentate complexes in solution for nanosecond pulses. — Fengqi Guo, Wenfang Sun, Duoyuan Wang, and Yinglin Song; **40** (1), 138-41 (2001).
Guo, Yongkang — See Yao, Jun, **40** (9), 2022-5 (2001).
Gustafsson, Jonny — See Carlsson, Torgny E., **40** (1), 67-75 (2001).

H

Hadar, Ofer — Enhancement of an image compression algorithm by pre- and post-filtering. — Ofer Hadar, Adrian Stern, and Raz Koresh; **40** (2), 193-9 (2001).
— Modulation transfer function as a quality measure for compressed images transmitted over a lossy packet network. — Ofer Hadar, Adrian Stern, Merav Huber, and Revital Huber; **40** (10), 2134-42 (2001).
Hakimi, Farhad — Measurement of optical fiber dispersion and dispersion slope using a pair of short optical pulses and Fourier transform property of dispersive medium. — Farhad Hakimi and Hosain Hakimi; **40** (6), 1053-6 (2001).
Hakimi, Hosain — See Hakimi, Farhad, **40** (6), 1053-6 (2001).
Halford, Carl E. — See Krapels, Keith, **40** (9), 1906-13 (2001).
Halkias, G. — See Kyriakis-Bitzaros, E.D., **40** (1), 144-6 (2001).
Han, Bongtae — See Verma, Kaushal, **40** (9), 1970-7 (2001).
Han, Jong-Ki — Modified cubic convolution scaler with minimum loss of information. — Jong-Ki Han and Hyung-Myung Kim; **40** (4), 540-6 (2001).
Han, Sung-Hyun — See Hong, Hyun-Ki, **40** (6), 1093-9 (2001).
Han, Yanmei — See Zhang, Yi, **40** (6), 1071-5 (2001).
Han, Yue — Abnormal photon absorption behavior in melanin detected by photothermal lensing due to simultaneous irradiation with multiple laser wavelengths. — Yue Han, Joseph S. Rosenshein, Z. L. Wu, Wen Ye, Marshall Thomsen, and Qiang Zhao; **40** (2), 303-9 (2001).
Hanhijärvi, Antti — See Wahl, Paul, **40** (5), 788-92 (2001).
Hannah, John M. — See Saw, Yoo-Sok, **40** (7), 1387-95 (2001).
Hara, Hiroshi — See Izawa, Jun, **40** (3), 466-8 (2001).
Harada, Kenji — See Sutoh, Yasunori, **40** (8), 1717-23 (2001).
Haralabidis, N. — See Kyriakis-Bitzaros, E.D., **40** (1), 144-6 (2001).
Hardy, Amos A. — See Oron, Ram, **40** (8), 1516-20 (2001).
Harris, James S., Jr. — See Liu, Hong, **40** (7), 1186-91 (2001).
Hart, Darlene L. — See Zhang, Kevin J., **40** (7), 1199-203 (2001).
Hartman, Walter B. — See Shi, Zan, **40** (7), 1238-43 (2001).
Hava, Shlomo — Optical scatterometry evaluation of groove depth in lamellar silicon grating structures. — Shlomo Hava and Mark Auslender; **40** (7), 1244-8 (2001).
He, Sailing — See Wang, Qian, **40** (11), 2552-7 (2001).
He, Shaobo — See Yu, Haiwu, **40** (1), 126-31 (2001).
He, Xiaoyuan — See Tay, C. J., **40** (8), 1608-12 (2001).
Heath, Garrett D. — See Watkins, Wendell R., **40** (9), 1914-27 (2001).
Helen, S. Suja — Analysis of spectrally resolved white light interferograms: use of a phase shifting technique. — S. Suja Helen, M. P. Kothiyal, and R. S. Sirohi; **40** (7), 1329-36 (2001).
Hermann, David S. — Novel passive polymer waveguides integrated with electro-optically active ferroelectric liquid crystals. — David S. Hermann, Giusy Scalia, Claire Pitois, Francesco De Marco, Koen D'havé, Giancarlo Abbate, Mikael Lindgren, and Anders Hult; **40** (10), 2188-98 (2001).
Hernandez, D. — See Leitz, M., **40** (7), 1315-20 (2001).
Herrmann, H. — See Werner, Ch., **40** (1), 115-25 (2001).
Hertegård, Stellan — See Manneberg, Göran, **40** (9), 2041-4 (2001).
Herzig, Hans Peter — See Roulet, Jean-Christophe, **40** (5), 814-21 (2001).
— See Nussbaum, Ph., **40** (7), 1412-4 (2001).
Hirai, Akiko — High-sensitivity surface-profile measurements by heterodyne white-light interferometer. — Akiko Hirai and Hirokazu Matsumoto; **40** (3), 387-91 (2001).
— See Matsumoto, Hirokazu, **40** (11), 2365-6 (2001).
Hirano, Motohisa — See Mizukami, Masato, **40** (3), 448-54 (2001).
Ho, Anthony T. S. — See Tam, Siu-Chung, **40** (2), 237-44 (2001).
Hoffman, James E. — See O'Kane, Barbara L., **40** (9), 1768-75 (2001).
Höfling, Roland — See Kreis, Thomas, **40** (6), 926-33 (2001).
Hofmann, K.-H. — See Przygodda, F., **40** (5), 753-60 (2001).
Holdsworth, D. W. — See Galigekere, R. R., **40** (7), 1409-11 (2001).
Home, Richard — See Doll, Theodore J., **40** (9), 1776-83 (2001).
Hong, Daesik — See Cho, Hangyu, **40** (8), 1621-8 (2001).
Hong, Hyun-Ki — Adaptive infrared counter countermeasure for two-color spinning concentric-annular-ring reticle seeker. — Hyun-Ki Hong, Surng-Gabb Jahng, Kyoung-Soo Doo, Jong-Soo Choi, and Sung-Hyun Han; **40** (6), 1093-9 (2001).
— See Doo, Kyoung-Soo, **40** (11), 2646-54 (2001).
Hopkins, Frank K. — See Grote, James G., **40** (11), 2464-73 (2001).
Horwitz, James W. — See Zhao, Feng, **40** (7), 1204-11 (2001).
— See Qiao, Jie, **40** (7), 1255-9 (2001).
Houlbrook, Alex W. — See Moorhead, Ian R., **40** (9), 1896-905 (2001).
Hsieh, Chin-Yuan — Measurement system for laser bistatic lidar scattering. — Chin-Yuan Hsieh; **40** (11), 2546-51 (2001).
Hsieh, Mei-Li — Grating detuning effect on holographic memory in photopolymers. — Mei-Li Hsieh and Ken Y. Hsu; **40** (10), 2125-33 (2001).
Hsu, Cheng-Chih — Simple method for measuring the extraordinary and ordinary indices of quartz plates. — Cheng-Chih Hsu and Der-Chin Su; **40** (10), 2273-6 (2001).
Hsu, Chin-Tsau — See Qiu, Huihe, **40** (11), 2586-93 (2001).
Hsu, Ken Y. — See Hsieh, Mei-Li, **40** (10), 2125-33 (2001).
Hsueh, Wen-Jean — See Tsai, Chao-Hsu, **40** (11), 2577-81 (2001).
Hu, Neng-Chung — Multiple-target recognition using the discrete rotational Fourier transform. — Neng-Chung Hu, Kuo-Kan Yu, and Hong-I Chang; **40** (8), 1687-98 (2001).
Hu, Yu-Chen — Image coding schemes based on subsampling vector quantization. — Yu-Chen Hu and Chin-Chen Chang; **40** (1), 108-14 (2001).
Huang, Hailong — See Liu, Zhishen, **40** (6), 1125-31 (2001).
Huang, Kuo-Chung — See Tsai, Chao-Hsu, **40** (11), 2577-81 (2001).
Huang, Nairong — See Wang, Qian, **40** (11), 2552-7 (2001).
Huang, Peisen S. — See Zhang, Chengping, **40** (7), 1337-42 (2001).
Huang, Ping Sheng — See Tu, Te-Ming, **40** (5), 720-8 (2001).
Huang, Yen-Bo — See Yin, Peng-Yeng, **40** (5), 663-73 (2001).
Huang, Yen-Chieh — Interferometric oil-spill detection system. — Yen-Chieh Huang and Uen-Chin Liang; **40** (5), 740-5 (2001).
Huang, Yongqing — See Ren, Xiaomin, **40** (7), 1223-6 (2001).
Huber, Merav — See Hadar, Ofer, **40** (10), 2134-42 (2001).
Huber, Revital — See Hadar, Ofer, **40** (10), 2134-42 (2001).
Hult, Anders — See Hermann, David S., **40** (10), 2188-98 (2001).
Hung, Kuo-Lung — Secure discrete cosine transform based technique for recoverable tamper proofing. — Kuo-Lung Hung, Chin-Chen Chang, and Tung-Shou Chen; **40** (9), 1950-8 (2001).
Hung, Yi-Ping — See Chen, Yong-Sheng, **40** (12), 2726-34 (2001).
Huntley, Jonathan M. — See Ruiz, Pablo D., **40** (9), 1984-92 (2001).
Hur, Bong Soo — Edge-adaptive color interpolation algorithm for progressive scan charge-coupled device image sensors. — Bong Soo Hur and Moon Gi Kang; **40** (12), 2698-708 (2001).
Hurt, Todd — Spectral effects of sampling a continuous-scan Fourier transform spectrometer with a capacitive transimpedance amplifier. — Todd Hurt; **40** (7), 1415-7 (2001).
Hutchings, George — See Moorhead, Ian R., **40** (9), 1896-905 (2001).
Hwang, Kuo-Feng — Improved nearest codeword search scheme using a tighter kick-out condition. — Kuo-Feng Hwang and Chin-Chen Chang; **40** (9), 1749-51 (2001).
Hwang, Ren-Junn — Hiding a picture in two pictures. — Ren-Junn Hwang and Chin-Chen Chang; **40** (3), 342-51 (2001).
Hwang, Wen-Jyi — Robust layered image transmission based on genetic programming for noisy channels. — Wen-Jyi Hwang, Ray-Shine Lin, and Chung-Kun Wu; **40** (2), 245-51 (2001).

I

Iemmi, Claudio — See Márquez, Andrés, **40** (11), 2558-64 (2001).
Iftekharuddin, Khan M. — See Awwal, Abdul A. S., **40** (11), 2369-70 (2001).
— Signed-digit adder using electronically addressable spatial light modulator. — Khan M. Iftekharuddin, Abdul Ahad S. Awwal, and M. A. Salam; **40** (11), 2442-5 (2001).
Ikossi-Anastasiou, K. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Imai, Makoto — See Baba, Mitsuru, **40** (1), 53-60 (2001).
Inagaki, Terumi — Proposal of quantitative temperature measurement using two-color technique combined with several infrared radiometers having different detection wavelength bands. — Terumi Inagaki and Toshimitsu Ishii; **40** (3), 372-80 (2001).
Infante, Sergio Omar — See Torres, Jorge, **40** (7), 1309-14 (2001).
Innocenti, Claudia — Fractional moments for processing data from low-dynamics acquisition systems in laser atmospheric scintillation. — Claudia Innocenti and Anna Consortini; **40** (12), 2685-9 (2001).
Inoue, Soichi — Effective exposure dose measurement technologies: multitone flood exposure by unresolved gratings with multilevel opening ratio. — Soichi Inoue, Tadahito Fujisawa, and Kyoko Izuha; **40** (10), 2338-44 (2001).
Iodice, Mario — See Coppola, Giuseppe, **40** (6), 1076-81 (2001).
Irace, Andrea — See Coppola, Giuseppe, **40** (6), 1076-81 (2001).
Irvine-Halliday, Dave — See Noureldin, Aboelmagd, **40** (10), 2097-106 (2001).
Ishii, Toshimitsu — See Inagaki, Terumi, **40** (3), 372-80 (2001).
Ito, Satoshi — See Özdemir, Şahin Kaya, **40** (1), 38-43 (2001).
Itoh, Masahide — See Sutoh, Yasunori, **40** (8), 1717-23 (2001).
Itti, Laurent — Visual attention and target detection in cluttered natural scenes. — Laurent Itti, Carl Gold, and Christof Koch; **40** (9), 1784-93 (2001).
Iturbe Castillo, M. D. — Real-time self-induced nonlinear optical Zernike- type filter in a bacteriorhodopsin film. — M. D. Iturbe Castillo, D. Sánchez-de-la-Llave, R. Ramos Garcia, L. I. Olivos-Pérez, L. A. González, and M. Rodriguez-Ortiz; **40** (11), 2367-8 (2001).
Izawa, Jun — Relaxation oscillation with Tm:YLF laser using a double cavity in the single-longitudinal-mode oscillation. — Jun Izawa, Hayato Nakajima, Hiroshi Hara, and Yoshinori Arimoto; **40** (3), 466-8 (2001).
Izuha, Kyoko — See Inoue, Soichi, **40** (10), 2338-44 (2001).

J

Jabczyński, Jan K. — Application of V^{3+}:YAG crystals for Q-switching and mode-locking of 1.3-μm diode-pumped neodymium lasers. — Jan K. Jabczyński, Krzysztof Kopczyński, Zygmunt Mierczyk, Antonio Agnesi, Annalisa Guandalini, and GianCarlo Reali; **40** (12), 2802-11 (2001).
Jackson, Howard E. — See Zhou, Jie, **40** (4), 598-604 (2001).
Jahng, Surng-Gabb — See Hong, Hyun-Ki, **40** (6), 1093-9 (2001).
— See Doo, Kyoung-Soo, **40** (11), 2646-54 (2001).
Jang, Chiou-hung — See Sun, Lin, **40** (7), 1217-22 (2001).
Jang, Woo Young — Error-resilient zero-tree wavelet image coding technique over noisy channels. — Woo Young Jang, Jung Ryul Ryou, Chulhee Lee, and Kwanghoon Sohn; **40** (5), 861-7 (2001).
Jang, Wooyoung — See Sohn, Kwanghoon, **40** (11), 2480-8 (2001).
Jaros, Milan — See Corbin, Elizabeth, **40** (12), 2753-62 (2001).
Jaroszewicz, Zbigniew — Determination of phase-step errors of kinoform gratings from their diffraction efficiencies. — Zbigniew Jaroszewicz, Andrzej Kolodziejczyk, Andrzej Kowalik, and Roberto Restrepo; **40** (5), 692-7 (2001).
Jarzynski, Jacek — See Beadle, Brad M., **40** (10), 2115-9 (2001).
Javidi, Bahram — See Abookasis, David, **40** (8), 1584-9 (2001).
Jenneweiss, Holger — See Grohe, Oliver, **40** (4), 529-32 (2001).
Jensen, Douglas R. — Electro-optical propagation assessment in coastal environments (EOPACE): summary and accomplishments. — Douglas R. Jensen, Stuart G. Gathman, Carl R. Zeisse, Charles P. McGrath, Gerrit de Leeuw, Michael H. Smith, Pual A. Frederickson, and Kenneth L. Davidson; **40** (8), 1486-98 (2001).
Jeong, Yoonchan — Theory of electrically controllable long-period gratings built in liquid-crystal fibers. — Yoonchan Jeong and Byoungho Lee; **40** (7), 1227-33 (2001).
Jia, Wangcun — See Qiu, Huihe, **40** (11), 2586-93 (2001).

Jiang, H. J. — Single-step fabrication of surface relief diffractive optical elements on hybrid sol-gel glass. — H. J. Jiang, X.-C. Yuan, Y. L. Lam, Y. C. Chan, and G. I. Ng; **40** (9), 2017-21 (2001).
Jiang, Minhua — See Wang, Chun, **40** (5), 783-7 (2001).
Jiang, N. — See Xu, B., **40** (8), 1476-80 (2001).
Jiaqiang, Li — See Zhang, Shulian, **40** (4), 594-7 (2001).
Jin, L. H. — Shadow moiré profilometry by frequency sweeping. — L. H. Jin, Y. Otani, and T. Yoshizawa; **40** (7), 1383-6 (2001).
Jin, Yuye — See Zhang, Shulian, **40** (4), 594-7 (2001).
Jing, Wencai — Design and analysis of a scalable optical interconnection network for a computer cluster. — Wencai Jing, Ge Zhou, Yimo Zhang, Wei Liu, Jindong Tian, Xun Zhang, Haifeng Li, and Nan Zhang; **40** (6), 1057-64 (2001).
Jourlin, Yves — Phase relationships in a two-beam grating recombiner. — Yves Jourlin, Olivier Parriaux, and Alexander V. Tishchenko; **40** (8), 1464-70 (2001).
Juday, Richard D. — See Milstein, Adam, **40** (5), 841-50 (2001).
Jung, H. S. — Electro-optic intensity modulators at $\lambda = 1.55\ \mu m$ utilizing strain-optic effects in $LiNbO_3$. — H. S. Jung, O. Eknoyan, and H. F. Taylor; **40** (8), 1499-501 (2001).

K

Kaiser, Norbert — See Uhlig, Hein, **40** (10), 2331-7 (2001).
Kälviäinen, Heikki — See Kukkonen, Saku, **40** (2), 170-7 (2001).
Kang, Hyun-Soo — Suboptimal fractal coding scheme using iterative transformation. — Hyun-Soo Kang and Jae-won Chung; **40** (5), 703-12 (2001).
— New fractal coding scheme using reference images. — Hyun Soo Kang, Jae-Gark Choi, and Seong Dae Kim; **40** (7), 1265-73 (2001).
Kang, Koo H — See Zhang, Kevin J., **40** (7), 1199-203 (2001).
Kang, Moon Gi — See Hur, Bong Soo, **40** (12), 2698-708 (2001).
Kang, Tae-Gu — Analysis of the higher order signals in fiber optic code-division multiple access networks using series coupler access encoder and series coupler access decoder. — Tae-Gu Kang and Young-Wan Choi; **40** (10), 2240-6 (2001).
Kang, Xin — See Tay, C. J., **40** (8), 1608-12 (2001).
Kargel, Christian — Optimum analog-to-digital converters for a laser speckle correlation-based displacement and strain sensor with optical preprocessing. — Christian Kargel and Bernhard G. Zagar; **40** (1), 90-4 (2001).
Karim, Mohammad A. — See Zhang, Shuqun, **40** (11), 2400-6 (2001).
Karioja, Pentti — See Keränen, Kimmo, **40** (10), 2308-14 (2001).
Karunamuni, Jeevananda — Interference filter refinement for artificial nose fluorescence sensing. — Jeevananda Karunamuni, Katherine E. Stitzer, DeLyle Eastwood, Keith J. Albert, David R. Walt, Steven B. Brown, and Michael L. Myrick; **40** (6), 888-95 (2001).
Katzer, D. S. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Katzir, Abraham — See Sade, S., **40** (6), 1141-3 (2001).
— See Oron, Ram, **40** (8), 1516-20 (2001).
— See Bormashenko, Edward, **40** (9), 1754-5 (2001).
Kaufmann, Guillermo H. — See Ruiz, Pablo D., **40** (2), 318-24 (2001).
— See Ruiz, Pablo D., **40** (9), 1984-92 (2001).
— See Federico, Alejandro, **40** (11), 2598-604 (2001).
Kaukoranta, Timo — See Virmajoki, Olli, **40** (11), 2495-504 (2001).
Kavaldjiev, Daniel — Influence of nonuniform charge-coupled device pixel response on aperture photometry. — Daniel Kavaldjiev and Zoran Ninkov; **40** (2), 162-9 (2001).
Kawata, Yoshimasa — Three-dimensional optical data storage using three-dimensional optics. — Yoshimasa Kawata, Masaharu Nakano, and Suk-Chun Lee; **40** (10), 2247-54 (2001).
Kejalakshmy, N. — Simple method of Brewster-angle measurement for the determination of refractive indices in transparent biaxial crystal. — N. Kejalakshmy and K. Srinivasan; **40** (11), 2594-7 (2001).
Keränen, Kimmo — Miniaturization and module integration of an infrared spectrometer. — Kimmo Keränen, Pentti Karioja, Martti Blomberg, Jussi Tenhunen, Outi Rusanen, and Harri Kopola; **40** (10), 2308-14 (2001).
Khanarian, G. — Optical properties of cyclic olefin copolymers. — G. Khanarian and Hoechst Celanese; **40** (6), 1024-9 (2001).
Khor, Ai Ni — See Ratnam, Mani Maran, **40** (9), 2036-40 (2001).
Khoury, J. — Optimal synthetic aperture radar image correlation using enhanced scattering centers in holographic data storage. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **40** (11), 2624-37 (2001).
Kicherer, Max — See Michalzik, Rainer, **40** (7), 1179-85 (2001).
Kim, Eun-Soo — See Kim, Kyu-Tae, **40** (11), 2489-94 (2001).
Kim, Hyung-Myung — See Han, Jong-Ki, **40** (4), 540-6 (2001).
Kim, Jang-Hwan — See Kim, Kyu-Tae, **40** (11), 2489-94 (2001).
Kim, Jin-ha — See Sun, Lin, **40** (7), 1217-22 (2001).
Kim, Jinyong — See Cho, Hangyu, **40** (8), 1621-8 (2001).
Kim, Jong-Ahn — Application of sensitivity analysis for the design of six-degree-of-freedom measurement system. — Jong-Ahn Kim, Eui Won Bae, Soo Hyun Kim, and Yoon Keun Kwak; **40** (12), 2837-44 (2001).
Kim, Kyu-Tae — Multiple information hiding technique using random sequence and Hadamard matrix. — Kyu-Tae Kim, Jang-Hwan Kim, and Eun-Soo Kim; **40** (11), 2489-94 (2001).
Kim, Seong-Dae — See Ko, Yun-Ho, **40** (2), 200-8 (2001).
— See Kang, Hyun Soo, **40** (7), 1265-73 (2001).
Kim, Soo Hyun — See Kim, Jong-Ahn, **40** (12), 2837-44 (2001).
Kim, Yongmin — See Park, HyunWook, **40** (1), 100-7 (2001).
King, Roger — See Michalzik, Rainer, **40** (7), 1179-85 (2001).
Kirk, Albert — See Moorhead, Ian R., **40** (9), 1896-905 (2001).
Kishen, A. — See KrishnaKumar, V., **40** (3), 340-1 (2001).
Kitchin, Matt R. — See Corbin, Elizabeth, **40** (12), 2753-62 (2001).
Klein, Claude A. — Normal and interfacial stresses in thin-film coated optics: the case of diamond-coated zinc sulfide windows. — Claude A. Klein; **40** (6), 1115-24 (2001).
Klier, M. — See Werner, Ch., **40** (1), 115-25 (2001).
Knystautas, E. J. — See Leitz, M., **40** (7), 1315-20 (2001).
Ko, Yun-Ho — Efficient coding algorithm for affine motion parameters. — Yun-Ho Ko, Jae Gark Choi, Soon-Jae Cho, and Seong-Dae Kim; **40** (2), 200-8 (2001).
Kobayashi, Hiroshi — See Zhou, Jie, **40** (4), 598-604 (2001).
Kober, Vitaly — Nonlinear filters with spatially connected neighborhoods. — Vitaly Kober, Mikhael Mozerov, and Josué Alvarez-Borrego; **40** (6), 971-83 (2001).
— See Mozerov, Mikhail, **40** (10), 2234-9 (2001).
Koch, Christof — See Itti, Laurent, **40** (9), 1784-93 (2001).
Koch, Grady J. — Frequency stabilization of a diode laser to absorption lines of water vapor in the 944-nm wavelength region. — Grady J. Koch, Anthony L. Cook, Colleen M. Fitzgerald, and Amin N. Dharamsi; **40** (4), 525-8 (2001).
Kolodziejczyk, Andrzej — See Jaroszewicz, Zbigniew, **40** (5), 692-7 (2001).
Konishi, Tadataka — See Baba, Mitsuru, **40** (1), 53-60 (2001).
Konle, Johannes — See Corbin, Elizabeth, **40** (12), 2753-62 (2001).
Kopczyński, Krzysztof — See Jabczyński, Jan K., **40** (12), 2802-11 (2001).
Kopeika, Norman S. — See Stern, Adrian, **40** (6), 964-70 (2001).
— See Krapels, Keith, **40** (9), 1906-13 (2001).
Kopola, Harri — See Keränen, Kimmo, **40** (10), 2308-14 (2001).
Köpp, F. — See Werner, Ch., **40** (1), 115-25 (2001).
Koresh, Raz — See Hadar, Ofer, **40** (2), 193-9 (2001).
Körner, Klaus — One-grating projection for absolute three-dimensional profiling. — Klaus Körner, Robert Windecker, Matthias Fleischer, and Hans J. Tiziani; **40** (8), 1653-60 (2001).
Korniets, Alexander S. — See Lysenko, Galyna A., **40** (3), 381-6 (2001).
Kothiyal, M. P. — See Helen, S. Suja, **40** (7), 1329-36 (2001).
Kottler, Wolfgang — See Rogov, Valentin V., **40** (8), 1641-5 (2001).
Kowalik, Andrzej — See Jaroszewicz, Zbigniew, **40** (5), 692-7 (2001).
Krapels, Keith — See Driggers, Ronald G., **40** (3), 443-7 (2001).
— Atmospheric turbulence modulation transfer function for infrared target acquisition modeling. — Keith Krapels, Ronald G. Driggers, Richard H. Vollmerhausen, Norman S. Kopeika, and Carl E. Halford; **40** (9), 1906-13 (2001).
Krebs, William K. — Comparing behavioral receiver operating characteristic curves to multidimensional matched filters. — William K. Krebs, Dean A. Scribner, and Jason S. McCarley; **40** (9), 1818-26 (2001).
Kreis, Thomas — Hologram reconstruction using a digital micromirror device. — Thomas Kreis, Petra Aswendt, and Roland Höfling; **40** (6), 926-33 (2001).
KrishnaKumar, V. — Opto-digital system for curvature measurement. — V. KrishnaKumar, V. M. Murukeshan, A. Kishen, and A. Asundi; **40** (3), 340-1 (2001).
Krishnaswamy, Sridhar — See Murray, Todd W., **40** (7), 1321-8 (2001).
Kryuchin, Andrey A. — See Lapchuk, Anatoly S., **40** (8), 1471-5 (2001).
Kubota, Toshihiro — See Shimizu, Tohru, **40** (11), 2524-32 (2001).
Kudo, Nobuki — See Shao, Jun, **40** (10), 2293-301 (2001).
Kukkonen, Saku — Color features for quality control in ceramic tile industry. — Saku Kukkonen, Heikki Kälviäinen, and Jussi Parkkinen; **40** (2), 170-7 (2001).
Kumar, Arvind — See Dharmsaktu, K. S., **40** (6), 1132-7 (2001).
Kuo, Yen-Kuang — Numerical study of the Cr:YSO *Q*-switched ruby laser. — Yen-Kuang Kuo, Horng-Min Chen, and Jih-Yuan Chang; **40** (9), 2031-5 (2001).
Kuosmanen, Pauli — See Melnik, Vladimir P., **40** (8), 1441-55 (2001).
Kwak, Yoon Keun — See Kim, Jong-Ahn, **40** (12), 2837-44 (2001).
Kyriakis-Bitzaros, E.D. — Comparison of the signal latency in optical and electrical interconnections for interchip links. — E.D. Kyriakis-Bitzaros, N. Haralabidis, Y. Moisiadis, M. Lagadas, A. Georgakilas, and G. Halkias; **40** (1), 144-6 (2001).

L

Lacquet, Beatrys M. — See Zhu, Yinian, **40** (10), 2092-6 (2001).
Lagadas, M. — See Kyriakis-Bitzaros, E.D., **40** (1), 144-6 (2001).
Lahrichi, Adil — Bit error rate and system limitations on the storage capacity of volume holographic memory systems. — Adil Lahrichi; **40** (11), 2392-9 (2001).
Lai, Yin-Chieh — See Tien, Chung-Hao, **40** (10), 2285-92 (2001).
Laitinen, Jyrki — Evaluation of solid-state camera systems in varying illumination conditions. — Jyrki Laitinen, Jani Saviaro, and Heikki Ailisto; **40** (6), 896-901 (2001).
Lam, Y. L. — See Jiang, H. J., **40** (9), 2017-21 (2001).
Lam, Yee-Loy — See Xie, Wenjie, **40** (8), 1568-72 (2001).
Lamela, Horacio — See Garcia, Ernesto, **40** (1), 61-6 (2001).
Lane, R. G. — See Leung, W.-Y. V., **40** (4), 547-53 (2001).
Lanterman, Aaron D. — Jump-diffusion algorithm for multiple target recognition using laser radar range data. — Aaron D. Lanterman; **40** (8), 1724-8 (2001).
Lapchuk, Anatoly S. — Theoretical investigation of the influence of a diaphragm on the flat surface of a solid immersion lens on beam parameters. — Anatoly S. Lapchuk, Vyacheslav V. Petrov, Andrey A. Kryuchin, and Semen M. Shanoylo; **40** (8), 1471-5 (2001).
Laquidara, Anibal Pablo — See Garavaglia, Mario, **40** (11), 2510-6 (2001).
Larkin, Alan — See Patten, Robert, **40** (8), 1438-40 (2001).
Lauret, J. P. — See Meriaudeau, F., **40** (5), 658-60 (2001).
Lawrence, J. R. — See O'Neill, F. T., **40** (4), 533-9 (2001).
Le, Khoa Nguyen — Signal detection using time-frequency distributions with nonunity kernels. — Khoa Nguyen Le, Kishor P. Dabke, and Gregory K. Egan; **40** (12), 2866-77 (2001).
Lee, Bore-Kuen — Spectral estimation and color appearance prediction of fluorescent materials. — Bore-Kuen Lee, Feng-Chi Shen, and Chun-Yen Chen; **40** (10), 2069-76 (2001).
Lee, Byoungho — See Jeong, Yoonchan, **40** (7), 1227-33 (2001).
Lee, Chau-Hwang — Using differential confocal microscopy to detect the phase transition of lipid vesicle membranes. — Chau-Hwang Lee, Wan-Chen Lin, and Jyhpyng Wang; **40** (10), 2077-83 (2001).
Lee, Chik-Yin — See Wang, Jingshan, **40** (6), 1016-23 (2001).
Lee, Ching-Ting — See Lu, Hai-Han, **40** (5), 656-7 (2001).
Lee, Chulhee — See Jang, Woo Young, **40** (5), 861-7 (2001).
— See Sohn, Kwanghoon, **40** (11), 2480-8 (2001).
Lee, Hocheol — Dwell time algorithm for computer-controlled polishing of small axis-symmetrical aspherical lens mold. — Hocheol Lee and Minyang Yang; **40** (9), 1936-43 (2001).
Lee, Ka On — Temperature-insensitive fiber-Bragg-grating-based vibration sensor. — Ka On Lee, Kin Seng Chiang, and Zhihao Chen; **40** (11), 2582-5 (2001).
Lee, Kuen — See Tsai, Chao-Hsu, **40** (11), 2577-81 (2001).
Lee, Sing — See Tam, Siu-Chung, **40** (2), 237-44 (2001).
Lee, Suk-Chun — See Kawata, Yoshimasa, **40** (10), 2247-54 (2001).
Leen, Todd K. — See Sharma, Ravi K., **40** (7), 1364-76 (2001).
Leitz, M. — Fabrication of a waveguiding layer in Teflon AF® by ion irradiation. — M. Leitz, R. P. Podgorsek, H. Franke, D. Hernandez, E. J. Knystautas, and R. A. Lessard; **40** (7), 1315-20 (2001).
Lescure, Marc — See Amann, Markus-Christian, **40** (1), 10-9 (2001).
Lessard, R. A. — See Leitz, M., **40** (7), 1315-20 (2001).
Lettington, Alan H. — Nonuniformity correction and restoration of passive millimeter-wave images. — Alan H. Lettington, Sophie Tzimopoulou, and Malcolm P. Rollason; **40** (2), 268-74 (2001).
Leung, W.-Y. V. — Statistical interpolation of sampled images. — W.-Y. V. Leung, P. J. Bones, and R. G. Lane; **40** (4), 547-53 (2001).
Li, Bing — Photonic radio frequency mixer using metal-semiconductor-metal photodetectors. — Bing Li, Lei Lin, Suning Tang, Yujie Liu, and Ray T. Chen; **40** (7), 1234-7 (2001).
Li, Cheng — See Wang, Qiming, **40** (7), 1192-4 (2001).

Li, Guoqiang — See Qian, Feng, **40** (2), 275-82 (2001).
— Code conversion from signed-digit to complement representation based on look-ahead optical logic operations. — Guoqiang Li and Feng Qian; **40** (11), 2446-51 (2001).
Li, Haifeng — See Jing, Wencai, **40** (6), 1057-64 (2001).
Li, Jianxin — See Ren, Xiaomin, **40** (7), 1223-6 (2001).
Li, Qingxiang — Optical profilometer based on the principle of differential interference. — Qingxiang Li, Hong Gao, Shifu Xue, and Yuhe Li; **40** (5), 833-6 (2001).
— Experimental study on the measurement of the curvature radius of a spherical grid. — Qingxiang Li, Yunqing Wang, Lifen Bai, and Zili Zhao; **40** (10), 2120-4 (2001).
Li, Rongxian — See Li, Xide, **40** (2), 310-7 (2001).
Li, Wan-Song — Application of improved phase-measuring profilometry in nonconstant environmental light. — Wan-Song Li and Xian-Yu Su; **40** (3), 478-85 (2001).
Li, Wansong — Real-time calibration algorithm for phase shifting in phase-measuring profilometry. — Wansong Li and Xianyu Su; **40** (5), 761-6 (2001).
Li, Wei — Spectral matching factors between GaAs and multialkali photocathodes and reflective radiation of objects. — Wei Li and Benkang Chang; **40** (5), 674-8 (2001).
Li, Wenjie — See Zhou, Zhao-Fei, **40** (8), 1646-52 (2001).
Li, Xide — Deformation analysis with temporal speckle pattern interferometry. — Xide Li, Yizhang Yang, Gang Tao, and Rongxian Li; **40** (2), 310-7 (2001).
Li, Yan — See Zhang, Shulian, **40** (4), 594-7 (2001).
— See Zhang, Yi, **40** (6), 1071-5 (2001).
Li, Yao — See Tang, Suning, **40** (7), 1163-4 (2001).
— See Popelek, Jan, **40** (7), 1212-6 (2001).
Li, Yuhe — See Li, Qingxiang, **40** (5), 833-6 (2001).
Li, Yunjing — See Yu, Chen, **40** (12), 2683-4 (2001).
Liang, Uen-Chin — See Huang, Yen-Chieh, **40** (5), 740-5 (2001).
Liao, Hong-Yuan Mark — See Yu, Gwo-Jong, **40** (7), 1396-408 (2001).
Lichty, Wemara — See Xie, Yuxiao, **40** (10), 2302-7 (2001).
Liljencrantz, Johan — See Manneberg, Göran, **40** (9), 2041-4 (2001).
Lim, Jong-Seul — See Ryu, Young Kee, **40** (4), 500-2 (2001).
Lin, Chien-Chung — See Liu, Hong, **40** (7), 1186-91 (2001).
Lin, Kao-Hui — See Chang, Ming, **40** (10), 2057-8 (2001).
Lin, Lei — See Li, Bing, **40** (7), 1234-7 (2001).
Lin, Ling — See Shao, Jun, **40** (10), 2293-301 (2001).
Lin, Ray-Shine — See Hwang, Wen-Jyi, **40** (2), 245-51 (2001).
Lin, S. — See Xu, B., **40** (8), 1476-80 (2001).
Lin, Samuel I-En — Temperature-compensating device with central-wavelength tuning for optical fiber gratings. — Samuel I-En Lin; **40** (5), 698-702 (2001).
Lin, Shyh-Tsong — Three-dimensional displacement measurement using a newly designed moiré interferometer. — Shyh-Tsong Lin; **40** (5), 822-6 (2001).
Lin, Wan-Chen — See Lee, Chau-Hwang, **40** (10), 2077-83 (2001).
Liñares, Jesús — See Gordova, Marina R., **40** (8), 1507-12 (2001).
Lindgren, Mikael — See Hermann, David S., **40** (10), 2188-98 (2001).
Lindlein, Norbert — Algorithm for expanding the dynamic range of a Shack-Hartmann sensor by using a spatial light modulator array. — Norbert Lindlein, Johannes Pfund, and Johannes Schwider; **40** (5), 837-40 (2001).
Lipovskii, Andrey A. — See Gordova, Marina R., **40** (8), 1507-12 (2001).
Liu, Guizhong — See Ma, Shexiang, **40** (8), 1682-6 (2001).
Liu, Hong — High-speed, dual-function vertical cavity multiple quantum well modulators and photodetectors for optical interconnects. — Hong Liu, Chien-Chung Lin, and James S. Harris, Jr. ; **40** (7), 1186-91 (2001).
— See Chen, Wei R., **40** (7), 1249-54 (2001).
Liu, Jian — Power conversion efficiency characterization of erbium-doped silica fibers in L-band. — Jian Liu, Paul F. Wysocki, Matthew Andrejco, and Bera Palsdottir; **40** (7), 1195-8 (2001).
Liu, Li — See Yang, Lisong, **40** (6), 909-13 (2001).
Liu, Qian — Influence of a general small inclination on the measurement in Talbot interferometry. — Qian Liu and Ryoji Ohba; **40** (5), 746-52 (2001).
Liu, Shiyong — See Ma, Chunsheng, **40** (3), 460-5 (2001).
Liu, Tong — Full field automated photoelasticity using two-load-step method. — Tong Liu, Anand Asundi, and Chai Gin Boay; **40** (8), 1629-35 (2001).
Liu, Wei — See Jing, Wencai, **40** (6), 1057-64 (2001).
Liu, Wen-Fung — Switchable narrow-bandwidth comb filters based on an acousto-optic superlattice modulator in sinc-sampled fiber gratings. — Wen-Fung Liu and Po-Jen Tu; **40** (8), 1513-5 (2001).
Liu, Yong — See Yu, Haiwu, **40** (1), 126-31 (2001).
Liu, Yujie — See Li, Bing, **40** (7), 1234-7 (2001).
Liu, Zhishen — Underwater image transmission and blurred image restoration. — Zhishen Liu, Yifan Yu, Kailin Zhang, and Hailong Huang; **40** (6), 1125-31 (2001).
Löfdahl, Mats G. — Algorithm for resolving 2π ambiguities in interferometric measurements by use of multiple wavelengths. — Mats G. Löfdahl and Henrik Eriksson; **40** (6), 984-90 (2001).
Lolive, Eric — See Picart, Pascal, **40** (1), 81-9 (2001).
Lopez, M. — See Werner, Ch., **40** (1), 115-25 (2001).
López-Amo, Manuel — See Vázquez, Carmen, **40** (7), 1160-2 (2001).
Lorenz, J. — See Tang, Jianjing, **40** (11), 2419-30 (2001).
Loth, C. — See Werner, Ch., **40** (1), 115-25 (2001).
Lu, Chao — See Chen, Zhihao, **40** (7), 1156-7 (2001).
Lu, Chun-Shien — See Yu, Gwo-Jong, **40** (7), 1396-408 (2001).
Lu, Hai-Han — Dispersion compensation in externally modulated transport system using chirped fiber grating as well as large effective area fiber. — Hai-Han Lu, Ching-Ting Lee, and Chih-Jen Wang; **40** (5), 656-7 (2001).
— Hybrid dense-wavelength-division-multiplexing system for CATV and 256-QAM transport. — Hai-Han Lu; **40** (7), 1158-9 (2001).
Lu, Xuejun — See Sun, Lin, **40** (7), 1217-22 (2001).
Luculescu, C. — See Dabu, R., **40** (3), 455-9 (2001).
Łukaszewski, Konrad — Laser examination of cast surface roughness. — Konrad Łukaszewski, Kazimierz Rozniakowski, and Tomasz W. Wojtatowicz; **40** (9), 1993-7 (2001).
Lukin, Vladimir V. — See Melnik, Vladimir P., **40** (8), 1441-55 (2001).
Luo, Xiuzhi — See Wang, Boxiong, **40** (11), 2474-9 (2001).
Lysenko, Galyna A. — Optimum optical system for generating interference signals in quadrature using polarization method. — Galyna A. Lysenko and Alexander S. Kornets; **40** (3), 381-6 (2001).

M

Ma, Chunsheng — Threshold characteristics of 1.55-μm InGaAs/InGaAsP strain-compensated quantum well lasers with zero net strain. — Chunsheng Ma, Lijun Wang, and Shiyong Liu; **40** (3), 460-5 (2001).
Ma, Jun — See Wang, Jingshan, **40** (6), 1016-23 (2001).
Ma, Shexiang — Signal reconstruction from multiscale edges using spline function interpolation. — Shexiang Ma, Guizhong Liu, and Zhaohua Zeng; **40** (8), 1682-6 (2001).
Mackie, David M. — Polarization separation/combination based on self-imaging. — David M. Mackie, Tristan J. Tayag, and Ted E. Batchman; **40** (10), 2265-72 (2001).
Mahamd Adikan, F. R. — See Mahdi, Mohd A., **40** (2), 186-92 (2001).
Mahdi, Mohd A. — Effects of signal seeding on long-wavelength-band Er^{3+}-doped fiber amplifiers. — Mohd A. Mahdi, F. R. Mahamd Adikan, P. Poopalan, S. Selvakennedy, and H. Ahmad; **40** (2), 186-92 (2001).
Mahmoodi, Ali — Infrared image synthesis of desert backgrounds based on semiempirical thermal models. — Ali Mahmoodi, Abdolreza Nabavi, and Mehdi N. Fesharaki; **40** (2), 227-36 (2001).
Mahon, R. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Maki, Jeffery J. — See Sun, Lin, **40** (7), 1217-22 (2001).
Maksimyak, Peter P. — See Angelsky, Oleg V., **40** (10), 2227-33 (2001).
Maldonado, Edison Puig — Mode-locking operation of Nd:LuYLF. — Edison Puig Maldonado, Eduardo Acedo Barbosa, Niklaus Ursus Wetter, Lilia Coronato Courrol, Izilda Marcia Ranieri, Spero Penha Morato, and Nilson Dias Vieira, Jr. ; **40** (8), 1573-8 (2001).
Malmqvist, Lennart — See Nilsson, Carl Magnus, **40** (8), 1674-81 (2001).
Manik, N. B. — Studies on the propagation of light from a light-emitting diode through a glass tube and development of an optosensor for the continuous detection of liquid level. — N. B. Manik, S. C. Mukherjee, and A. N. Basu; **40** (12), 2830-6 (2001).
Mann, Seth E. — Spectral imaging, reflectivity measurements, and modeling of iridescent butterfly scale structures. — Seth E. Mann, Ioannis N. Miaoulis, and Peter Y. Wong; **40** (10), 2061-8 (2001).
Mann, Y. — Adaptive intercolor error prediction coder for lossless color (RGB) picture compression. — Y. Mann, Y. Peretz, and H. B. Mitchell; **40** (9), 1963-9 (2001).
Mannarelli, Massimo — See Angelini, Leonardo, **40** (12), 2878-84 (2001).
Manneberg, Göran — Measurement of human vocal fold vibrations with laser triangulation. — Göran Manneberg, Stellan Hertegård, and Johan Liljencrantz; **40** (9), 2041-4 (2001).
Manoel, Edson Tadeu M. — See Costa, Luciano da Fontoura, **40** (9), 1752-3 (2001).
Marangi, Carmela — See Angelini, Leonardo, **40** (12), 2878-84 (2001).
Marini, Nathalie — See Thiery, Laurent, **40** (6), 1010-5 (2001).
Márquez, Andrés — Quantitative prediction of the modulation behavior of twisted nematic liquid crystal displays based on a simple physical model. — Andrés Márquez, Claudio Iemmi, Ignacio Moreno, Jeffrey A. Davis, Juan Campos, and María J. Yzuel; **40** (11), 2558-64 (2001).
Martinelli, Massimo — Depolarization bandwidth of fiber optic passive depolarizers. — Massimo Martinelli and Joseph C. Palais; **40** (1), 142-3 (2001).
Martínez, Amalia — Influence of object roughness on specimen gratings for moiré interferometry. — Amalia Martínez, Ramon Rodríguez-Vera, Juan A. Rayas, and José F. Vázquez; **40** (9), 1978-83 (2001).
Martínez-Antón, Juan C. — See Quiroga, Juan A., **40** (12), 2885-91 (2001).
Martín-Pereda, José A. — See González-Marcos, Ana, **40** (11), 2371-85 (2001).
Massig, Jürgen H. — Deformation measurement on specular surfaces by simple means. — Jürgen H. Massig; **40** (10), 2315-8 (2001).
Matchko, Roy M. — ABCs of foveal vision. — Roy M. Matchko and Grant R. Gerhart; **40** (12), 2735-45 (2001).
Matsumoto, Hirokazu — See Hirai, Akiko, **40** (3), 387-91 (2001).
— Transmission of optical length information through single-mode fiber by a low-coherence tandem interferometer. — Hirokazu Matsumoto and Akiko Hirai; **40** (11), 2365-6 (2001).
Matsuzoe, Yuji — Breadboard system and techniques to optimize the optical system of an encoder. — Yuji Matsuzoe and Nobuhiko Tsuji; **40** (2), 283-8 (2001).
Matyszkiel, Robert — See Chrzanowski, Krzysztof, **40** (6), 1106-14 (2001).
McCarley, Jason S. — See Krebs, William K., **40** (9), 1818-26 (2001).
McGrath, Charles P. — See Jensen, Douglas R., **40** (8), 1486-98 (2001).
McNamara, Dylan E. — See Davis, Jeffrey A., **40** (2), 327-9 (2001).
Mederer, Felix — See Michalzik, Rainer, **40** (7), 1179-85 (2001).
Meehan, T. J. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Meissonnier, M. — See Werner, Ch., **40** (1), 115-25 (2001).
Meitzler, Thomas J. — Advances in Target Acquisition Modeling II. — Thomas Meitzler and Alexander Toet; **40** (9), 1756-9 (2001).
— Predicting search time in visually cluttered scenes using the fuzzy logic approach. — Thomas J. Meitzler, Euijung Sohn, Harpreet Singh, Abdelakrim Elgarhi, and Deok H. Nam; **40** (9), 1844-51 (2001).
Melnik, Vladimir P. — Local activity indicators for hard-switching adaptive filtering of images with mixed noise. — Vladimir P. Melnik, Vladimir V. Lukin, Alexander A. Zelensky, Jaakko T. Astola, and Pauli Kuosmanen; **40** (8), 1441-55 (2001).
Mendiola, Gabriel — See Ruiz, Pablo D., **40** (2), 318-24 (2001).
Meng, Lei S. — See Repasky, Kevin S., **40** (11), 2505-9 (2001).
Meriaudeau, F. — Multiple gold island layers on a fiber core: a promising sensing device. — F. Meriaudeau, A. Wig, A. Passian, J. P. Lauret, and T. L. Ferrell; **40** (5), 658-60 (2001).
Mesalles, Eloy — See Rodriguez, Alejandro, **40** (12), 2812-21 (2001).
Meunier, François — Synthetic aperture radar image of agricultural fields with surface drainage network: simulation and spatial information retrieval. — François Meunier, Jean Meunier, and François Cavayas; **40** (10), 2319-30 (2001).
Meunier, Jean — See Meunier, François, **40** (10), 2319-30 (2001).
Miao, Jianmin — See Xu, Lei, **40** (11), 2533-9 (2001).
Miaoulis, Ioannis N. — See Mann, Seth E., **40** (10), 2061-8 (2001).
Michalzik, Rainer — Short-wavelength vertical-cavity surface-emitting laser applications: from high-throughput multimode fiber links to two-dimensional interchip interconnections. — Rainer Michalzik, Roger King, Felix Mederer, Max Kicherer, Giorgio Giaretta, and Karl J. Ebeling; **40** (7), 1179-85 (2001).
Mierczyk, Zygmunt — See Jabczyński, Jan K., **40** (12), 2802-11 (2001).
Miles, K. — See Tang, Jianjing, **40** (11), 2419-30 (2001).
Millán, María S. — Image analysis of standard pilling series. — María S. Millán and Héctor C. Abril; **40** (7), 1281-6 (2001).
Milstein, Adam — Optimal region of support for arbitrary filter spatial light modulators. — Adam Milstein, Stanley E. Monroe, Jr. , and Richard D. Juday; **40** (5), 841-50 (2001).
Milster, Tom D. — See Upton, Robert S., **40** (6), 1030-44 (2001).

— Near-field optical data storage: avenues for improved performance. — Tom D. Milster; **40** (10), 2255-60 (2001).
Mintchev, Martin P. — See Noureldin, Aboelmagd, **40** (10), 2097-106 (2001).
Mitchell, H. B. — See Mann, Y., **40** (9), 1963-9 (2001).
Mitéran, J. — Access control: adaptation and real-time implantation of a face recognition method. — J. Mitéran, J. P. Zimmer, F. Yang, and M. Paindavoine; **40** (4), 586-93 (2001).
Miyama, Yasuyuki — See Yamamoto, Futoshi, **40** (6), 1138-41 (2001).
Mizukami, Masato — Simultaneous alignment of multiple optical axes in a multistage optical system using Hamiltonian algorithm. — Masato Mizukami, Motohisa Hirano, and Kazuasa Shinjo; **40** (3), 448-54 (2001).
Mohan, Nandigana Krishna — Dual-beam symmetric illumination-observation TV holography system for measurements. — Nandigana Krishna Mohan, Angelica Svanbro, Mikael Sjodahl, and Nils-Erik Molin; **40** (12), 2780-7 (2001).
Mohr, Jürgen — See Nakajima, Hajime, **40** (8), 1667-73 (2001).
Moisiadis, Y. — See Kyriakis-Bitzaros, E.D., **40** (1), 144-6 (2001).
Molin, Nils-Erik — See Mohan, Nandigana Krishna, **40** (12), 2780-7 (2001).
Monroe, Stanley E., Jr. — See Milstein, Adam, **40** (5), 841-50 (2001).
Montcalm, Claude — Reduction of residual stress in extreme ultraviolet Mo/Si multilayer mirrors with postdeposition thermal treatments. — Claude Montcalm; **40** (3), 469-77 (2001).
Montes, Marcos J. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Moore, Brian C. — See Zhang, Kevin J., **40** (7), 1199-203 (2001).
Moorhead, Ian R. — CAMEO-SIM: a physics-based broadband scene simulation tool for assessment of camouflage, concealment, and deception methodologies. — Ian R. Moorhead, Marilyn A. Gilmore, Alex W. Houlbrook, David E. Oxford, David Filbee, Colin Stroud, George Hutchings, and Albert Kirk; **40** (9), 1896-905 (2001).
Morato, Spero Penha — See Maldonado, Edison Puig, **40** (8), 1573-8 (2001).
Moreno, Ignacio — See Davis, Jeffrey A., **40** (2), 327-9 (2001).
— Polarization eigenvectors for reflective twisted nematic liquid crystal displays. — Ignacio Moreno, Carlos R. Fernández-Pousa, Jeffrey A. Davis, and David J. Franich; **40** (10), 2220-6 (2001).
— See Márquez, Andrés, **40** (11), 2558-64 (2001).
Morey, Bill — See Zhao, Feng, **40** (7), 1204-11 (2001).
Mori, Masahiko — See Sutoh, Yasunori, **40** (8), 1717-23 (2001).
Mozerov, Mikhail — See Kober, Vitaly, **40** (6), 971-83 (2001).
— Improved motion stereo matching based on a modified dynamic programming. — Mikhail Mozerov, Vitaly Kober, and Tae Sun Choi; **40** (10), 2234-9 (2001).
Mukherjee, S. C. — See Manik, N. B., **40** (12), 2830-6 (2001).
Mukhopadhyay, Sourangshu — Implementation of all-optical digital matrix multiplication scheme with nonlinear material. — Sourangshu Mukhopadhyay, Debendra Nath Das, Partha Pratima Das, and Partha Ghosh; **40** (9), 1998-2002 (2001).
Murray, Todd W. — Multiplexed interferometer for ultrasonic imaging applications. — Todd W. Murray and Sridhar Krishnaswamy; **40** (7), 1321-8 (2001).
Murukeshan, V. M. — See KrishnaKumar, V., **40** (3), 340-1 (2001).
Muscalu, L. — See Dabu, R., **40** (3), 455-9 (2001).
Myllylä, Risto — See Amann, Markus-Christian, **40** (1), 10-9 (2001).
Myrick, Michael L. — See Karunamuni, Jeevananda, **40** (6), 888-95 (2001).

N

Nabavi, Abdolreza — See Mahmoodi, Ali, **40** (2), 227-36 (2001).
Nagasawa, Shinji — See Takaya, Masaaki, **40** (6), 1045-52 (2001).
Nagata, Hirotoshi — See Yamamoto, Futoshi, **40** (6), 1138-41 (2001).
Nagel, E. — See Werner, Ch., **40** (1), 115-25 (2001).
Nagli, Lev — See Oron, Ram, **40** (8), 1516-20 (2001).
Nakajima, Hajime — Micro-optical distance sensor fabricated by deep x-ray lithography. — Hajime Nakajima, Patrick Ruther, Jürgen Mohr, Masahiro Tsugai, and Teruo Usami; **40** (8), 1667-73 (2001).
Nakajima, Hayato — See Izawa, Jun, **40** (3), 466-8 (2001).
Nakamura, Hideki — See Suzuki, Takamasa, **40** (3), 426-32 (2001).
Nakano, Masaharu — See Kawata, Yoshimasa, **40** (10), 2247-54 (2001).
Nakao, Hitoshi — See Amako, Jun, **40** (8), 1456-63 (2001).
Naletto, Giampiero — See Poletto, Luca, **40** (2), 178-85 (2001).
Nam, Deok H. — See Meitzler, Thomas J., **40** (9), 1844-51 (2001).
Nampoori, V. P. N. — See George, Nibu A., **40** (7), 1343-7 (2001).
Narayanan, Ram M. — See Bell, Daryl C., **40** (11), 2612-23 (2001).
Nardulli, Giuseppe — See Angelini, Leonardo, **40** (12), 2878-84 (2001).
Nasrabadi, Nasser M. — See Chan, Lipchen Alex, **40** (4), 564-73 (2001).
Nelson, Robert L. — See Grote, James G., **40** (11), 2464-73 (2001).
Nemoto, Koshichi — See Fukuchi, Tetsuo, **40** (3), 392-7 (2001).
— See Fukuchi, Tetsuo, **40** (9), 1944-9 (2001).
Neo, Wah-Peng — See Tam, Siu-Chung, **40** (2), 237-44 (2001).
Neumann, Martin — See Stephens, James Michael, **40** (12), 2788-801 (2001).
Ng, G. I. — See Jiang, H. J., **40** (9), 2017-21 (2001).
Ng, Jun Hong — See Chen, Zhihao, **40** (7), 1156-7 (2001).
Ng, T. W. — Measuring the illumination angle of a flatbed scanner. — T. W. Ng and A. Tajuddin; **40** (3), 415-7 (2001).
Ngoi, Bryan Kok Ann — See Fu, Yongqi, **40** (4), 511-6 (2001).
— See Fu, Yongqi, **40** (8), 1433-4 (2001).
— Self-compensation heterodyne vibrometer using an acousto-optic modulator as vibration detector. — B. K. A. Ngoi and K. Venkatakrishnan; **40** (8), 1563-7 (2001).
— See Venkatakrishnan, K., **40** (12), 2892-3 (2001).
Nie, Yuxin — See Yu, Chen, **40** (12), 2683-4 (2001).
Nikulin, Vladimir V. — Modeling of an acousto-optic laser beam steering system intended for satellite communication. — Vladimir V. Nikulin, Mounir Bouzoubaa, Victor A. Skormin, and Timothy E. Busch; **40** (10), 2208-14 (2001).
Nilsson, Bengt — See Carlsson, Torgny E., **40** (1), 67-75 (2001).
Nilsson, Carl Magnus — Red fluorescence sensor for noncontact on-line measurements in paper production. — Carl Magnus Nilsson, Lennart Malmqvist, and Jörgen Carlsson; **40** (8), 1674-81 (2001).
Nilsson, Thomy — Evaluation of target acquisition difficulty using recognition distance to measure required retinal area. — Thomy Nilsson; **40** (9), 1827-34 (2001).
Ninkov, Zoran — See Kavaldjiev, Daniel, **40** (2), 162-9 (2001).
Nitta, Kouichi — Matching information terminal based on a spatially coded moiré technique. — Kouichi Nitta, Hiroyuki Togo, and Jun Tanida; **40** (11), 2386-91 (2001).
Niwayama, Masatsugu — See Shao, Jun, **40** (10), 2293-301 (2001).
Nordman, Nina — Optical properties of two photoresists designed for charge-coupled device microlenses. — Nina Nordman and Olli Nordman; **40** (11), 2572-6 (2001).
Nordman, Olli — See Nordman, Nina, **40** (11), 2572-6 (2001).
Nordquist, Robert E. — See Chen, Wei R., **40** (7), 1249-54 (2001).
Noureldin, Aboelmagd — New technique for reducing the angle random walk at the output of fiber optic gyroscopes during alignment processes of inertial navigation systems. — Aboelmagd Noureldin, Dave Irvine-Halliday, Herb Tabler, and Martin P. Mintchev; **40** (10), 2097-106 (2001).
Nussbaum, Ph. — Low numerical aperture refractive microlenses in fused silica. — Ph. Nussbaum and H. P. Herzig; **40** (7), 1412-4 (2001).
Nyberg, Sten — Assessing camouflage methods using textural features. — Sten Nyberg and Lars Bohman; **40** (9), 1869-76 (2001).

O

Ochiai, Shinichiro — See Amako, Jun, **40** (8), 1456-63 (2001).
Oh, Choonsuk — See Ryu, Young Kee, **40** (4), 500-2 (2001).
Oh, D. — See Werner, Ch., **40** (1), 115-25 (2001).
Oh, Jeong-Su — New two-color cancellation algorithm for counter-countermeasures of infrared seekers. — Jeong-Su Oh, Kyung-Soo Doo, Yong-In Yoon, Dong-Sun Seo, and Jong-Soo Choi; **40** (8), 1699-708 (2001).
— See Doo, Kyoung-Soo, **40** (11), 2646-54 (2001).
Oh, Jun Ho — See Yang, Tae-Seok, **40** (12), 2771-9 (2001).
Ohba, Ryoji — See Liu, Qian, **40** (5), 746-52 (2001).
Ohtani, Kozo — See Baba, Mitsuru, **40** (1), 53-60 (2001).
Ohtsubo, Junji — See Yamazaki, Mitsuhiro, **40** (1), 132-7 (2001).
O'Kane, Barbara L. — Perception studies. — Barbara L. O'Kane, David Bonzo, and James E. Hoffman; **40** (9), 1768-75 (2001).
Olivos-Pérez, L. I. — See Iturbe Castillo, M. D., **40** (11), 2367-8 (2001).
O'Neill, F. T. — Thickness variation of self-processing acrylamide-based photopolymer and reflection holography. — F. T. O'Neill, J. R. Lawrence, and J. T. Sheridan; **40** (4), 533-9 (2001).
Ong, Sunghwan — See Cho, Hangyu, **40** (8), 1621-8 (2001).
Ornelas-Rodriguez, Manuel — Direct laser writing of mid-infrared microelements on polyethylene material. — Manuel Ornelas-Rodriguez and Sergio Calixto; **40** (6), 921-5 (2001).
Oron, Ram — Design considerations for rare earth doped silver halide fiber amplifiers. — Ram Oron, David Bunimovich, Lev Nagli, Abraham Katzir, and Amos A. Hardy; **40** (8), 1516-20 (2001).
Orun, Hamdi — See Udrea, Mircea, **40** (9), 2026-30 (2001).
O'Shea, Donald C. — Editorial. — Donald C. O'Shea, Editor; **40** (1), 5-6 (2001).
— Editorial. — Donald C. O'Shea, Editor; **40** (2), 157-8 (2001).
— What's Hot? — Donald C. O'Shea, Editor; **40** (3), 337-8 (2001).
— The refractive index of optical engineers is one. — Donald C. O'Shea, Editor; **40** (4), 497-8 (2001).
— The Optics Evangelist. — Donald C. O'Shea, Editor; **40** (5), 653-4 (2001).
— Editorial. — Donald C. O'Shea; **40** (6), 885-6 (2001).
— Editorial. — Donald C. O'Shea; **40** (7), 1153-4 (2001).
— Editorial. — Donald C. O'Shea, Editor; **40** (8), 1430-1 (2001).
— Editorial. — Donald C. O'Shea, Editor; **40** (9), 1746-7 (2001).
— My Research Colleague. — Donald C. O'Shea, Editor; **40** (10), 2054-5 (2001).
— Editorial. — Donald C. O'Shea, Editor; **40** (11), 2362-3 (2001).
— The Left Drawer. — Donald C. O'Shea, Editor; **40** (12), 2681 (2001).
Otani, Y. — See Jin, L. H., **40** (7), 1383-6 (2001).
Otero Barros, Sara — Enhancement of the laterally emitting thin film electroluminescent device optical outcoupling via the fabrication of novel geometry structures. — Sara Otero Barros, Robert Stevens, and Wayne Cranton; **40** (6), 934-40 (2001).
Oxford, David E. — See Moorhead, Ian R., **40** (9), 1896-905 (2001).
Özdemir, Şahin Kaya — Compact optical instrument for surface classification using self-mixing interference in a laser diode. — Şahin Kaya Özdemir, Shigenobu Shinohara, Satoshi Ito, Sotetsu Takamiya, and Hirofumi Yoshida; **40** (1), 38-43 (2001).

P

Paez, Gonzalo — See Garcia-Torales, Guillermo, **40** (5), 767-73 (2001).
Paindavoine, M. — See Mitéran, J., **40** (4), 586-93 (2001).
Palais, Joseph C. — See Martinelli, Massimo, **40** (1), 142-3 (2001).
Palsdottir, Bera — See Liu, Jian, **40** (7), 1195-8 (2001).
Pantani, Luca — See Ballerini, Gaia, **40** (8), 1579-83 (2001).
Paoletti, Domenica — See Ambrosini, Dario, **40** (7), 1274-80 (2001).
Park, HyunWook — Generalized filtering operations for hue images. — HyunWook Park, Taiyi Cheng, and Yongmin Kim; **40** (1), 100-7 (2001).
— See Sun, Sun-Gu, **40** (11), 2638-45 (2001).
Park, Rae-Hong — See Saw, Yoo-Sok, **40** (7), 1387-95 (2001).
Parkkinen, Jussi — See Kukkonen, Saku, **40** (2), 170-7 (2001).
Parriaux, Olivier — See Jourlin, Yves, **40** (8), 1464-70 (2001).
Passerini, Marco — See Giuliani, Guido, **40** (1), 95-9 (2001).
Passian, A. — See Meriaudeau, F., **40** (5), 658-60 (2001).
Patten, Robert — Speckle photography and the fractional Fourier transform. — Robert Patten, John T. Sheridan, and Alan Larkin; **40** (8), 1438-40 (2001).
Pavel, Misha — See Sharma, Ravi K., **40** (7), 1364-76 (2001).
Pei, Manlin — Polymer-enhanced diffraction in an azo-dye-doped liquid crystal. — Manlin Pei, Yong-Jing Wang, and Gene O. Carlisle; **40** (8), 1481-5 (2001).
Pellicoro, Mario — See Angelini, Leonardo, **40** (12), 2878-84 (2001).
Peng, Guolin — See Gregory, Don A., **40** (5), 713-9 (2001).
Peng, Hui — See Zhang, David, **40** (10), 2151-8 (2001).
Peng, Xiaoyuan — Heating measurements in diode-end-pumped Nd:YVO_4 lasers. — Xiaoyuan Peng, Anand Asundi, Yihong Chen, and Zhengjun Xiong; **40** (6), 1100-5 (2001).
— See Xu, Lei, **40** (11), 2533-9 (2001).
Peng, Yufeng — Laser-induced temperature distributions and thermal deformations in sapphire, silicon, and calcium fluoride substrates at 1.315 μm. — Yufeng Peng, Zuhai Cheng, Yaoning Zhang, and Junlin Qiu; **40** (12), 2822-9 (2001).
Peng Lim, Chee — See Ratnam, Mani Maran, **40** (9), 2036-40 (2001).
Peretz, Y. — See Mann, Y., **40** (9), 1963-9 (2001).
Petrov, Vyacheslav V. — See Lapchuk, Anatoly S., **40** (8), 1471-5 (2001).
Peuriot, Alejandro L. — See Santiago, Guillermo D., **40** (10), 2215-9 (2001).
Pfisterer, Richard — Tumor detection in digitized mammograms by image texture analysis. — Richard Pfisterer and Farzin Aghdasi; **40** (2), 209-16 (2001).

Pfund, Johannes — See Lindlein, Norbert, **40** (5), 837-40 (2001).
Philips-Invernizzi, Bernadette — Bibliographical review for reflectance of diffusing media. — Bernadette Philips-Invernizzi, Daniel Dupont, and Claude Cazé; **40** (6), 1082-92 (2001).
Phillips, Michael D. — See Watkins, Wendell R., **40** (9), 1914-27 (2001).
Phillips, R. L. — See Al-Habash, M. A., **40** (8), 1554-62 (2001).
Picart, Pascal — Characterization of composite materials using a polarizing speckle interferometer. — Pascal Picart, Eric Lolive, and Jean-Marie Berthelot; **40** (1), 81-9 (2001).
Pitois, Claire — See Hermann, David S., **40** (10), 2188-98 (2001).
Planinšič, Peter — Fuzzy control of subband coded image quality using standard and fuzzy quality measure. — Peter Planinšič, Bojan Gergič, Dušan Gleich, and Zarko Čučej; **40** (8), 1529-44 (2001).
— See Gleich, Dušan, **40** (10), 2143-50 (2001).
Plataniotis, K. N. — See Smolka, B., **40** (6), 902-8 (2001).
Podgorsek, R. P. — See Leitz, M., **40** (7), 1315-20 (2001).
Poggi, Pasquale — See Bartoli, Alessandro, **40** (12), 2852-9 (2001).
Pogreb, Roman — See Bormashenko, Edward, **40** (5), 661-2 (2001).
— See Bormashenko, Edward, **40** (9), 1754-5 (2001).
Pogreb, Zosya — See Bormashenko, Edward, **40** (5), 661-2 (2001).
— See Bormashenko, Edward, **40** (9), 1754-5 (2001).
Poletto, Luca — Grazing-incidence flat-field spectrometer for high-order harmonic diagnostics. — Luca Poletto, Giampiero Naletto, and Giuseppe Tondello; **40** (2), 178-85 (2001).
Poopalan, P. — See Mahdi, Mohd A., **40** (2), 186-92 (2001).
Popelek, Jan — X-cube, an integrated bulk optic filtering device. — Jan Popelek and Yao Li; **40** (7), 1212-6 (2001).
Prather, Dennis W. — See Shi, Shouyuan, **40** (4), 503-10 (2001).
Presting, Hartmut — See Corbin, Elizabeth, **40** (12), 2753-62 (2001).
Przygodda, F. — Computer simulations of interferometric imaging with the Very Large Telescope Interferometer and its Astronomical Multibeam Recombiner instrument. — F. Przygodda, T. Blöcker, K.-H. Hofmann, and G. Weigelt; **40** (5), 753-60 (2001).
Puga, Héctor J. — Mapping correlation algorithm as interface between experimental optical technique and computer modeling for the study of mechanical structures. — Héctor J. Puga, Ramón Rodríguez-Vera, and S. Botello; **40** (8), 1598-607 (2001).

Q

Qian, Feng — Optoelectronic quotient-selected modified signed-digit division. — Feng Qian, Guoqiang Li, and Mohammad S. Alam; **40** (2), 275-82 (2001).
— See Li, Guoqiang, **40** (11), 2446-51 (2001).
Qiao, Jie — See Zhao, Feng, **40** (7), 1204-11 (2001).
— 32-channel 100-GHz-spaced demultiplexer for metropolitan area networks. — Jie Qiao, Feng Zhao, James W. Horwitz, and Ray T. Chen; **40** (7), 1255-9 (2001).
Qiu, Huihe — Optimization of optical particle sizing in multiphase flows. — Huihe Qiu, Wangcun Jia, and Chin-Tsau Hsu; **40** (11), 2586-93 (2001).
Qiu, Junlin — See Peng, Yufeng, **40** (12), 2822-9 (2001).
Qiu, Yu — See Sun, Changku, **40** (11), 2565-71 (2001).
Quan, C. — See Tay, C. J., **40** (8), 1608-12 (2001).
Quercioli, Franco — See Bartoli, Alessandro, **40** (12), 2852-9 (2001).
Quiroga, Juan A. — Wavefront measurement by solving the irradiance transport equation for multifocal systems. — Juan A. Quiroga, Jose A. Gómez-Pedrero, and Juan C. Martínez-Antón; **40** (12), 2885-91 (2001).

R

Rabinovich, W. S. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Radhakrishnan, P. — See George, Nibu A., **40** (7), 1343-7 (2001).
Rahm, S. — See Werner, Ch., **40** (1), 115-25 (2001).
Ramantoko, Gadang — See Chollet, Franck, **40** (12), 2763-70 (2001).
Ramos García, R. — See Iturbe Castillo, M. D., **40** (11), 2367-8 (2001).
Ranieri, Izilda Marcia — See Maldonado, Edison Puig, **40** (8), 1573-8 (2001).
Ratnam, Mani Maran — Three-dimensional object classification using shadow moiré and neural network. — Mani Maran Ratnam, Chee Peng Lim, and Ai Ni Khor; **40** (9), 2036-40 (2001).
Ravichandran, Gopalan — See Copeland, Anthony C., **40** (11), 2655-73 (2001).
Ravindra, Nuggehalli M. — See Wang, Jingshan, **40** (6), 1016-23 (2001).
Rayas, Juan A. — See Martínez, Amalia, **40** (9), 1978-83 (2001).
Reali, GianCarlo — See Jabczyński, Jan K., **40** (12), 2802-11 (2001).
Reed, S. — See Angelsky, Oleg V., **40** (10), 2227-33 (2001).
Reeves, Stanley J. — See Gao, Yun, **40** (10), 2179-87 (2001).
Refaat, Tamer F. — Drift-diffusion model for reach-through avalanche photodiodes. — Tamer F. Refaat, Hani E. Elsayed-Ali, and Russell J. DeYoung; **40** (9), 1928-35 (2001).
Reitebuch, O. — See Werner, Ch., **40** (1), 115-25 (2001).
Ren, Deqing — Design and construction of a fiber bundle connector using microlenses. — Deqing Ren, Ray Sharples, J. R. Allington-Smith, G. N. Dodsworth, D. J. Robertson, and G. Dalton; **40** (12), 2709-17 (2001).
Ren, Xiaomin — Theoretical and experimental investigations of dispersion compensation based on transmission properties of uniform fiber Bragg gratings. — Xiaomin Ren, Jianxin Li, Yuehui Xia, Xue Chen, and Yongqing Huang; **40** (7), 1223-6 (2001).
Renero-Carrillo, Francisco-J. — See Vera-Marquina, Alicia, **40** (10), 2261-4 (2001).
Repasky, Kevin S. — Amplified output of a frequency chirped diode source via injection locking. — Kevin S. Repasky, Peter A. Roos, Lei S. Meng, and John L. Carlsten; **40** (11), 2505-9 (2001).
Restrepo, Roberto — See Jaroszewicz, Zbigniew, **40** (5), 692-7 (2001).
Richardson, Robert L. — Generation of front-surface low-mass epoxy-composite mirrors by spin-casting. — Robert L. Richardson and Peter R. Griffiths; **40** (2), 252-8 (2001).
Rioux, Marc — See Amann, Markus-Christian, **40** (1), 10-9 (2001).
Riser, Andrew P. — Analysis of single lens arrays using convolution. — Andrew P. Riser and William J. Cassarly; **40** (5), 805-13 (2001).
Rittgers, A. — See Tang, Jianjing, **40** (11), 2419-30 (2001).
Riza, Nabeel A. — See Sumriddetchkajorn, Sarun, **40** (8), 1521-8 (2001).
Robertson, D. J. — See Ren, Deqing, **40** (12), 2709-17 (2001).
Rodriguez, Alejandro — Homodyne laser radar system for surface displacement monitoring. — Alejandro Rodriguez, Adolfo Comeron, and David Garcia; **40** (3), 398-405 (2001).
— Performance assessment of a homodyne laser radar for surface displacement monitoring. — Alejandro Rodriguez, Adolfo Comeron, and Eloy Mesalles; **40** (12), 2812-21 (2001).
Rodríguez-Ortiz, M. — See Iturbe Castillo, M. D., **40** (11), 2367-8 (2001).
Rodríguez-Sánchez, Rosa — See García, Jose A., **40** (9), 1794-817 (2001).
Rodríguez-Vera, Ramón — See Puga, Héctor J., **40** (8), 1598-607 (2001).
— See Martínez, Amalia, **40** (9), 1978-83 (2001).
Rogov, Valentin V. — New technology of precision polishing of glass optics. — Valentin V. Rogov, Yurii D. Filatov, Wolfgang Kottler, and Valerii P. Sobol; **40** (8), 1641-5 (2001).
Rollason, Malcolm P. — See Lettington, Alan H., **40** (2), 268-74 (2001).
Romand, B. — See Werner, Ch., **40** (1), 115-25 (2001).
Rong, Gang — See Zhou, Jie, **40** (12), 2860-5 (2001).
Roos, Peter A. — See Repasky, Kevin S., **40** (11), 2505-9 (2001).
Rosen, Joseph — See Abookasis, David, **40** (8), 1584-9 (2001).
Rosenshein, Joseph S. — See Han, Yue, **40** (2), 303-9 (2001).
Rosito, Carlos A. — See Santiago, Guillermo D., **40** (10), 2215-9 (2001).
Rotman, Stanley R. — See Stern, Adrian, **40** (6), 964-70 (2001).
— See Aviram, Guy, **40** (9), 1877-84 (2001).
Roulet, Jean-Christophe — Microlens systems for fluorescence detection in chemical microsystems. — Jean-Christophe Roulet, Reinhard Völkel, Hans Peter Herzig, Elisabeth Verpoorte, Nico F. de Rooij, and René Dändliker; **40** (5), 814-21 (2001).
Rożniakowski, Kazimierz — See Łukaszewski, Konrad, **40** (9), 1993-7 (2001).
Rubin, Sam — See Buimovich, Efraim, **40** (6), 1065-70 (2001).
Ruffin, Paul B. — Study of ultraminiature sensing coils and the performance of a depolarized interferometric fiber optic gyroscope. — Paul B. Ruffin, Janet Baeder, and C. C. Sung; **40** (4), 605-11 (2001).
Ruiz, Pablo D. — Measurement of the temporal evolution of periodic induced displacement derivatives using stroboscopic electronic speckle-shearing interferometry. — Pablo D. Ruiz, Abundio Dávila, Gabriel Mendiola, and Guillermo H. Kaufmann; **40** (2), 318-24 (2001).
— Phase errors in low-frequency vibration measurement with high-speed phase-shifting speckle pattern interferometry. — Pablo D. Ruiz, Jonathan M. Huntley, Yuji Shen, C. Russell Coggrave, and Guillermo H. Kaufmann; **40** (9), 1984-92 (2001).
Rusanen, Outi — See Keränen, Kimmo, **40** (10), 2308-14 (2001).
Ruther, Patrick — See Nakajima, Hajime, **40** (8), 1667-73 (2001).
Ryou, Jung Ryul — See Jang, Woo Young, **40** (5), 861-7 (2001).
— See Sohn, Kwanghoon, **40** (11), 2480-8 (2001).
Ryu, Young Kee — Development of a noncontact optical sensor for measuring the shape of a surface and thickness of transparent objects. — Young Kee Ryu, Choonsuk Oh, and Jong-Seul Lim; **40** (4), 500-2 (2001).
Ryukhtin, Vasyl V. — See Angelsky, Oleg V., **40** (10), 2227-33 (2001).

S

Sade, S. — Fiber optic infrared thermometer for accurate measurement of the core temperature of the human body. — S. Sade and A. Katzir; **40** (6), 1141-3 (2001).
Sadot, Dan — See Buimovich, Efraim, **40** (6), 1065-70 (2001).
Sakatani, Kaoru — See Xie, Yuxiao, **40** (10), 2302-7 (2001).
Salam, M. A. — See Iftekharuddin, Khan M., **40** (11), 2442-5 (2001).
Sánchez-de-la-Llave, D. — See Iturbe Castillo, M. D., **40** (11), 2367-8 (2001).
Sanders-Reed, John N. — Error propagation in two-sensor three-dimensional position estimation. — John N. Sanders-Reed; **40** (4), 627-36 (2001).
Sandven, Steve — See Dayton, David, **40** (6), 1001-9 (2001).
Santiago, Guillermo D. — Extension of the self-filtering unstable resonator to a ring cavity. — Guillermo D. Santiago, Alejandro L. Peuriot, and Carlos A. Rosito; **40** (10), 2215-9 (2001).
Sasaki, Osami — See Suzuki, Takamasa, **40** (3), 426-32 (2001).
Satalino, Giuseppe — See Angelini, Leonardo, **40** (12), 2878-84 (2001).
Saviaro, Jani — See Laitinen, Jyrki, **40** (6), 896-901 (2001).
Saw, Yoo-Sok — Two-source decomposition and discrete-cosine-transform–Hadamard-transform coding of low-correlation interframe differences. — Yoo-Sok Saw, Rae-Hong Park, Peter M. Grant, and John M. Hannah; **40** (7), 1387-95 (2001).
Scalia, Giusy — See Hermann, David S., **40** (10), 2188-98 (2001).
Schalkoff, Robert J. — See Carver, Albrecht E., **40** (2), 295-302 (2001).
Schirripa Spagnolo, Giuseppe — See Ambrosini, Dario, **40** (7), 1274-80 (2001).
Schneider, Richard — Distance measurement of moving objects by frequency modulated laser radar. — Richard Schneider, Peter Thürmel, and Michael Stockmann; **40** (1), 33-7 (2001).
Schwider, Johannes — See Lindlein, Norbert, **40** (5), 837-40 (2001).
Scribner, Dean A. — See Krebs, William K., **40** (9), 1818-26 (2001).
Selvakennedy, S. — See Mahdi, Mohd A., **40** (2), 186-92 (2001).
Sengupta, Deepak K. — See Sumriddetchkajorn, Sarun, **40** (8), 1521-8 (2001).
Sentman, Lee H. — See Stephens, James Michael, **40** (12), 2788-801 (2001).
Seo, Dong-Sun — See Oh, Jeong-Su, **40** (8), 1699-708 (2001).
— See Doo, Kyoung-Soo, **40** (11), 2646-54 (2001).
Servagent, Noël — See Bosch, Thierry, **40** (1), 20-7 (2001).
Seward, George H. — Two-dimensional space-angle product of a Gaussian beam. — George H. Seward; **40** (9), 1959-62 (2001).
Shack, Roland V. — See Sidorin, Yakov, **40** (6), 995-1000 (2001).
Shang, H. M. — See Tay, C. J., **40** (8), 1608-12 (2001).
Shanoylo, Semen M. — See Lapchuk, Anatoly S., **40** (8), 1471-5 (2001).
Shao, J. D. — See Tang, Z. S., **40** (5), 856-60 (2001).
Shao, Jun — Theoretical and experimental studies on linear and nonlinear algorithms for the measurement of muscle oxygenation using continuous-wave near-infrared spectroscopy. — Jun Shao, Ling Lin, Masatsugu Niwayama, Nobuki Kudo, and Katsuyuki Yamamoto; **40** (10), 2293-301 (2001).
Shao, Zongshu — See Wang, Chun, **40** (5), 783-7 (2001).
Sharma, Ravi K. — Bayesian sensor image fusion using local linear generative models. — Ravi K. Sharma, Todd K. Leen, and Misha Pavel; **40** (7), 1364-76 (2001).
Sharples, Ray — See Ren, Deqing, **40** (12), 2709-17 (2001).
Shaw, Michael J. — See Corbin, Elizabeth, **40** (12), 2753-62 (2001).
Shen, Feng-Chi — See Lee, Bore-Kuen, **40** (10), 2069-76 (2001).
Shen, Yuji — See Ruiz, Pablo D., **40** (9), 1984-92 (2001).
Sheridan, John T. — See O'Neill, F. T., **40** (4), 533-9 (2001).
— See Patten, Robert, **40** (8), 1438-40 (2001).
Sheshnev, Avigdor — See Bormashenko, Edward, **40** (9), 1754-5 (2001).
Shi, Shouyuan — Analysis of diffractive optical elements using a nonuniform finite-difference time-domain method. — Shouyuan Shi, Xiaodong Tao, Liuqing Yang, and Dennis W. Prather; **40** (4), 503-10 (2001).
Shi, Zan — Photonics for time delay in communication systems. — Zan Shi, Jianyi Yang, James J. Foshee, Walter B. Hartman, Suning Tang, and Ray T. Chen; **40** (7), 1238-43 (2001).
Shieh, Han-Ping David — See Tien, Chung-Hao, **40** (10), 2285-92 (2001).
Shiliang, Qu — See Yu, Chen, **40** (12), 2683-4 (2001).
Shilko, Mike — See Dayton, David, **40** (6), 1001-9 (2001).

Shimizu, Tohru — Simulator for computer-aided design of holograms. — Tohru Shimizu, Yasuhiro Awatsuji, and Toshihiro Kubota; **40** (11), 2524-32 (2001).
Shimomura, Teruo — See Chhetri, Bhupendra B., **40** (12), 2718-25 (2001).
Shinjo, Kazuasa — See Mizukami, Masato, **40** (3), 448-54 (2001).
Shinohara, Shigenobu — See Ozdemir, Şahin Kaya, **40** (1), 38-43 (2001).
Shiqun, Li — See Zhang, Shulian, **40** (4), 594-7 (2001).
Shyu, Hsuen-Chyun — See Tu, Te-Ming, **40** (5), 720-8 (2001).
Sidorin, Yakov — Measurement of laser diode astigmatism using the beam-line method. — Yakov Sidorin and Roland V. Shack; **40** (6), 995-1000 (2001).
Silvennoinen, Raimo — See Wahl, Paul, **40** (5), 788-92 (2001).
Singh, Harpreet — See Meitzler, Thomas J., **40** (9), 1844-51 (2001).
Singh, Kehar — See Dharmsaktu, K. S., **40** (6), 1132-7 (2001).
Sirohi, R. S. — See Helen, S. Suja, **40** (7), 1329-36 (2001).
Sitter, David N., Jr. — Laser-induced fluorescence imaging of the ocean bottom. — David N. Sitter, Jr., and Asher Gelbart; **40** (8), 1545-53 (2001).
Sjödahl, Mikael — See Mohan, Nandigana Krishna, **40** (12), 2780-7 (2001).
Skormin, Victor A. — See Nikulin, Vladimir V., **40** (10), 2208-14 (2001).
Smith, James A. — Thermal infrared hot spot and dependence on canopy geometry. — James A. Smith and Jerrell R. Ballard, Jr.; **40** (8), 1435-7 (2001).
Smith, Michael H. — See Jensen, Douglas R., **40** (8), 1486-98 (2001).
Smith, Philip W. — Stereo-based registration of range and projective imagery for data fusion and visualization. — Philip W. Smith and Mark D. Elstrom; **40** (3), 352-61 (2001).
Smolka, B. — On the reduction of impulsive noise in multichannel image processing. — B. Smolka, A. Chydzinski, K. W. Wojciechowski, K. N. Plataniotis, and A. N. Venetsanopoulos; **40** (6), 902-8 (2001).
Sobol, Valerii P. — See Rogov, Valentin V., **40** (8), 1641-5 (2001).
Sohn, Euijung — See Meitzler, Thomas J., **40** (9), 1844-51 (2001).
Sohn, Kwanghoon — See Jang, Woo Young, **40** (5), 861-7 (2001).
— Error-resilient zerotree wavelet video coding. — Kwanghoon Sohn, Chulhee Lee, Jungryul Ryou, and Wooyoung Jang; **40** (11), 2480-8 (2001).
Sokolsky, I. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Son, Jae Sok — See Flores, Benjamin C., **40** (3), 433-42 (2001).
Song, Yinglin — See Guo, Fengqi, **40** (1), 138-41 (2001).
Spagnolo, Giuseppe Schirripa — Diffractive optical element-based profilometer for surface inspection. — Giuseppe Schirripa Spagnolo and Dario Ambrosini; **40** (1), 44-52 (2001).
Spammer, Stephanus J. — See Zhu, Yinian, **40** (10), 2092-6 (2001).
Spirock, Thomas J. — See Wang, Jingshan, **40** (6), 1016-23 (2001).
Srinivasan, K. — See Kejalakshmy, N., **40** (11), 2594-7 (2001).
Steier, William H. — See Sun, Lin, **40** (7), 1217-22 (2001).
— See Grote, James G., **40** (11), 2464-73 (2001).
Stephens, James Michael — Measurement of low-level gain in a visible chemical laser amplifier. — James Michael Stephens, John David Stout, Joseph Abraham, Martin Neumann, James L. Gole, Lee H. Sentman, and Mariusz Zaczek; **40** (12), 2788-801 (2001).
Stern, Adrian — See Hadar, Ofer, **40** (2), 193-9 (2001).
— Influence of severe vibrations on the visual perception of video sequences. — Adrian Stern, Etan Fisher, Stanley R. Rotman, and Norman S. Kopeika; **40** (6), 964-70 (2001).
— See Hadar, Ofer, **40** (10), 2134-42 (2001).
Stevens, Robert — See Otero Barros, Sara, **40** (6), 934-40 (2001).
Stitzer, Katherine E. — See Karunamuni, Jeevananda, **40** (6), 888-95 (2001).
Stockmann, Michael — See Schneider, Richard, **40** (1), 33-7 (2001).
Stout, John David — See Stephens, James Michael, **40** (12), 2788-801 (2001).
Stramaglia, Sebastiano — See Angelini, Leonardo, **40** (12), 2878-84 (2001).
Stratan, A. — See Dabu, R., **40** (3), 455-9 (2001).
Streicher, J. — See Werner, Ch., **40** (1), 115-25 (2001).
Strojnik, Marija — See Garcia-Torales, Guillermo, **40** (5), 767-73 (2001).
Stroud, Colin — See Moorhead, Ian R., **40** (9), 1896-905 (2001).
Su, Chan-Hung — See Chen, Yong-Sheng, **40** (12), 2726-34 (2001).
Su, Der-Chin — See Hsu, Cheng-Chih, **40** (10), 2273-6 (2001).
Su, Shun-Chi — See Tu, Te-Ming, **40** (5), 720-8 (2001).
Su, Wei-Chia — See Sun, Ching-Cherng, **40** (2), 160-1 (2001).
Su, Xian-Yu — See Li, Wan-Song, **40** (3), 478-85 (2001).
Su, Xianyu — Phase unwrapping algorithm based on fringe frequency analysis in Fourier-transform profilometry. — Xianyu Su and Lian Xue; **40** (4), 637-43 (2001).
— See Li, Wansong, **40** (5), 761-6 (2001).
— See Dai, Hongjun, **40** (5), 793-800 (2001).
Sumriddetchkajorn, Sarun — Liquid crystal-based self-aligning 2×2 wavelength routing module. — Sarun Sumriddetchkajorn, Nabeel A. Riza, and Deepak K. Sengupta; **40** (8), 1521-8 (2001).
Sun, Changku — Online machine vision method for measuring the diameter and straightness of seamless steel pipes. — Changku Sun, Qiang You, Yu Qiu, and Shenghua Ye; **40** (11), 2565-71 (2001).
Sun, Ching-Cherng — All-optical fiber sensing system based on random phase encoding and volume holographic interconnection. — Ching-Cherng Sun, Yi-Ming Chen, and Wei-Chia Su; **40** (2), 160-1 (2001).
— See Wang, Bor, **40** (8), 1502-6 (2001).
Sun, Lin — Polymeric waveguide prism-based electro-optic beam deflector. — Lin Sun, Jin-ha Kim, Chiou-hung Jang, Dechang An, Xuejun Lu, Qingjun Zhou, John M. Taboada, Ray T. Chen, Jeffery J. Maki, Suning Tang, Hua Zhang, William H. Steier, Cheng Zhang, and Larry R. Dalton; **40** (7), 1217-22 (2001).
Sun, Sun-Gu — Segmentation of forward-looking infrared image using fuzzy thresholding and edge detection. — Sun-Gu Sun and HyunWook Park; **40** (11), 2638-45 (2001).
Sun, Wenfang — See Guo, Fengqi, **40** (1), 138-41 (2001).
Sung, C. C. — See Ruffin, Paul B., **40** (4), 605-11 (2001).
Sutoh, Yasunori — Analysis of spatiotemporal coupling in a femtosecond pulse shaper by the Wigner distribution function. — Yasunori Sutoh, Yoshiaki Yasuno, Kenji Harada, Masahide Itoh, Toyohiko Yatagai, and Masahiko Mori; **40** (8), 1717-23 (2001).
Sutovski, Semion — See Bormashenko, Edward, **40** (5), 661-2 (2001).
— See Bormashenko, Edward, **40** (9), 1754-5 (2001).
Suzuki, Takamasa — Small-rotation-angle measurement using an imaging method. — Takamasa Suzuki, Hideki Nakamura, Osami Sasaki, and John E. Greivenkamp; **40** (3), 426-32 (2001).
Svanbro, Angelica — See Mohan, Nandigana Krishna, **40** (12), 2780-7 (2001).
Swamy, M. N. S. — See Galigekere, R. R., **40** (7), 1409-11 (2001).
Swart, Pieter L. — See Zhu, Yinian, **40** (10), 2092-6 (2001).
Swift, Graham — Cross-talk analysis of optical time-division demultiplexer. — Graham Swift, Zabih Ghassemlooy, Chin Y. Cheung, and Alfred Decker; **40** (7), 1357-63 (2001).

T

Tabler, Herb — See Noureldin, Aboelmagd, **40** (10), 2097-106 (2001).
Taboada, John M. — See Sun, Lin, **40** (7), 1217-22 (2001).
Tagantsev, Dmitry K. — See Gordova, Marina R., **40** (8), 1507-12 (2001).
Tajuddin, A. — See Ng, T. W., **40** (3), 415-7 (2001).
Takamiya, Sotetsu — See Ozdemir, Şahin Kaya, **40** (1), 38-43 (2001).
Takaya, Masaaki — Design and performance analysis of modular jack type mini-MT connectors. — Masaaki Takaya and Shinji Nagasawa; **40** (6), 1045-52 (2001).
Takeuchi, Nobuo — See Fukuchi, Tetsuo, **40** (3), 392-7 (2001).
— See Fukuchi, Tetsuo, **40** (9), 1944-9 (2001).
Tam, Siu-Chung — Fuzzy logic control of a nitrogen laser. — Siu-Chung Tam, Siong-Chai Tan, Wah-Peng Neo, Sze-Chern Foong, Choon-Hao Chan, Anthony T. S. Ho, Hock-Chuan Chua, and Sing Lee; **40** (2), 237-44 (2001).
— See Xie, Wenjie, **40** (8), 1568-72 (2001).
Tamai, Masumi — See Yamamoto, Futoshi, **40** (6), 1138-41 (2001).
Tan, B. — See Venkatakrishnan, K., **40** (12), 2892-3 (2001).
Tan, Siong-Chai — See Tam, Siu-Chung, **40** (2), 237-44 (2001).
Tang, Jianjing — Design and performance analysis for a single-chip optoelectronic database filter. — Jianjing Tang, A. Rittgers, J. Lorenz, K. Miles, and Fred R. Beyette, Jr. ; **40** (11), 2419-30 (2001).
Tang, Jun — See Yu, Haiwu, **40** (1), 126-31 (2001).
Tang, Suning — Active and Passive Components for Optical Networks. — Suning Tang and Yao Li; **40** (7), 1163-4 (2001).
— See Sun, Lin, **40** (7), 1217-22 (2001).
— See Li, Bing, **40** (7), 1234-7 (2001).
— See Shi, Zan, **40** (7), 1238-43 (2001).
Tang, Z. S. — Study of thin-film SO_2 gas sensors by photometric and ellipsometric methods. — Z. S. Tang, Z. X. Fan, and J. D. Shao; **40** (5), 856-60 (2001).
Tanida, Jun — See Nitta, Kouichi, **40** (11), 2386-91 (2001).
Tantalo, Theodore — See Fiete, Robert D., **40** (4), 574-85 (2001).
Tao, Gang — See Li, Xide, **40** (2), 310-7 (2001).
Tao, Xiaodong — See Shi, Shouyuan, **40** (4), 503-10 (2001).
Tao, Yang — See Chen, Zikuan, **40** (3), 362-71 (2001).
— See Chen, Zikuan, **40** (5), 868-74 (2001).
Tariq, Salim — See Thomas, Gabriel, **40** (2), 217-26 (2001).
— See Flores, Benjamin C., **40** (3), 433-42 (2001).
Tatarintsev, Boris V. — See Gordova, Marina R., **40** (8), 1507-12 (2001).
Tatarskii, Viatcheslav V. — See Churnside, James H., **40** (3), 406-14 (2001).
Tay, C. J. — Coplanarity study on ball grid array packaging. — C. J. Tay, Xiaoyuan He, Xin Kang, C. Quan, and H. M. Shang; **40** (8), 1608-12 (2001).
Tayag, Tristan J. — See Mackie, David M., **40** (10), 2265-72 (2001).
Taylor, H. F. — See Jung, H. S., **40** (8), 1499-501 (2001).
Tenhunen, Jussi — See Keranen, Kimmo, **40** (10), 2308-14 (2001).
Thienpont, Hugo — See Baukens, Valérie, **40** (11), 2431-41 (2001).
Thiery, Laurent — Distribution of light density inside metal-coated micrometer-size optical tapers. — Laurent Thiery, Nathalie Marini, Claudine Bainier, and Daniel Charraut; **40** (6), 1010-5 (2001).
Thomas, Gabriel — Selective inverse synthetic aperture radar imaging of moving targets. — Gabriel Thomas, Benjamin C. Flores, and Salim Tariq; **40** (2), 217-26 (2001).
Thomsen, Marshall — See Han, Yue, **40** (2), 303-9 (2001).
Thürmel, Peter — See Schneider, Richard, **40** (1), 33-7 (2001).
Tian, Jindong — See Jing, Wencai, **40** (6), 1057-64 (2001).
Tiano, Piero — See Ballerini, Gaia, **40** (8), 1579-83 (2001).
Tien, Chung-Hao — Polarization analyses of readout signals by a solid immersion lens in phase change recording material. — Chung-Hao Tien, Yin-Chieh Lai, and Han-Ping David Shieh; **40** (10), 2285-92 (2001).
Timoner, Samson J. — Multi-image gradient-based algorithms for motion estimation. — Samson J. Timoner and Dennis M. Freeman; **40** (9), 2003-16 (2001).
Tiribilli, Bruno — See Bartoli, Alessandro, **40** (12), 2852-9 (2001).
Tishchenko, Alexander V. — See Jourlin, Yves, **40** (8), 1464-70 (2001).
Tiziani, Hans J. — See Körner, Klaus, **40** (8), 1653-60 (2001).
Toet, Alexander — See Meitzler, Thomas, **40** (9), 1756-9 (2001).
— Image dataset for testing search and detection models. — Alexander Toet, Piet Bijl, and J. Mathieu Valeton; **40** (9), 1760-7 (2001).
— See Watkins, Wendell R., **40** (9), 1914-27 (2001).
Togo, Hiroyuki — See Nitta, Kouichi, **40** (11), 2386-91 (2001).
Tondello, Giuseppe — See Poletto, Luca, **40** (2), 178-85 (2001).
Torres, Jorge — Wavelet analysis for the elimination of striping noise in satellite images. — Jorge Torres and Sergio Omar Infante; **40** (7), 1309-14 (2001).
Torres-Jacome, Alfonso — See Vera-Marquina, Alicia, **40** (10), 2261-4 (2001).
Torrieri, Don — See Chan, Lipchen Alex, **40** (4), 564-73 (2001).
Toyoshima, Morio — In-orbit measurements of short term attitude and vibrational environment on the Engineering Test Satellite VI using laser communication equipment. — Morio Toyoshima and Kenichi Araki; **40** (5), 827-32 (2001).
Trivedi, Mohan M. — See Copeland, Anthony C., **40** (9), 1885-95 (2001).
— See Copeland, Anthony C., **40** (11), 2655-73 (2001).
Truchetet, F. — See Devaux, J. C., **40** (7), 1302-8 (2001).
Tsai, Andy — Expectation-maximization algorithms for image processing using multiscale models and mean- field theory, with applications to laser radar range profiling and segmentation. — Andy Tsai, Jun Zhang, and Alan S. Willsky; **40** (7), 1287-301 (2001).
Tsai, Chao-Hsu — Fabricating microretarders by CO_2 laser heating process technology. — Chao-Hsu Tsai, Kuo-Chung Huang, Kuen Lee, and Wen-Jean Hsueh; **40** (11), 2577-81 (2001).
Tschudi, Theo — See Grohe, Oliver, **40** (4), 529-32 (2001).
Tsugai, Masahiro — See Nakajima, Hajime, **40** (8), 1667-73 (2001).
Tsuji, Nobuhiko — See Matsuzoe, Yuji, **40** (2), 283-8 (2001).
Tu, Po-Jen — See Liu, Wen-Fung, **40** (8), 1513-5 (2001).
Tu, Te-Ming — Efficient intensity-hue-saturation-based image fusion with saturation compensation. — Te-Ming Tu, Shun-Chi Su, Hsuen-Chyun Shyu, and Ping Sheng Huang; **40** (5), 720-8 (2001).
Turunen, Jari — See Gordova, Marina R., **40** (8), 1507-12 (2001).
Tzimopoulou, Sophie — See Lettington, Alan H., **40** (2), 268-74 (2001).

U

Udrea, Mircea — Laser polishing of optical fiber end surface. — Mircea Udrea, Hamdi Orun, and Ali Alacakir; **40** (9), 2026-30 (2001).

Uhlig, Hein — Blocking improved narrow-band filters for the UV-B region. — Hein Uhlig and Norbert Kaiser; **40** (10), 2331-7 (2001).
Upton, Robert S. — Detector patterns from optical disks. — Robert S. Upton and Tom D. Milster; **40** (6), 1030-44 (2001).
Urcid, Gonzalo — Digital synthesis of binary diffractive masks using mathematical morphology. — Gonzalo Urcid, Javier Báez-Rojas, and Alejandro Cornejo-Rodriguez; **40** (10), 2084-91 (2001).
Usami, Teruo — See Nakajima, Hajime, **40** (8), 1667-73 (2001).

V

Valeton, J. Mathieu — See Toet, Alexander, **40** (9), 1760-7 (2001).
Valeton, Mathee — See Watkins, Wendell R., **40** (9), 1914-27 (2001).
Vallabhan, C. P. G. — See George, Nibu A., **40** (7), 1343-7 (2001).
Van Calster, André — See Bruyneel, Filip, **40** (2), 259-67 (2001).
Vanfleteren, Jan — See Bruyneel, Filip, **40** (2), 259-67 (2001).
Vareia, Aiberto J. — See Wang, Michael R., **40** (4), 517-24 (2001).
Vasquez, J. A. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Vassalli, Massimo — See Bartoli, Alessandro, **40** (12), 2852-9 (2001).
Vázquez, Carmen — Experimental assessment of access guide first-order mode effect on multimode interference couplers. — Carmen Vázquez, Cándido Aramburu, Marko Galarza, and Manuel López-Amo; **40** (7), 1160-2 (2001).
Vázquez, José F. — See Martinez, Amalia, **40** (9), 1978-83 (2001).
Venetsanopoulos, A. N. — See Smolka, B., **40** (6), 902-8 (2001).
Venkatakrishnan, K. — See Ngoi, B. K. A., **40** (8), 1563-7 (2001).
— Submicron holes in copper thin film directly ablated using femtosecond pulsed laser. — K. Venkatakrishnan, B. Tan, and B. K. A. Ngoi; **40** (12), 2892-3 (2001).
Vera-Marquina, Alicia — Optical NOR gate based on silicon technology. — Alicia Vera-Marquina, Alfonso Torres-Jacome, and Francisco-J. Renero-Carrillo; **40** (10), 2261-4 (2001).
Veretennicoff, Irina — See Baukens, Valérie, **40** (11), 2431-41 (2001).
Verma, Kaushal — Sensitivity enhancement of far-infrared Fizeau interferometry by digital image processing. — Kaushal Verma and Bongtae Han; **40** (9), 1970-7 (2001).
Verpoorte, Elisabeth — See Roulet, Jean-Christophe, **40** (5), 814-21 (2001).
Vicente, Jérôme — See Guillemant, Philippe, **40** (4), 554-63 (2001).
Vieira, Nilson Dias, Jr. — See Maldonado, Edison Puig, **40** (8), 1573-8 (2001).
Vilcheck, M. J. — See Gilbreath, G. C., **40** (7), 1348-56 (2001).
Villavicencio, Victor — See Zhao, Feng, **40** (7), 1204-11 (2001).
Virmajoki, Olli — Practical methods for speeding-up the pairwise nearest neighbor method. — Olli Virmajoki, Pasi Fränti, and Timo Kaukoranta; **40** (11), 2495-504 (2001).
Völkel, Reinhard — See Roulet, Jean-Christophe, **40** (5), 814-21 (2001).
Vollmerhausen, Richard H. — See Driggers, Ronald G., **40** (3), 443-7 (2001).
— See Krapels, Keith, **40** (9), 1906-13 (2001).

W

Wahl, Paul — Investigation of microcracks in wood with laser speckle intensity. — Paul Wahl, Antti Hanhijärvi, and Raimo Silvennoinen; **40** (5), 788-92 (2001).
Wai, C. N. — See Alam, Mohammad S., **40** (11), 2407-13 (2001).
Walt, David R. — See Karunamuni, Jeevananda, **40** (6), 888-95 (2001).
Wang, Bor — Enhancement of signal-to-noise ratio of a double random phase encoding encryption system. — Bor Wang and Ching-Cherng Sun; **40** (8), 1502-6 (2001).
Wang, Boxiong — New structured light encoding method for range-data acquisition. — Boxiong Wang, Wei Xiao, and Xiuzhi Luo; **40** (11), 2474-9 (2001).
Wang, Chengcheng — See Yu, Haiwu, **40** (1), 126-31 (2001).
Wang, Chih-Jen — See Lu, Hai-Han, **40** (5), 656-7 (2001).
Wang, Chun — Two-photon pumped frequency up-converted lasing properties of a new material DEASMPI. — Chun Wang, Xiaomei Wang, Zongshu Shao, Xian Zhao, Guangyong Zhou, Dong Wang, and Minhua Jiang; **40** (5), 783-7 (2001).
Wang, Dianfu — See Zhang, Boming, **40** (4), 612-7 (2001).
Wang, Dong — See Wang, Chun, **40** (5), 783-7 (2001).
Wang, Duoyuan — See Guo, Fengqi, **40** (1), 138-41 (2001).
Wang, Guiying — See Yang, Lisong, **40** (6), 909-13 (2001).
Wang, Haifeng — New approach to superresolution. — Haifeng Wang and Fuxi Gan; **40** (5), 851-5 (2001).
— Phase-shifting apodizer for next-generation digital versatile disk. — Haifeng Wang, Zhongyu Chen, and Fuxi Gan; **40** (6), 991-4 (2001).
Wang, Haimin — See Wang, Jingshan, **40** (6), 1016-23 (2001).
Wang, Jingshan — Optical design of a near-infrared birefringent filter system and measurement of birefringent index of calcite at 1.56 μm. — Jingshan Wang, Haimin Wang, Thomas J. Spirock, Chik-Yin Lee, Nuggehalli M. Ravindra, Jun Ma, Philip R. Goode, and Carsten Denker; **40** (6), 1016-23 (2001).
Wang, Jiping — See Chen, Wei R., **40** (7), 1249-54 (2001).
Wang, Jyhpyng — See Lee, Chau-Hwang, **40** (10), 2077-83 (2001).
Wang, Kuanquan — See Zhang, David, **40** (10), 2151-8 (2001).
Wang, Lijun — See Ma, Chunsheng, **40** (3), 460-5 (2001).
Wang, Michael R. — Efficient pseudo-nondiffracting beam shaping using a quasicontinuous-phase diffractive element. — Michael R. Wang, Changyuan Yu, and Alberto J. Varela; **40** (4), 517-24 (2001).
Wang, Qian — Iterative finite-difference method for calculating the distribution of a liquid-crystal director. — Qian Wang, Sailing He, Feihong Yu, and Nairong Huang; **40** (11), 2552-7 (2001).
Wang, Qiming — Si-based resonant-cavity-enhanced photodetector. — Qiming Wang, Cheng Li, Buwen Cheng, and Qinqing Yang; **40** (7), 1192-4 (2001).
Wang, Sheng-Jyh — See Yeh, Yeou-Min, **40** (10), 2172-8 (2001).
Wang, Xiaomei — See Wang, Chun, **40** (5), 783-7 (2001).
Wang, Yong-Jing — See Pei, Manlin, **40** (8), 1481-5 (2001).
Wang, Yunqing — See Li, Qingxiang, **40** (10), 2120-4 (2001).
Wang, Yuxing — See Zhang, Haitao, **40** (11), 2540-5 (2001).
Watkins, Wendell R. — Search and target acquisition: single line of sight versus wide baseline stereo. — Wendell R. Watkins, Garrett D. Heath, Michael D. Phillips, Mathee Valeton, and Alexander Toet; **40** (9), 1914-27 (2001).
Weigelt, G. — See Przygodda, F., **40** (5), 753-60 (2001).
Werner, Ch. — Wind infrared Doppler lidar instrument. — Ch. Werner, P. H. Flamant, O. Reitebuch, F. Köpp, J. Streicher, S. Rahm, E. Nagel, M. Klier, H. Herrmann, C. Loth, P. Delville, Ph. Drobinski, B. Romand, Ch. Boitel, D. Oh, M. Lopez, M. Meissonnier, D. Bruneau, and A. Dabas; **40** (1), 115-25 (2001).
Wetter, Niklaus Ursus — See Maldonado, Edison Puig, **40** (8), 1573-8 (2001).
Whelan, Maurice P. — See Forno, Colin, **40** (10), 2199-207 (2001).
Wig, A. — See Meriaudeau, F., **40** (5), 658-60 (2001).
Willsky, Alan S. — See Tsai, Andy, **40** (7), 1287-301 (2001).
Wilson, David L. — Image-based contrast-to-clutter modeling of detection. — David L. Wilson; **40** (9), 1852-7 (2001).
Wilson, James J. — See Churnside, James H., **40** (3), 406-14 (2001).
Windecker, Robert — See Körner, Klaus, **40** (8), 1653-60 (2001).
Witus, Gary — Contrast model for three-dimensional vehicles in natural lighting and search performance analysis. — Gary Witus, Grant R. Gerhart, and R. Darin Ellis; **40** (9), 1858-68 (2001).
Wojciechowski, K. W. — See Smolka, B., **40** (6), 902-8 (2001).
Wojtatowicz, Tomasz W. — See Łukaszewski, Konrad, **40** (9), 1993-7 (2001).
Wolff, J. Mitch — See Zhou, Jie, **40** (4), 598-604 (2001).
Wong, Peter Y. — See Mann, Seth E., **40** (10), 2061-8 (2001).
Woods, Charles L. — See Khoury, J., **40** (11), 2624-37 (2001).
Wu, Chung-Kun — See Hwang, Wen-Jyi, **40** (2), 245-51 (2001).
Wu, Jian — See Chao, Zhixia, **40** (5), 801-4 (2001).
Wu, Yajue — See Fu, Shan, **40** (8), 1661-6 (2001).
Wu, Z. L. — See Han, Yue, **40** (2), 303-9 (2001).
Wu, Zhanjun — See Zhang, Boming, **40** (4), 612-7 (2001).
Wyrowski, Frank — See Bühling, Sven, **40** (8), 1590-7 (2001).
Wysocki, Paul F. — See Liu, Jian, **40** (7), 1195-8 (2001).

X

Xia, Yuehui — See Ren, Xiaomin, **40** (7), 1223-6 (2001).
Xiao, Wei — See Wang, Boxiong, **40** (11), 2474-9 (2001).
Xie, Wenjie — Simple method to calculate the radial energy and temperature distributions in diode-pumped solid state laser rods. — Wenjie Xie, Siu-Chung Tam, and Yee-Loy Lam; **40** (8), 1568-72 (2001).
Xie, Yuxiao — Near-infrared spectroscopy studies on cerebral blood oxygenation changes during brain activation: possible limitations of blood oxygenation level dependent functional magnetic resonance imaging. — Yuxiao Xie, Kaoru Sakatani, Wemara Lichty, Huancong Zuo, Zuoping Xie, and Jing Bai; **40** (10), 2302-7 (2001).
Xie, Zuoping — See Xie, Yuxiao, **40** (10), 2302-7 (2001).
Xin, Le-ping — See Zhou, Jie, **40** (12), 2860-5 (2001).
Xiong, Zhengjun — See Peng, Xiaoyuan, **40** (6), 1100-5 (2001).
Xu, B. — Measurement of yarn densities in fabrics using phase-shifted digital moiré. — B. Xu, S. Lin, and N. Jiang; **40** (8), 1476-80 (2001).
Xu, Lei — Hybrid holographic microscope for interferometric measurement of microstructures. — Lei Xu, Xiaoyuan Peng, Anand K. Asundi, and Jianmin Miao; **40** (11), 2533-9 (2001).
Xu, Xiaonan — See Zhang, Yi, **40** (6), 1071-5 (2001).
Xu, Yi — See Chao, Zhixia, **40** (5), 801-4 (2001).
Xu, Zhizhan — See Yang, Lisong, **40** (6), 909-13 (2001).
Xue, Lian — See Su, Xianyu, **40** (4), 637-43 (2001).
Xue, Shifu — See Li, Qingxiang, **40** (5), 833-6 (2001).

Y

Yamamoto, Futoshi — X-cut $LiNbO_3$ optoelectronic device passivated by silicon nitride film. — Futoshi Yamamoto, Yasuyuki Miyama, Hirotoshi Nagata, and Masumi Tamai; **40** (6), 1138-41 (2001).
Yamamoto, Katsuyuki — See Shao, Jun, **40** (10), 2293-301 (2001).
Yamazaki, Mitsuhiro — Optimization of encrypted holograms in optical security systems. — Mitsuhiro Yamazaki and Junji Ohtsubo; **40** (1), 132-7 (2001).
Yan, Ping — See Zhang, Haitao, **40** (11), 2540-5 (2001).
Yang, F. — See Mitéran, J., **40** (4), 586-93 (2001).
Yang, Jianyi — See Shi, Zan, **40** (7), 1238-43 (2001).
Yang, Lisong — Noninterferometric measurement of lead zirconate titanate inverse piezoelectric extension. — Lisong Yang, Li Liu, Guiying Wang, and Zhizhan Xu; **40** (6), 909-13 (2001).
Yang, Liuqing — See Shi, Shouyuan, **40** (4), 503-10 (2001).
Yang, Minyang — See Lee, Hocheol, **40** (9), 1936-43 (2001).
Yang, Qinqing — See Wang, Qiming, **40** (7), 1192-4 (2001).
Yang, Shiyuan — See Chhetri, Bhupendra B., **40** (12), 2718-25 (2001).
Yang, Tae-Seok — Identification of primary aberrations on a lateral shearing interferogram of optical components using neural network. — Tae-Seok Yang and Jun Ho Oh; **40** (12), 2771-9 (2001).
Yang, Xiufeng — See Chen, Zhihao, **40** (7), 1156-7 (2001).
Yang, Yizhang — See Li, Xide, **40** (2), 310-7 (2001).
Yang, Yu-Ching — Combining optical effects of axial strain, thermal loading, and hydrostatic pressure in tightly jacketed double-coated optical fibers. — Yu-Ching Yang; **40** (10), 2107-14 (2001).
Yao, Jun — Fabrication of refractive microlens array by etching dichromate gelatin with enzyme solution. — Jun Yao, Fuhua Gao, Yongkang Guo, and Zheng Cui; **40** (9), 2022-5 (2001).
Yasuno, Yoshiaki — See Sutoh, Yasunori, **40** (8), 1717-23 (2001).
Yatagai, Toyohiko — See Sutoh, Yasunori, **40** (8), 1717-23 (2001).
Ye, Shenghua — See Sun, Changku, **40** (11), 2565-71 (2001).
Ye, Wen — See Han, Yue, **40** (2), 303-9 (2001).
Yeh, Yeou-Min — Digital camcorder image stabilizer based on gray-coded bit-plane block matching. — Yeou-Min Yeh, Huang-Cheng Chiang, and Sheng-Jyh Wang; **40** (10), 2172-8 (2001).
Yi, Benshun — New design of a detachable bulk-optic Faraday effect current clamp. — Benshun Yi, Beatrice C. B. Chu, and Kin Seng Chiang; **40** (6), 914-20 (2001).
Yin, Chunyong — See Chao, Zhixia, **40** (5), 801-4 (2001).
Yin, Peng-Yeng — Automating data extraction and identification on Chinese road maps. — Peng-Yeng Yin and Yen-Bo Huang; **40** (5), 663-73 (2001).
Yin, Yusong — See Zhang, Chengping, **40** (7), 1337-42 (2001).
Yinglin, Song — See Yu, Chen, **40** (12), 2683-4 (2001).
Yokozeki, Shunsuke — See Arai, Yasuhiko, **40** (11), 2605-11 (2001).
Yoon, Yong-In — See Oh, Jeong-Su, **40** (8), 1699-708 (2001).
Yoshida, Hirofumi — See Özdemir, Şahin Kaya, **40** (1), 38-43 (2001).
Yoshizawa, T. — See Jin, L. H., **40** (7), 1383-6 (2001).
You, Qiang — See Sun, Changku, **40** (11), 2565-71 (2001).
Yu, Changyuan — See Wang, Michael R., **40** (4), 517-24 (2001).

Yu, Chen — Third-order optical nonlinearities and optical limiting of octa-octyloxy phthalocyanine free base in toluene. — Chen Yu, Yunjing Li, Qu Shiliang, Song Yinglin, Yuxin Nie, and Wang Duoyuan; **40** (12), 2683-4 (2001).
Yu, Feihong — See Wang, Qian, **40** (11), 2552-7 (2001).
Yu, Gwo-Jong — Mean-quantization-based fragile watermarking for image authentication. — Gwo-Jong Yu, Chun-Shien Lu, and Hong-Yuan Mark Liao; **40** (7), 1396-408 (2001).
Yu, Haiwu — Thermal-recovery optimization of the SG-III prototype. — Haiwu Yu, Wanguo Zheng, Chengcheng Wang, Shaobo He, Jun Tang, Yong Liu, and Yongmei Chun Yu; **40** (1), 126-31 (2001).
Yu, Kuo-Kan — See Hu, Neng-Chung, **40** (8), 1687-98 (2001).
Yu, Yifan — See Liu, Zhishen, **40** (6), 1125-31 (2001).
Yu, Yongmei Chun — See Yu, Haiwu, **40** (1), 126-31 (2001).
Yuan, X.-C. — See Jiang, H. J., **40** (9), 2017-21 (2001).
Yue, Wei — See Chen, Wei R., **40** (7), 1249-54 (2001).
Yung, N. H. C. — See Chung, Hing Yip, **40** (6), 952-63 (2001).
Yzuel, Maria J. — See Davis, Jeffrey A., **40** (2), 327-9 (2001).
— See Márquez, Andrés, **40** (11), 2558-64 (2001).

Z

Zaczek, Mariusz — See Stephens, James Michael, **40** (12), 2788-801 (2001).
Zagar, Bernhard G. — See Kargel, Christian, **40** (1), 90-4 (2001).
Zeisse, Carl R. — See Jensen, Douglas R., **40** (8), 1486-98 (2001).
Zelensky, Alexander A. — See Melnik, Vladimir P., **40** (8), 1441-55 (2001).
Zeng, Zhaohua — See Ma, Shexiang, **40** (8), 1682-6 (2001).
Zetts, John S. — See Grote, James G., **40** (11), 2464-73 (2001).
Zhang, Boming — Investigation of multifunctional fiber optic sensor in smart composite. — Boming Zhang, Zhanjun Wu, Dianfu Wang, and Shanyi Du; **40** (4), 612-7 (2001).
Zhang, Cheng — See Sun, Lin, **40** (7), 1217-22 (2001).
— See Grote, James G., **40** (11), 2464-73 (2001).
Zhang, Chengping — Autofocusing control for a DIVX burst-cutting-area recording system. — Chengping Zhang, Peisen S. Huang, Dmitry Donskoy, and Yusong Yin; **40** (7), 1337-42 (2001).
Zhang, David — Hybrid neural method for locating eyes in facial images. — David Zhang, Hui Peng, and Kuanquan Wang; **40** (10), 2151-8 (2001).
— See Zhou, Jie, **40** (12), 2860-5 (2001).
Zhang, Haitao — Aliasing in minification of digital images. — Haitao Zhang, Dazun Zhao, Mali Gong, Ping Yan, and Yuxing Wang; **40** (11), 2540-5 (2001).
Zhang, Hua — See Sun, Lin, **40** (7), 1217-22 (2001).
Zhang, Jun — See Tsai, Andy, **40** (7), 1287-301 (2001).
Zhang, Kailin — See Liu, Zhishen, **40** (6), 1125-31 (2001).
Zhang, Kevin J. — Erbium-doped fiber amplet and its application as a modular bandwidth management subsystem for dispersion compensation and power management. — Kevin J. Zhang, Darlene L. Hart, Koo Il Kang, and Brian C. Moore; **40** (7), 1199-203 (2001).
Zhang, Nan — See Jing, Wencai, **40** (6), 1057-64 (2001).
Zhang, Shulian — Mode suppression, its elimination, and generation of small frequency differences in birefringence He-Ne lasers. — Shulian Zhang, Yuye Jin, Jie Fu, Yan Li, Li Shiqun, and Li Jiaqiang; **40** (4), 594-7 (2001).
— See Zhang, Yi, **40** (6), 1071-5 (2001).
Zhang, Shuqun — Parallel fuzzy inference and logic processing with a joint transform correlator. — Shuqun Zhang and Mohammad A. Karim; **40** (11), 2400-6 (2001).
Zhang, Tao — See Zhou, Zhao-Fei, **40** (8), 1646-52 (2001).
Zhang, Xun — See Jing, Wencai, **40** (6), 1057-64 (2001).
Zhang, Yaoning — See Peng, Yufeng, **40** (12), 2822-9 (2001).
Zhang, Yi — Method for the measurement of retardation of wave plates based on laser frequency-splitting technology. — Yi Zhang, Shulian Zhang, Yanmei Han, Yan Li, and Xiaonan Xu; **40** (6), 1071-5 (2001).
Zhang, Yimo — See Jing, Wencai, **40** (6), 1057-64 (2001).
Zhao, Dazun — See Zhang, Haitao, **40** (11), 2540-5 (2001).
Zhao, Feng — Reliable grating-based wavelength division (de)multiplexers for optical networks. — Feng Zhao, Jie Qiao, Xuegong Deng, Jizuo Zou, Baoping Guo, Ray Collins, Victor Villavicencio, Kwei K. Chang, James W. Horwitz, Bill Morey, and Ray T. Chen; **40** (7), 1204-11 (2001).
— See Qiao, Jie, **40** (7), 1255-9 (2001).
Zhao, Qiang — See Han, Yue, **40** (2), 303-9 (2001).
Zhao, Xian — See Wang, Chun, **40** (5), 783-7 (2001).
Zhao, Zili — See Li, Qingxiang, **40** (10), 2120-4 (2001).
Zheng, Wanguo — See Yu, Haiwu, **40** (1), 126-31 (2001).
Zhong, Jingang — Linear integer unconcerned phase-map profilometry by changing the projection angle of the grating. — Jingang Zhong; **40** (7), 1377-82 (2001).
Zhou, Ge — See Jing, Wencai, **40** (6), 1057-64 (2001).
Zhou, Guangyong — See Wang, Chun, **40** (5), 783-7 (2001).
Zhou, Jie — Optically interrogated MEMS pressure sensors for propulsion applications. — Jie Zhou, Samhita Dasgupta, Hiroshi Kobayashi, J. Mitch Wolff, Howard E. Jackson, and Joseph T. Boyd; **40** (4), 598-604 (2001).
— Algorithm of automatic cartridge identification. — Jie Zhou, Le-ping Xin, Gang Rong, and David Zhang; **40** (12), 2860-5 (2001).
Zhou, Peng — Subpixel displacement and deformation gradient measurement using digital image/speckle correlation (DISC). — Peng Zhou and Kenneth E. Goodson; **40** (8), 1613-20 (2001).
Zhou, Qingjun — See Sun, Lin, **40** (7), 1217-22 (2001).
Zhou, Weidong — Zero and direction reference mark based on phase jump. — Weidong Zhou and Lilong Cai; **40** (2), 289-94 (2001).
— See Zhou, Zhao-Fei, **40** (8), 1646-52 (2001).
Zhou, Zhao-Fei — Profilometer for measuring superfine surfaces. — Zhao-Fei Zhou, Tao Zhang, Weidong Zhou, and Wenjie Li; **40** (8), 1646-52 (2001).
Zhu, Yinian — Chirp tuning of a fiber Bragg grating by using different tapered transducers and loading procedures: an application in the accelerometer. — Yinian Zhu, Pieter L. Swart, Beatrys M. Lacquet, and Stephanus J. Spammer; **40** (10), 2092-6 (2001).
Zhurihina, Valentina V. — See Gordova, Marina R., **40** (8), 1507-12 (2001).
Zimmer, J. P. — See Mitéran, J., **40** (4), 586-93 (2001).
Zmuda, Michael A. — Stochastic algorithm for approximating soft morphological operators. — Michael A. Zmuda; **40** (12), 2746-52 (2001).
Zou, Jizuo — See Zhao, Feng, **40** (7), 1204-11 (2001).
Zuo, Huancong — See Xie, Yuxiao, **40** (10), 2302-7 (2001).

Optical Engineering

2001 Subject Index (Volume 40)

KEY TO INDEX USE

Paper titles are indexed under appropriate subject terms, which are printed in boldface type. Each entry gives the paper title, the author(s), and location of the paper in Volume 40.

Aberrations

Identification of primary aberrations on a lateral shearing interferogram of optical components using neural network. — Tae-Seok Yang and Jun Ho Oh; **40** (12), 2771-9 (2001).

Absorption

Effects of signal seeding on long-wavelength-band Er^{3+}-doped fiber amplifiers. — Mohd A. Mahdi, F. R. Mahamd Adikan, P. Poopalan, S. Selvakennedy, and H. Ahmad; **40** (2), 186-92 (2001).

Evaluation of differential absorption lidar (DIAL) measurement error by simultaneous DIAL and null profiling. — Tetsuo Fukuchi, Takashi Fujii, Naohiko Goto, Koshichi Nemoto, and Nobuo Takeuchi; **40** (3), 392-7 (2001).

Frequency stabilization of a semiconductor laser using water-vapor absorption lines. — Oliver Grohe, Harald Gottschling, Holger Jennewein, and Theo Tschudi; **40** (4), 529-32 (2001).

Two-photon pumped frequency up-converted lasing properties of a new material DEASMPI. — Chun Wang, Xiaomei Wang, Zongshu Shao, Xian Zhao, Guangyong Zhou, Dong Wang, and Minhua Jiang; **40** (5), 783-7 (2001).

Numerical study of the Cr:YSO Q-switched ruby laser. — Yen-Kuang Kuo, Horng-Min Chen, and Jih-Yuan Chang; **40** (9), 2031-5 (2001).

Acousto-optics

High-sensitivity surface-profile measurements by heterodyne white-light interferometer. — Akiko Hirai and Hirokazu Matsumoto; **40** (3), 387-91 (2001).

Switchable narrow-bandwidth comb filters based on an acousto-optic superlattice modulator in sine-sampled fiber gratings. — Wen-Fung Liu and Po-Jen Tu; **40** (8), 1513-5 (2001).

Self-compensation heterodyne vibrometer using an acousto-optic modulator as vibration detector. — B. K. A. Ngoi and K. Venkatakrishnan; **40** (8), 1563-7 (2001).

Modeling of an acousto-optic laser beam steering system intended for satellite communication. — Vladimir V. Nikulin, Mounir Bouzoubaa, Victor A. Skormin, and Timothy E. Busch; **40** (10), 2208-14 (2001).

Actuators

Noninterferometric measurement of lead zirconate titanate inverse piezoelectric extension. — Lisong Yang, Li Liu, Guiying Wang, and Zhizhan Xu; **40** (6), 909-13 (2001).

Adaptive optics

On the reduction of impulsive noise in multichannel image processing. — B. Smolka, A. Chydzinski, K. W. Wojciechowski, K. N. Plataniotis, and A. N. Venetsanopoulos; **40** (6), 902-8 (2001).

Multiplexed interferometer for ultrasonic imaging applications. — Todd W. Murray and Sridhar Krishnaswamy; **40** (7), 1321-8 (2001).

Experimental checking of the Rician statistics in partially compensated wavefronts. — Manuel P. Cagigal and Vidal F. Canales; **40** (12), 2690-7 (2001).

Edge-adaptive color interpolation algorithm for progressive scan charge-coupled device image sensors. — Bong Soo Hur and Moon Gi Kang; **40** (12), 2698-708 (2001).

Algorithms

Fast motion estimation with search-center prediction. — Hing Yip Chung, N. H. C. Yung, and P. Y. S. Cheung; **40** (6), 952-63 (2001).

Expectation-maximization algorithms for image processing using multiscale models and mean-field theory, with applications to laser radar range profiling and segmentation. — Andy Tsai, Jun Zhang, and Alan S. Willsky; **40** (7), 1287-301 (2001).

Signal reconstruction from multiscale edges using spline function interpolation. — Shexiang Ma, Guizhong Liu, and Zhaohua Zeng; **40** (8), 1682-6 (2001).

Alignment

Subband correlation of Daubechies wavelet representations. — Zikuan Chen and Yang Tao; **40** (3), 362-71 (2001).

Simultaneous alignment of multiple optical axes in a multistage optical system using Hamiltonian algorithm. — Masato Mizukami, Motohisa Hirano, and Kazuasa Shinjo; **40** (3), 448-54 (2001).

Angular alignment of a polarization-maintaining optical fiber. — Daniela de Oliveira Maionchi, Wesley Campos, and Jaime Frejlich; **40** (7), 1260-4 (2001).

Amplifiers

Thermal-recovery optimization of the SG-III prototype. — Haiwu Yu, Wanguo Zheng, Chengcheng Wang, Shaobo He, Jun Tang, Yong Liu, and Yongmei Chun Yu; **40** (1), 126-31 (2001).

Power conversion efficiency characterization of erbium-doped silica fibers in L-band. — Jian Liu, Paul F. Wysocki, Matthew Andrejco, and Bera Palsdottir; **40** (7), 1195-8 (2001).

Design considerations for rare earth doped silver halide fiber amplifiers. — Ram Oron, David Bunimovich, Lev Nagli, Abraham Katzir, and Amos A. Hardy; **40** (8), 1516-20 (2001).

Amplified output of a frequency chirped diode source via injection locking. — Kevin S. Repasky, Peter A. Roos, Lei S. Meng, and John L. Carlsten; **40** (11), 2505-9 (2001).

Measurement of low-level gain in a visible chemical laser amplifier. — James Michael Stephens, John David Stout, Joseph Abraham, Martin Neumann, James L. Gole, Lee H. Sentman, and Mariusz Zaczek; **40** (12), 2788-801 (2001).

Apertures

Influence of nonuniform charge-coupled device pixel response on aperture photometry. — Daniel Kavaldjiev and Zoran Ninkov; **40** (2), 162-9 (2001).

Digital synthesis of binary diffractive masks using mathematical morphology. — Gonzalo Urcid, Javier Báez-Rojas, and Alejandro Cornejo-Rodríguez; **40** (10), 2084-91 (2001).

Digital moiré subtraction in optical engineering. — Colin Forno and Maurice P. Whelan; **40** (10), 2199-207 (2001).

Near-field optical data storage: avenues for improved performance. — Tom D. Milster; **40** (10), 2255-60 (2001).

Apodization

Encoding complex diffractive optical elements onto a phase-only liquid-crystal spatial light modulator. — Jeffrey A. Davis, Dylan E. McNamara, Don M. Cottrell, Juan Campos, Maria J. Yzuel, and Ignacio Moreno; **40** (2), 327-9 (2001).

Phase-shifting apodizer for next-generation digital versatile disk. — Haifeng Wang, Zhongyu Chen, and Fuxi Gan; **40** (6), 991-4 (2001).

Arrays

Novel one-step method of microlens mold array fabrication. — Yongqi Fu and Bryan Kok Ann Ngoi; **40** (8), 1433-4 (2001).

Coplanarity study on ball grid array packaging. — C. J. Tay, Xiaoyuan He, Xin Kang, C. Quan, and H. M. Shang; **40** (8), 1608-12 (2001).

Fabrication of refractive microlens array by etching dichromate gelatin with enzyme solution. — Jun Yao, Fuhua Gao, Yongkang Guo, and Zheng Cui; **40** (9), 2022-5 (2001).

Aspherics

Generation of front-surface low-mass epoxy-composite mirrors by spin-casting. — Robert L. Richardson and Peter R. Griffiths; **40** (2), 252-8 (2001).

Astronomy

Computer simulations of interferometric imaging with the Very Large Telescope Interferometer and its Astronomical Multibeam Recombiner instrument. — F. Przygodda, T. Blöcker, K.-H. Hofmann, and G. Weigelt; **40** (5), 753-60 (2001).

Design and construction of a fiber bundle connector using microlenses. — Deqing Ren, Ray Sharples, J. R. Allington-Smith, G. N. Dodsworth, D. J. Robertson, and G. Dalton; **40** (12), 2709-17 (2001).

Atmospheres

Fractional moments for processing data from low-dynamics acquisition systems in laser atmospheric scintillation. — Claudia Innocenti and Anna Consortini; **40** (12), 2685-9 (2001).

Atmospheric optics

Evaluation of differential absorption lidar (DIAL) measurement error by simultaneous DIAL and null profiling. — Tetsuo Fukuchi, Takashi Fujii, Naohiko Goto, Koshichi Nemoto, and Nobuo Takeuchi; **40** (3), 392-7 (2001).

Atmospheric turbulence modulation transfer function for infrared target acquisition modeling. — Keith Krapels, Ronald G. Driggers, Richard H. Vollmerhausen, Norman S. Kopeika, and Carl E. Halford; **40** (9), 1906-13 (2001).

Backgrounds

Novel background removal algorithm for Navy infrared search and track systems. — M. Diani, A. Baldacci, and G. Corsini; **40** (8), 1729-34 (2001).

ABCs of foveal vision. — Roy M. Matchko and Grant R. Gerhart; **40** (12), 2735-45 (2001).

Beams

Efficient pseudo-nondiffracting beam shaping using a quasicontinuous-phase diffractive element. — Michael R. Wang, Changyuan Yu, and Alberto J. Varela; **40** (4), 517-24 (2001).

Phase relationships in a two-beam grating recombiner. — Yves Jourlin, Olivier Parriaux, and Alexander V. Tishchenko; **40** (8), 1464-70 (2001).

Solving tolerancing and three-dimensional beam shaping problems by multifunctional wave optical design. — Sven Bühling and Frank Wyrowski; **40** (8), 1590-7 (2001).

Two-dimensional space-angle product of a Gaussian beam. — George H. Seward; **40** (9), 1959-62 (2001).

Binary data

Partial response maximum-likelihood system and crosstalk cancellation method for high-density optical recording. — Hangyu Cho, Jonghoe An, Sunghwan Ong, Daesik Hong, Seongkeun Ahn, and Jinyong Kim; **40** (8), 1621-8 (2001).

Iterative stepwise binarization of digital amplitude holograms with added energy to the signal window. — Bhupendra B. Chhetri, Shiyuan Yang, and Teruo Shimomura; **40** (12), 2718-25 (2001).

Biomedical optics

Gradient-index rods as flux concentrators with applications to laser fiber optic surgery. — Daniel Feuermann and Jeffrey M. Gordon; **40** (3), 418-25 (2001).

Microlens systems for fluorescence detection in chemical microsystems. — Jean-Christophe Roulet, Reinhard Völkel, Hans Peter Herzig, Elisabeth Verpoorte, Nico F. de Rooij, and René Dändliker; **40** (5), 814-21 (2001).

Measurement of human vocal fold vibrations with laser triangulation. — Göran Manneberg, Stellan Hertegård, and Johan Liljencrantz; **40** (9), 2041-4 (2001).

Using differential confocal microscopy to detect the phase transition of lipid vesicle membranes. — Chau-Hwang Lee, Wan-Chen Lin, and Jyhpyng Wang; **40** (10), 2077-83 (2001).

Near-infrared spectroscopy studies on cerebral blood oxygenation changes during brain activation: possible limitations of blood oxygenation level dependent functional magnetic resonance imaging. — Yuxiao Xie, Kaoru Sakatani, Wemara Lichty, Huancong Zuo, Zuoping Xie, and Jing Bai; **40** (10), 2302-7 (2001).

Matching information terminal based on a spatially coded moiré technique. — Kouichi Nitta, Hiroyuki Togo, and Jun Tanida; **40** (11), 2386-91 (2001).

Birefringence

Mode suppression, its elimination, and generation of small frequency differences in birefringence He-Ne lasers. — Shulian Zhang, Yuye Jin, Jie Fu, Yan Li, Li Shiqun, and Li Jiaqiang; **40** (4), 594-7 (2001).

Optical design of a near-infrared birefringent filter system and measurement of birefringent index of calcite at 1.56 μm. — Jingshan Wang, Haimin Wang, Thomas J. Spirock, Chik-Yin Lee, Nuggehalli M. Ravindra, Jun Ma, Philip R. Goode, and Carsten Denker; **40** (6), 1016-23 (2001).

Method for the measurement of retardation of wave plates based on laser frequency-splitting technology. — Yi Zhang, Shulian Zhang, Yanmei Han, Yan Li, and Xiaonan Xu; **40** (6), 1071-5 (2001).

Limitations imposed by birefringence uniformity on narrow-linewidth filters based on mode coupling. — Franck Chollet, Jean-Pierre Goedgebuer, and Gadang Ramantoko; **40** (12), 2763-70 (2001).

Bragg cells

Modeling of an acousto-optic laser beam steering system intended for satellite communication. — Vladimir V. Nikulin, Mounir Bouzoubaa, Victor A. Skormin, and Timothy E. Busch; **40** (10), 2208-14 (2001).

Cameras

Surface imperfections: specimen measurement by microscope and digital camera. — Lionel R. Baker; **40** (10), 2059-60 (2001).

Digital camcorder image stabilizer based on gray-coded bit-plane block matching. — Yeou-Min Yeh, Huang-Cheng Chiang, and Sheng-Jyh Wang; **40** (10), 2172-8 (2001).

Online machine vision method for measuring the diameter and straightness of seamless steel pipes. — Changku Sun, Qiang You, Yu Qiu, and Shenghua Ye; **40** (11), 2565-71 (2001).

Carbon dioxide lasers

Extension of the self-filtering unstable resonator to a ring cavity. — Guillermo D. Santiago, Alejandro L. Peuriot, and Carlos A. Rosito; **40** (10), 2215-9 (2001).

Cells

Method to analyze the influence of hysteresis in optical arithmetic units. — Ana González-Marcos and José A. Martín-Pereda; **40** (11), 2371-85 (2001).

Charge-coupled devices

Influence of nonuniform charge-coupled device pixel response on aperture photometry. — Daniel Kavaldjiev and Zoran Ninkov; **40** (2), 162-9 (2001).

Evaluation of solid-state camera systems in varying illumination conditions. — Jyrki Laitinen, Jani Saviaro, and Heikki Ailisto; **40** (6), 896-901 (2001).

Experimental study on the measurement of the curvature radius of a spherical grid. — Qingxiang Li, Yunqing Wang, Lifen Bai, and Zili Zhao; **40** (10), 2120-4 (2001).

Edge-adaptive color interpolation algorithm for progressive scan charge-coupled device image sensors. — Bong Soo Hur and Moon Gi Kang; **40** (12), 2698-708 (2001).

Charge-coupled-device imagers

Dynamically observing intratumor injection of laser-absorbing dye and immunoadjuvant using digital x-ray imaging technique. — Wei R. Chen, Hong Liu, Wei Yue, Jiping Wang, and Robert E. Nordquist; **40** (7), 1249-54 (2001).

Coatings

Normal and interfacial stresses in thin-film coated optics: the case of diamond-coated zinc sulfide windows. — Claude A. Klein; **40** (6), 1115-24 (2001).

Blocking improved narrow-band filters for the UV-B region. — Hein Uhlig and Norbert Kaiser; **40** (10), 2331-7 (2001).

Coding

Efficient coding algorithm for affine motion parameters. — Yun-Ho Ko, Jae Gark Choi, Soon-Jae Cho, and Seong-Dae Kim; **40** (2), 200-8 (2001).

Suboptimal fractal coding scheme using iterative transformation. — Hyun-Soo Kang and Jae-won Chung; **40** (5), 703-12 (2001).

Edge enhancement for subband-coded images. — Ciro Cafforio, Eugenio Di Sciascio, and Cataldo Guaragnella; **40** (5), 729-39 (2001).

Algorithm for expanding the dynamic range of a Shack-Hartmann sensor by using a spatial light modulator array. — Norbert Lindlein, Johannes Pfund, and Johannes Schwider; **40** (5), 837-40 (2001).

Error-resilient zero-tree wavelet image coding technique over noisy channels. — Woo Young Jang, Jung Ryul Ryou, Chulhee Lee, and Kwanghoon Sohn; **40** (5), 861-7 (2001).

New fractal coding scheme using reference images. — Hyun Soo Kang, Jae-Gark Choi, and Seong Dae Kim; **40** (7), 1265-73 (2001).

Fuzzy control of subband coded image quality using standard and fuzzy quality measure. — Peter Planinšič, Bojan Gergič, Dušan Gleich, and Žarko Čučej; **40** (8), 1529-44 (2001).

Adaptive intercolor error prediction coder for lossless color (RGB) picture compression. — Y. Mann, Y. Peretz, and H. B. Mitchell; **40** (9), 1963-9 (2001).

Analysis of the higher order signals in fiber optic code-division multiple access networks using series coupler access encoder and series coupler access decoder. — Tae-Gu Kang and Young-Wan Choi; **40** (10), 2240-6 (2001).

Code conversion from signed-digit to complement representation based on look-ahead optical logic operations. — Guoqiang Li and Feng Qian; **40** (11), 2446-51 (2001).

Error-resilient zerotree wavelet video coding. — Kwanghoon Sohn, Chulhee Lee, Jungryul Ryou, and Wooyoung Jang; **40** (11), 2480-8 (2001).

Practical methods for speeding-up the pairwise nearest neighbor method. — Olli Virmajoki, Pasi Fränti, and Timo Kaukoranta; **40** (11), 2495-504 (2001).

Optoelectronic hidden grids and moiré patterns: basics and applications in distance measurement. — Mario Garavaglia and Anibal Pablo Laquidara; **40** (11), 2510-6 (2001).

Coding image quality

Subjective quality of reconstructed images obtained with classical and advanced wavelet coders. — Dušan Gleich, Peter Planinšič, Bojan Gergič, and Žarko Čučej; **40** (10), 2143-50 (2001).

Coherence

Depolarization bandwidth of fiber optic passive depolarizers. — Massimo Martinelli and Joseph C. Palais; **40** (1), 142-3 (T) (2001).

Homodyne laser radar system for surface displacement monitoring. — Alejandro Rodriguez, Adolfo Comeron, and David Garcia; **40** (3), 398-405 (2001).

Transmission of optical length information through single-mode fiber by a low-coherence tandem interferometer. — Hirokazu Matsumoto and Akiko Hirai; **40** (11), 2365-6 (2001).

Color

Generalized filtering operations for hue images. — HyunWook Park, Taiyi Cheng, and Yongmin Kim; **40** (1), 100-7 (2001).

Color features for quality control in ceramic tile industry. — Saku Kukkonen, Heikki Kälviäinen, and Jussi Parkkinen; **40** (2), 170-7 (2001).

On the reduction of impulsive noise in multichannel image processing. — B. Smolka, A. Chydzinski, K. W. Wojciechowski, K. N. Plataniotis, and A. N. Venetsanopoulos; **40** (6), 902-8 (2001).

Bibliographical review for reflectance of diffusing media. — Bernadette Philips-Invernizzi, Daniel Dupont, and Claude Cazé; **40** (6), 1082-92 (2001).

Karhunen-Loève transform applied to region-based segmentation of color aerial images. — J. C. Devaux, P. Gouton, and F. Truchetet; **40** (7), 1302-8 (2001).

Adaptive intercolor error prediction coder for lossless color (RGB) picture compression. — Y. Mann, Y. Peretz, and H. B. Mitchell; **40** (9), 1963-9 (2001).

Spectral estimation and color appearance prediction of fluorescent materials. — Bore-Kuen Lee, Feng-Chi Shen, and Chun-Yen Chen; **40** (10), 2069-76 (2001).

Color pattern recognition using fringe-adjusted joint transform correlation. — Mohammad S. Alam and C. N. Wai; **40** (11), 2407-13 (2001).

Edge-adaptive color interpolation algorithm for progressive scan charge-coupled device image sensors. — Bong Soo Hur and Moon Gi Kang; **40** (12), 2698-708 (2001).

Computer vision

Selective inverse synthetic aperture radar imaging of moving targets. — Gabriel Thomas, Benjamin C. Flores, and Salim Tariq; **40** (2), 217-26 (2001).

Real-time identification of smoke images by clustering motions on a fractal curve with a temporal embedding method. — Philippe Guillemant and Jérôme Vicente; **40** (4), 554-63 (2001).

Eigenspace transformation for automatic clutter rejection. — Lipchen Alex Chan, Nasser M. Nasrabadi, and Don Torrieri; **40** (4), 564-73 (2001).

Computer-generated holograms

Hologram reconstruction using a digital micromirror device. — Thomas Kreis, Petra Aswendt, and Roland Höfling; **40** (6), 926-33 (2001).

Fundamental properties of spatial light modulators for the approximate optical computation of Fourier transforms: a review. — Robert W. Cohn; **40** (11), 2452-63 (2001).

Concentrators

Gradient-index rods as flux concentrators with applications to laser fiber optic surgery. — Daniel Feuermann and Jeffrey M. Gordon; **40** (3), 418-25 (2001).

Random facet Fresnel lenses and mirrors. — Don A. Gregory and Guolin Peng; **40** (5), 713-9 (2001).

Confocal optics

Using differential confocal microscopy to detect the phase transition of lipid vesicle membranes. — Chau-Hwang Lee, Wan-Chen Lin, and Jyhpyng Wang; **40** (10), 2077-83 (2001).

Contours

Optimized approach to multiscale skeleton generation. — Luciano da Fontoura Costa and Edson Tadeu M. Manoel; **40** (9), 1752-3 (2001).

Convolution

Analysis of single lens arrays using convolution. — Andrew P. Riser and William J. Cassarly; **40** (5), 805-13 (2001).

Correlation

Subband correlation of Daubechies wavelet representations. — Zikuan Chen and Yang Tao; **40** (3), 362-71 (2001).

Shape measurement by digital speckle temporal sequence correlation with digital light projector. — Hongjun Dai and Xianyu Su; **40** (5), 793-800 (2001).

Optimal region of support for arbitrary filter spatial light modulators. — Adam Milstein, Stanley E. Monroe, Jr. , and Richard D. Juday; **40** (5), 841-50 (2001).

Security optical systems based on a joint transform correlator with significant output images. — David Abookasis, Ortal Arazi, Joseph Rosen, and Bahram Javidi; **40** (8), 1584-9 (2001).

Coplanarity study on ball grid array packaging. — C. J. Tay, Xiaoyuan He, Xin Kang, C. Quan, and H. M. Shang; **40** (8), 1608-12 (2001).

Hidden Markov model approach to spectral analysis for hyperspectral imagery. — Qian Du and Chein-I Chang; **40** (10), 2277-84 (2001).

Optimal synthetic aperture radar image correlation using enhanced scattering centers in holographic data storage. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **40** (11), 2624-37 (2001).

Correlators

Chinese seal imprint recognition with joint transform correlators. — Jian-Shuen Fang and Chulung Chen; **40** (10), 2159-64 (2001).

Parallel fuzzy inference and logic processing with a joint transform correlator. — Shuqun Zhang and Mohammad A. Karim; **40** (11), 2400-6 (2001).

Couplers

Experimental assessment of access guide first-order mode effect on multimode interference couplers. — Carmen Vázquez, Cándido Aramburu, Marko Galarza, and Manuel López-Amo; **40** (7), 1160-2 (2001).

Extension of the self-filtering unstable resonator to a ring cavity. — Guillermo D. Santiago, Alejandro L. Peuriot, and Carlos A. Rosito; **40** (10), 2215-9 (2001).

Crystals

Eye-safe singly resonant KTP parametric oscillator pumped inside a Nd:YAG laser cavity. — R. Dabu, A. Stratan, C. Fenic, C. Luculescu, and L. Muscalu; **40** (3), 455-9 (2001).

Mode-locking operation of Nd:LuYLF. — Edison Puig Maldonado, Eduardo Acedo Barbosa, Niklaus Ursus Wetter, Lilia Coronato Courrol, Izilda Marcia Ranieri, Spero Penha Morato, and Nilson Dias Vieira, Jr. ; **40** (8), 1573-8 (2001).

Simple method of Brewster-angle measurement for the determination of refractive indices in transparent biaxial crystal. — N. Kejalakshmy and K. Srinivasan; **40** (11), 2594-7 (2001).

Data compression

Improved nearest codeword search scheme using a tighter kick-out condition. — Kuo-Feng Hwang and Chin-Chen Chang; **40** (9), 1749-51 (2001).

Practical methods for speeding-up the pairwise nearest neighbor method. — Olli Virmajoki, Pasi Fränti, and Timo Kaukoranta; **40** (11), 2495-504 (2001).

Data extraction

Automating data extraction and identification on Chinese road maps. — Peng-Yeng Yin and Yen-Bo Huang; **40** (5), 663-73 (2001).

Data processing

Tumor detection in digitized mammograms by image texture analysis. — Richard Pfisterer and Farzin Aghdasi; **40** (2), 209-16 (2001).

Image dataset for testing search and detection models. — Alexander Toet, Piet Bijl, and J. Mathieu Valeton; **40** (9), 1760-7 (2001).

Visual attention and target detection in cluttered natural scenes. — Laurent Itti, Carl Gold, and Christof Koch; **40** (9), 1784-93 (2001).

Minimum error gain for predicting visual target distinctness. — Jose A. García, Joaquín Fdez-Valdivia, Xose R. Fdez-Vidal, Rosa Rodriguez-Sánchez, and José M. Fuertes; **40** (9), 1794-817 (2001).

Evaluation of target acquisition difficulty using recognition distance to measure required retinal area. — Thomy Nilsson; **40** (9), 1827-34 (2001).

CAMEVA, a methodology for estimation of target detectability. — Christian M. Birkemark; **40** (9), 1835-43 (2001).

Predicting search time in visually cluttered scenes using the fuzzy logic approach. — Thomas J. Meitzler, Euijung Sohn, Harpreet Singh, Abdelakrim Elgarhi, and Deok H. Nam; **40** (9), 1844-51 (2001).

Image-based contrast-to-clutter modeling of detection. — David L. Wilson; **40** (9), 1852-7 (2001).

Contrast model for three-dimensional vehicles in natural lighting and search performance analysis. — Gary Witus, Grant R. Gerhart, and R. Darin Ellis; **40** (9), 1858-68 (2001).

Assessing camouflage methods using textural features. — Sten Nyberg and Lars Bohman; **40** (9), 1869-76 (2001).
Computational models for search and discrimination. — Anthony C. Copeland and Mohan M. Trivedi; **40** (9), 1885-95 (2001).
Design and performance analysis for a single-chip optoelectronic database filter. — Jianjing Tang, A. Rittgers, J. Lorenz, K. Miles, and Fred R. Beyette, Jr. ; **40** (11), 2419-30 (2001).

Data storage
Detector patterns from optical disks. — Robert S. Upton and Tom D. Milster; **40** (6), 1030-44 (2001).
Image encryption using separable amplitude-based virtual image and iteratively retrieved phase information. — Hsuan T. Chang; **40** (10), 2165-71 (2001).
Three-dimensional optical data storage using three-dimensional optics. — Yoshimasa Kawata, Masaharu Nakano, and Suk-Chun Lee; **40** (10), 2247-54 (2001).

Decomposition
Two-source decomposition and discrete-cosine-transform–Hadamard-transform coding of low-correlation interframe differences. — Yoo-Sok Saw, Rae-Hong Park, Peter M. Grant, and John M. Hannah; **40** (7), 1387-95 (2001).

Deflectometry
Laser beam deflectometry based on a subpixel resolution algorithm. — Héctor Canabal, José Alonso, and Eusebio Bernabeu; **40** (11), 2517-23 (2001).

Detection
Tumor detection in digitized mammograms by image texture analysis. — Richard Pfisterer and Farzin Aghdasi; **40** (2), 209-16 (2001).
Airborne lidar for fisheries applications. — James H. Churnside, James J. Wilson, and Viatcheslav V. Tatarskii; **40** (3), 406-14 (2001).
Influence of a general small inclination on the measurement in Talbot interferometry. — Qian Liu and Ryoji Ohba; **40** (5), 746-52 (2001).
Autofocusing control for a DIVX burst-cutting-area recording system. — Chengping Zhang, Peisen S. Huang, Dmitry Donskoy, and Yusong Yin; **40** (7), 1337-42 (2001).
Image dataset for testing search and detection models. — Alexander Toet, Piet Bijl, and J. Mathieu Valeton; **40** (9), 1760-7 (2001).
Perception studies. — Barbara L. O'Kane, David Bonzo, and James E. Hoffman; **40** (9), 1768-75 (2001).
Visual attention and target detection in cluttered natural scenes. — Laurent Itti, Carl Gold, and Christof Koch; **40** (9), 1784-93 (2001).
CAMEVA, a methodology for estimation of target detectability. — Christian M. Birkemark; **40** (9), 1835-43 (2001).
Predicting search time in visually cluttered scenes using the fuzzy logic approach. — Thomas J. Meitzler, Euijung Sohn, Harpreet Singh, Abdelakrim Elgarhi, and Deok H. Nam; **40** (9), 1844-51 (2001).
Image-based contrast-to-clutter modeling of detection. — David L. Wilson; **40** (9), 1852-7 (2001).
Drift-diffusion model for reach-through avalanche photodiodes. — Tamer F. Refaat, Hani E. Elsayed-Ali, and Russell J. DeYoung; **40** (9), 1928-35 (2001).
Simulation of target detection in ultraviolet and infrared bands. — Kyoung-Soo Doo, Jeong-Su Oh, Surng-Gabb Jahng, Hyun-Ki Hong, Jong-Soo Choi, and Dong-Sun Seo; **40** (11), 2646-54 (2001).
Video-based eye tracking for autostereoscopic displays. — Yong-Sheng Chen, Chan-Hung Su, Jiun-Hung Chen, Chu-Song Chen, Yi-Ping Hung, and Chiou-Shann Fuh; **40** (12), 2726-34 (2001).
Chaotic neural network clustering: an application to landmine detection by dynamic infrared imaging. — Leonardo Angelini, Francesco De Carlo, Carmela Marangi, Massimo Mannarelli, Giuseppe Nardulli, Mario Pellicoro, Giuseppe Satalino, and Sebastiano Stramaglia; **40** (12), 2878-84 (2001).

Detector arrays
Infrared detector performance in an area array. — Vikram Dhar and Vishnu Gopal; **40** (5), 679-91 (2001).
Ratio of quantum efficiency to crosstalk: a proposed figure of merit for a mosaic infrared diode array. — Vikram Dhar and Vishnu Gopal; **40** (10), 2345-9 (2001).

Detectors
Modeling of an acousto-optic laser beam steering system intended for satellite communication. — Vladimir V. Nikulin, Mounir Bouzoubaa, Victor A. Skormin, and Timothy E. Busch; **40** (10), 2208-14 (2001).
Structure and doping optimization of SiGe heterojunction internal photoemission detectors for mid-infrared applications. — Elizabeth Corbin, Michael J. Shaw, Matt R. Kitchin, Milan Jaros, Johannes Konle, and Hartmut Presting; **40** (12), 2753-62 (2001).
Application of sensitivity analysis for the design of six-degree-of-freedom measurement system. — Jong-Ahn Kim, Eui Won Bae, Soo Hyun Kim, and Yoon Keun Kwak; **40** (12), 2837-44 (2001).
Signal detection using time-frequency distributions with nonunity kernels . — Khoa Nguyen Le, Kishor P. Dabke, and Gregory K. Egan; **40** (12), 2866-77 (2001).

Diamond
Normal and interfacial stresses in thin-film coated optics: the case of diamond-coated zinc sulfide windows. — Claude A. Klein; **40** (6), 1115-24 (2001).
Fabrication of continuous surface-relief gratings using a high-precision diamond-cutting process. — Jun Amako, Hitoshi Nakao, and Shinichiro Ochiai; **40** (8), 1456-63 (2001).

Diffraction
Encoding complex diffractive optical elements onto a phase-only liquid-crystal spatial light modulator. — Jeffrey A. Davis, Dylan E. McNamara, Don M. Cottrell, Juan Campos, Maria J. Yzuel, and Ignacio Moreno; **40** (2), 327-9 (2001).
Analysis of diffractive optical elements using a nonuniform finite-difference time-domain method. — Shouyuan Shi, Xiaodong Tao, Liuqing Yang, and Dennis W. Prather; **40** (4), 503-10 (2001).
Three-dimensional displacement measurement using a newly designed moiré interferometer. — Shyh-Tsong Lin; **40** (5), 822-6 (2001).
Detector patterns from optical disks. — Robert S. Upton and Tom D. Milster; **40** (6), 1030-44 (2001).
Optical scatterometry evaluation of groove depth in lamellar silicon grating structures. — Shlomo Hava and Mark Auslender; **40** (7), 1244-8 (2001).
Theoretical investigation of the influence of a diaphragm on the flat surface of a solid immersion lens on beam parameters. — Anatoly S. Lapchuk, Vyacheslav V. Petrov, Andrey A. Kryuchin, and Semen M. Shanoylo; **40** (8), 1471-5 (2001).
Polymer-enhanced diffraction in an azo-dye-doped liquid crystal. — Manlin Pei, Yong-Jing Wang, and Gene O. Carlisle; **40** (8), 1481-5 (2001).
Spectral imaging, reflectivity measurements, and modeling of iridescent butterfly scale structures. — Seth E. Mann, Ioannis N. Miaoulis, and Peter Y. Wong; **40** (10), 2061-8 (2001).
Digital synthesis of binary diffractive masks using mathematical morphology. — Gonzalo Urcid, Javier Báez-Rojas, and Alejandro Cornejo-Rodríguez; **40** (10), 2084-91 (2001).
Polarization analyses of readout signals by a solid immersion lens in phase change recording material. — Chung-Hao Tien, Yin-Chieh Lai, and Han-Ping David Shieh; **40** (10), 2285-92 (2001).
Application of sensitivity analysis for the design of six-degree-of-freedom measurement system. — Jong-Ahn Kim, Eui Won Bae, Soo Hyun Kim, and Yoon Keun Kwak; **40** (12), 2837-44 (2001).
Application of sensitivity analysis for the design of six-degree-of-freedom measurement system. — Jong-Ahn Kim, Eui Won Bae, Soo Hyun Kim, and Yoon Keun Kwak; **40** (12), 2837-44 (2001).

Diffractive optical elements
Analysis of diffractive optical elements using a nonuniform finite-difference time-domain method. — Shouyuan Shi, Xiaodong Tao, Liuqing Yang, and Dennis W. Prather; **40** (4), 503-10 (2001).
Efficient pseudo-nondiffracting beam shaping using a quasicontinuous-phase diffractive element. — Michael R. Wang, Changyuan Yu, and Alberto J. Varela; **40** (4), 517-24 (2001).
Single-step fabrication of surface relief diffractive optical elements on hybrid sol-gel glass. — H. J. Jiang, X.-C. Yuan, Y. L. Lam, Y. C. Chan, and G. I. Ng; **40** (9), 2017-21 (2001).

Diffractive optics
Random facet Fresnel lenses and mirrors. — Don A. Gregory and Guolin Peng; **40** (5), 713-9 (2001).
Fabrication of continuous surface-relief gratings using a high-precision diamond-cutting process. — Jun Amako, Hitoshi Nakao, and Shinichiro Ochiai; **40** (8), 1456-63 (2001).
Prototype of hybrid diffractive/graded-index splitter for fiber optics. — Marina R. Gordova, Jesús Liñares, Andrey A. Lipovskii, Valentina V. Zhurihina, Dmitry K. Tagantsev, Boris V. Tatarintsev, and Jari Turunen; **40** (8), 1507-12 (2001).

Diffusers
Analysis of the spectral correction errors of illuminance meter photometric head under the influence of the diffusing element. — Irena Frye; **40** (8), 1636-40 (2001).

Diffusion
Drift-diffusion model for reach-through avalanche photodiodes. — Tamer F. Refaat, Hani E. Elsayed-Ali, and Russell J. DeYoung; **40** (9), 1928-35 (2001).
Theoretical and experimental studies on linear and nonlinear algorithms for the measurement of muscle oxygenation using continuous-wave near-infrared spectroscopy. — Jun Shao, Ling Lin, Masatsugu Niwayama, Nobuki Kudo, and Katsuyuki Yamamoto; **40** (10), 2293-301 (2001).

Digital imaging
Comparison of SNR image quality metrics for remote sensing systems. — Robert D. Fiete and Theodore Tantalo; **40** (4), 574-85 (2001).
Shape measurement by digital speckle temporal sequence correlation with digital light projector. — Hongjun Dai and Xianyu Su; **40** (5), 793-800 (2001).
Subpixel displacement and deformation gradient measurement using digital image/speckle correlation (DISC). — Peng Zhou and Kenneth E. Goodson; **40** (8), 1613-20 (2001).
Digital camcorder image stabilizer based on gray-coded bit-plane block matching. — Yeou-Min Yeh, Huang-Cheng Chiang, and Sheng-Jyh Wang; **40** (10), 2172-8 (2001).
Multiple information hiding technique using random sequence and Hadamard matrix. — Kyu-Tae Kim, Jang-Hwan Kim, and Eun-Soo Kim; **40** (11), 2489-94 (2001).
Aliasing in minification of digital images. — Haitao Zhang, Dazun Zhao, Mali Gong, Ping Yan, and Yuxing Wang; **40** (11), 2540-5 (2001).
Iterative stepwise binarization of digital amplitude holograms with added energy to the signal window. — Bhupendra B. Chhetri, Shiyuan Yang, and Teruo Shimomura; **40** (12), 2718-25 (2001).

Digital processing
Implementation of all-optical digital matrix multiplication scheme with nonlinear material. — Sourangshu Mukhopadhyay, Debendra Nath Das, Partha Pratima Das, and Partha Ghosh; **40** (9), 1998-2002 (2001).

Digital recording
Digital camcorder image stabilizer based on gray-coded bit-plane block matching. — Yeou-Min Yeh, Huang-Cheng Chiang, and Sheng-Jyh Wang; **40** (10), 2172-8 (2001).

Digital versatile disk
Phase-shifting apodizer for next-generation digital versatile disk. — Haifeng Wang, Zhongyu Chen, and Fuxi Gan; **40** (6), 991-4 (2001).

Diode lasers
633-nm tunable external-cavity diode laser with an intracavity glass plate as the fine-tuning device. — Zhixia Chao, Jian Wu, Chunyong Yin, and Yi Xu; **40** (5), 801-4 (2001).
Measurement of laser diode astigmatism using the beam-line method. — Yakov Sidorin and Roland V. Shack; **40** (6), 995-1000 (2001).
Mode-locking operation of Nd:LuYLF. — Edison Puig Maldonado, Eduardo Acedo Barbosa, Niklaus Ursus Wetter, Lilia Coronato Courrol, Izilda Marcia Ranieri, Spero Penha Morato, and Nilson Dias Vieira, Jr. ; **40** (8), 1573-8 (2001).
Amplified output of a frequency chirped diode source via injection locking. — Kevin S. Repasky, Peter A. Roos, Lei S. Meng, and John L. Carlsten; **40** (11), 2505-9 (2001).

Diodes
Heating measurements in diode-end-pumped Nd:YVO_4 lasers. — Xiaoyuan Peng, Anand Asundi, Yihong Chen, and Zhengjun Xiong; **40** (6), 1100-5 (2001).
Simple method to calculate the radial energy and temperature distributions in diode-pumped solid state laser rods. — Wenjie Xie, Siu-Chung Tam, and Yee-Loy Lam; **40** (8), 1568-72 (2001).
Application of V^{3+}:YAG crystals for Q-switching and mode-locking of 1.3-μm diode-pumped neodymium lasers. — Jan K. Jabczyński, Krzysztof Kopczyński, Zygmunt Mierczyk, Antonio Agnesi, Annalisa Guandalini, and GianCarlo Reali; **40** (12), 2802-11 (2001).
Studies on the propagation of light from a light-emitting diode through a glass tube and development of an optosensor for the continuous detection of liquid level. — N. B. Manik, S. C. Mukherjee, and A. N. Basu; **40** (12), 2830-6 (2001).

Dispersion
Dispersion compensation in externally modulated transport system using chirped fiber grating as well as large effective area fiber. — Hai-Han Lu, Ching-Ting Lee, and Chih-Jen Wang; **40** (5), 656-7 (2001).
Measurement of optical fiber dispersion and dispersion slope using a pair of short optical pulses and Fourier transform property of dispersive medium. — Farhad Hakimi and Hosain Hakimi; **40** (6), 1053-6 (2001).

Simulation and analysis of a high-efficiency silicon optoelectronic modulator based on a Bragg mirror. — Giuseppe Coppola, Andrea Irace, Mario Iodice, and Antonello Cutolo; **40** (6), 1076-81 (2001).
Tunable chirped fiber Bragg gratings by a distributed heater. — Zhihao Chen, Chao Lu, Jun Hong Ng, Xiufeng Yang, and Tee Hiang Cheng; **40** (7), 1156-7 (2001).
Erbium-doped fiber amplet and its application as a modular bandwidth management subsystem for dispersion compensation and power management. — Kevin J. Zhang, Darlene L. Hart, Koo Il Kang, and Brian C. Moore; **40** (7), 1199-203 (2001).
Theoretical and experimental investigations of dispersion compensation based on transmission properties of uniform fiber Bragg gratings. — Xiaomin Ren, Jianxin Li, Yuehui Xia, Xue Chen, and Yongqing Huang; **40** (7), 1223-6 (2001).
32-channel 100-GHz-spaced demultiplexer for metropolitan area networks. — Jie Qiao, Feng Zhao, James W. Horwitz, and Ray T. Chen; **40** (7), 1255-9 (2001).

Displays
Enhancement of the laterally emitting thin film electroluminescent device optical outcoupling via the fabrication of novel geometry structures. — Sara Otero Barros, Robert Stevens, and Wayne Cranton; **40** (6), 934-40 (2001).
Iterative finite-difference method for calculating the distribution of a liquid-crystal director. — Qian Wang, Sailing He, Feihong Yu, and Nairong Huang; **40** (11), 2552-7 (2001).
Quantitative prediction of the modulation behavior of twisted nematic liquid crystal displays based on a simple physical model. — Andrés Márquez, Claudio Iemmi, Ignacio Moreno, Jeffrey A. Davis, Juan Campos, and María J. Yzuel; **40** (11), 2558-64 (2001).

Distortion
Efficient intensity-hue-saturation-based image fusion with saturation compensation. — Te-Ming Tu, Shun-Chi Su, Hsuen-Chyun Shyu, and Ping Sheng Huang; **40** (5), 720-8 (2001).

Doppler effect
Distance measurement of moving objects by frequency modulated laser radar. — Richard Schneider, Peter Thürmel, and Michael Stockmann; **40** (1), 33-7 (2001).
On the choice of the number of samples in laser Doppler anemometry signal processing. — Federico Dios, Adolfo Comerón, and David García-Vizcaíno; **40** (5), 774-82 (2001).

DWDM
Hybrid dense-wavelength-division-multiplexing system for CATV and 256-QAM transport. — Hai-Han Lu; **40** (7), 1158-9 (2001).
32-channel 100-GHz-spaced demultiplexer for metropolitan area networks. — Jie Qiao, Feng Zhao, James W. Horwitz, and Ray T. Chen; **40** (7), 1255-9 (2001).

Dye lasers
Evaluation of differential absorption lidar (DIAL) measurement error by simultaneous DIAL and null profiling. — Tetsuo Fukuchi, Takashi Fujii, Naohiko Goto, Koshichi Nemoto, and Nobuo Takeuchi; **40** (3), 392-7 (2001).
Two-photon pumped frequency up-converted lasing properties of a new material DEASMPI. — Chun Wang, Xiaomei Wang, Zongshu Shao, Xian Zhao, Guangyong Zhou, Dong Wang, and Minhua Jiang; **40** (5), 783-7 (2001).

Edges
Edge-adaptive color interpolation algorithm for progressive scan charge-coupled device image sensors. — Bong Soo Hur and Moon Gi Kang; **40** (12), 2698-708 (2001).

Electro-optics
Error propagation in two-sensor three-dimensional position estimation. — John N. Sanders-Reed; **40** (4), 627-36 (2001).
Polymeric waveguide prism-based electro-optic beam deflector. — Lin Sun, Jin-ha Kim, Chiou-hung Jang, Dechang An, Xuejun Lu, Qingjun Zhou, John M. Taboada, Ray T. Chen, Jeffery J. Maki, Suning Tang, Hua Zhang, William H. Steier, Cheng Zhang, and Larry R. Dalton; **40** (7), 1217-22 (2001).
Theory of electrically controllable long-period gratings built in liquid-crystal fibers. — Yoonchan Jeong and Byoungho Lee; **40** (7), 1227-33 (2001).
Electro-optical propagation assessment in coastal environments (EOPACE): summary and accomplishments. — Douglas R. Jensen, Stuart G. Gathman, Carl R. Zeisse, Charles P. McGrath, Gerrit de Leeuw, Michael H. Smith, Pual A. Frederickson, and Kenneth L. Davidson; **40** (8), 1486-98 (2001).
Electro-optic intensity modulators at $\lambda = 1.55\ \mu m$ utilizing strain-optic effects in $LiNbO_3$. — H. S. Jung, O. Eknoyan, and H. F. Taylor; **40** (8), 1499-501 (2001).
Analyzing the effect of imagery wavelength on the agreement between various image metrics and human detection performance of targets embedded in natural images. — Guy Aviram and Stanley R. Rotman; **40** (9), 1877-84 (2001).

Emission
Structure and doping optimization of SiGe heterojunction internal photoemission detectors for mid-infrared applications. — Elizabeth Corbin, Michael J. Shaw, Matt R. Kitchin, Milan Jaros, Johannes Konle, and Hartmut Presting; **40** (12), 2753-62 (2001).

Encoders
Breadboard system and techniques to optimize the optical system of an encoder. — Yuji Matsuzoe and Nobuhiko Tsuji; **40** (2), 283-8 (2001).
Analysis of the higher order signals in fiber optic code-division multiple access networks using series coupler access encoder and series coupler access decoder. — Tae-Gu Kang and Young-Wan Choi; **40** (10), 2240-6 (2001).

Encoding
Suboptimal fractal coding scheme using iterative transformation. — Hyun-Soo Kang and Jae-won Chung; **40** (5), 703-12 (2001).
Enhancement of signal-to-noise ratio of a double random phase encoding encryption system. — Bor Wang and Ching-Cherng Sun; **40** (8), 1502-6 (2001).
Improved nearest codeword search scheme using a tighter kick-out condition. — Kuo-Feng Hwang and Chin-Chen Chang; **40** (9), 1749-51 (2001).
Fundamental properties of spatial light modulators for the approximate optical computation of Fourier transforms: a review. — Robert W. Cohn; **40** (11), 2452-63 (2001).
New structured light encoding method for range-data acquisition. — Boxiong Wang, Wei Xiao, and Xiuzhi Luo; **40** (11), 2474-9 (2001).

Etching
Enhancement of the laterally emitting thin film electroluminescent device optical outcoupling via the fabrication of novel geometry structures. — Sara Otero Barros, Robert Stevens, and Wayne Cranton; **40** (6), 934-40 (2001).
Low numerical aperture refractive microlenses in fused silica. — Ph. Nussbaum and H. P. Herzig; **40** (7), 1412-4 (2001).

Extinction
Tropospheric O_3 measurement by simultaneous differential absorption lidar and null profiling and comparison with sonde measurement. — Tetsuo Fukuchi, Takashi Fujii, Nianwen Cao, Koshichi Nemoto, and Nobuo Takeuchi; **40** (9), 1944-9 (2001).

Extreme ultraviolet
Grazing-incidence flat-field spectrometer for high-order harmonic diagnostics. — Luca Poletto, Giampiero Naletto, and Giuseppe Tondello; **40** (2), 178-85 (2001).
Reduction of residual stress in extreme ultraviolet Mo/Si multilayer mirrors with postdeposition thermal treatments. — Claude Montcalm; **40** (3), 469-77 (2001).

Fabry-Pérot
Subnanometer digital positioning of large bodies by Fabry-Pérot interferometry. — Fabrizio Bertinetto and Enrico Canuto; **40** (1), 76-80 (2001).

Face recognition
Access control: adaptation and real-time implantation of a face recognition method. — J. Mitéran, J. P. Zimmer, F. Yang, and M. Paindavoine; **40** (4), 586-93 (2001).

Far infrared
Sensitivity enhancement of far-infrared Fizeau interferometry by digital image processing. — Kaushal Verma and Bongtae Han; **40** (9), 1970-7 (2001).

Feedback
Compact optical instrument for surface classification using self-mixing interference in a laser diode. — Şahin Kaya Özdemir, Shigenobu Shinohara, Satoshi Ito, Sotetsu Takamiya, and Hirofumi Yoshida; **40** (1), 38-43 (2001).
Autofocusing control for a DIVX burst-cutting-area recording system. — Chengping Zhang, Peisen S. Huang, Dmitry Donskoy, and Yusong Yin; **40** (7), 1337-42 (2001).

Femtosecond phenomena
Submicron holes in copper thin film directly ablated using femtosecond pulsed laser. — K. Venkatakrishnan, B. Tan, and B. K. A. Ngoi; **40** (12), 2892-3 (2001).

Ferroelectrics
Novel passive polymer waveguides integrated with electro-optically active ferroelectric liquid crystals. — David S. Hermann, Giusy Scalia, Claire Pitois, Francesco De Marco, Koen D'havé, Giancarlo Abbate, Mikael Lindgren, and Anders Hult; **40** (10), 2188-98 (2001).

Fiber characteristics
Distribution of light density inside metal-coated micrometer-size optical tapers. — Laurent Thiery, Nathalie Marini, Claudine Bainier, and Daniel Charraut; **40** (6), 1010-5 (2001).

Fiber characterization
Measurement of speed and attenuation of longitudinal elastic waves in optical fibers. — Brad M. Beadle and Jacek Jarzynski; **40** (10), 2115-9 (2001).

Fiber gratings
Switchable narrow-bandwidth comb filters based on an acousto-optic superlattice modulator in sinc-sampled fiber gratings. — Wen-Fung Liu and Po-Jen Tu; **40** (8), 1513-5 (2001).

Fiber lasers
Development of a noncontact optical sensor for measuring the shape of a surface and thickness of transparent objects. — Young Kee Ryu, Choonsuk Oh, and Jong-Seul Lim; **40** (4), 500-2 (2001).

Fiber optic sensors
All-optical fiber sensing system based on random phase encoding and volume holographic interconnection. — Ching-Cherng Sun, Yi-Ming Chen, and Wei-Chia Su; **40** (2), 160-1 (2001).
Investigation of multifunctional fiber optic sensor in smart composite. — Boming Zhang, Zhanjun Wu, Dianfu Wang, and Shanyi Du; **40** (4), 612-7 (2001).
New technique for reducing the angle random walk at the output of fiber optic gyroscopes during alignment processes of inertial navigation systems. — Aboelmagd Noureldin, Dave Irvine-Halliday, Herb Tabler, and Martin P. Mintchev; **40** (10), 2097-106 (2001).
Temperature-insensitive fiber-Bragg-grating-based vibration sensor. — Ka On Lee, Kin Seng Chiang, and Zhihao Chen; **40** (11), 2582-5 (2001).

Fiber optics
Simultaneous alignment of multiple optical axes in a multistage optical system using Hamiltonian algorithm. — Masato Mizukami, Motohisa Hirano, and Kazuasa Shinjo; **40** (3), 448-54 (2001).
Study of ultraminiature sensing coils and the performance of a depolarized interferometric fiber optic gyroscope. — Paul B. Ruffin, Janet Baeder, and C. C. Sung; **40** (4), 605-11 (2001).
Multiple gold island layers on a fiber core: a promising sensing device. — F. Meriaudeau, A. Wig, A. Passian, J. P. Lauret, and T. L. Ferrell; **40** (5), 658-60 (2001).
Temperature-compensating device with central-wavelength tuning for optical fiber gratings. — Samuel I-En Lin; **40** (5), 698-702 (2001).
Design and performance of modular jack type mini-MT connectors. — Masaaki Takaya and Shinji Nagasawa; **40** (6), 1045-52 (2001).
Measurement of optical fiber dispersion and dispersion slope using a pair of short optical pulses and Fourier transform property of dispersive medium. — Farhad Hakimi and Hosain Hakimi; **40** (6), 1053-6 (2001).
Fiber optic infrared thermometer for accurate measurement of the core temperature of the human body. — S. Sade and A. Katzir; **40** (6), 1141-3 (2001).
Tunable chirped fiber Bragg gratings by a distributed heater. — Zhihao Chen, Chao Lu, Jun Hong Ng, Xiufeng Yang, and Tee Hiang Cheng; **40** (7), 1156-7 (2001).
Advances in telecom and datacom optical components. — Louay Eldada; **40** (7), 1165-78 (2001).
Prototype of hybrid diffractive/graded-index splitter for fiber optics. — Marina R. Gordova, Jesús Liñares, Andrey A. Lipovskii, Valentina V. Zhurihina, Dmitry K. Tagantsev, Boris V. Tatarintsev, and Jari Turunen; **40** (8), 1507-12 (2001).
Design considerations for rare earth doped silver halide fiber amplifiers. — Ram Oron, David Bunimovich, Lev Nagli, Abraham Katzir, and Amos A. Hardy; **40** (8), 1516-20 (2001).
Liquid crystal-based self-aligning 2×2 wavelength routing module. — Sarun Sumriddetchkajorn, Nabeel A. Riza, and Deepak K. Sengupta; **40** (8), 1521-8 (2001).
Laser polishing of optical fiber end surface. — Mircea Udrea, Hamdi Orun, and Ali Alacakir; **40** (9), 2026-30 (2001).
Chirp tuning of a fiber Bragg grating by using different tapered transducers and loading procedures: an application in the accelerometer. — Yintian Zhu, Pieter L. Swart, Beatrys M. Lacquet, and Stephanus J. Spammer; **40** (10), 2092-6 (2001).
Combining optical effects of axial strain, thermal loading, and hydrostatic pressure in tightly jacketed double-coated optical fibers. — Yu-Ching Yang; **40** (10), 2107-14 (2001).
Analysis of the higher order signals in fiber optic code-division multiple access networks using series coupler access encoder and series coupler access decoder. — Tae-Gu Kang and Young-Wan Choi; **40** (10), 2240-6 (2001).

Fibers
Dispersion compensation in externally modulated transport system using chirped fiber grating as well as large effective area fiber. — Hai-Han Lu, Ching-Ting Lee, and Chih-Jen Wang; **40** (5), 656-7 (2001).

Films

Development of the technology of contacting ZnSe infrared optical windows using polyethylene films. — Edward Bormashenko, Roman Pogreb, Avigdor Sheshnev, Semion Sutovski, Yelena Bormashenko, Zosya Pogreb, and Abraham Katzir; **40** (9), 1754-5 (2001).

Optical control of monocrystalline films. — Oleg V. Angelsky, Peter P. Maksimyak, S. Reed, and Vasyl V. Ryukhtin; **40** (10), 2227-33 (2001).

Real-time self-induced nonlinear optical Zernike- type filter in a bacteriorhodopsin film. — M. D. Iturbe Castillo, D. Sánchez-de-la-Llave, R. Ramos Garcia, L. I. Olivos-Pérez, L. A. González, and M. Rodriguez-Ortiz; **40** (11), 2367-8 (2001).

Filtering

Local activity indicators for hard-switching adaptive filtering of images with mixed noise. — Vladimir P. Melnik, Vladimir V. Lukin, Alexander A. Zelensky, Jaakko T. Astola, and Pauli Kuosmanen; **40** (8), 1441-55 (2001).

New technique for reducing the angle random walk at the output of fiber optic gyroscopes during alignment processes of inertial navigation systems. — Aboelmagd Noureldin, Dave Irvine-Halliday, Herb Tabler, and Martin P. Mintchev; **40** (10), 2097-106 (2001).

Extension of the self-filtering unstable resonator to a ring cavity. — Guillermo D. Santiago, Alejandro L. Peuriot, and Carlos A. Rosito; **40** (10), 2215-9 (2001).

Aliasing in minification of digital images. — Haitao Zhang, Dazun Zhao, Mali Gong, Ping Yan, and Yuxing Wang; **40** (11), 2540-5 (2001).

Filters

Development of new near-infrared filters based on the "sandwich" polymer-chalcogenide glass-polymer composites. — Edward Bormashenko, Roman Pogreb, Zosya Pogreb, and Semion Sutovski; **40** (5), 661-2 (2001).

Optimal region of support for arbitrary filter spatial light modulators. — Adam Milstein, Stanley E. Monroe, Jr. , and Richard D. Juday; **40** (5), 841-50 (2001).

Interference filter refinement for artificial nose fluorescence sensing. — Jeevananda Karunamuni, Katherine E. Stitzer, DeLyle Eastwood, Keith J. Albert, David R. Walt, Steven B. Brown, and Michael L. Myrick; **40** (6), 888-95 (2001).

Nonlinear filters with spatially connected neighborhoods. — Vitaly Kober, Mikhael Mozerov, and Josué Alvarez-Borrego; **40** (6), 971-83 (2001).

Optical design of a near-infrared birefringent filter system and measurement of birefringent index of calcite at 1.56 μm. — Jingshan Wang, Haimin Wang, Thomas J. Spirock, Chik-Yin Lee, Nuggehalli M. Ravindra, Jun Ma, Philip R. Goode, and Carsten Denker; **40** (6), 1016-23 (2001).

Theory of electrically controllable long-period gratings built in liquid-crystal fibers. — Yoonchan Jeong and Byoungho Lee; **40** (7), 1227-33 (2001).

Comparing behavioral receiver operating characteristic curves to multidimensional matched filters. — William K. Krebs, Dean A. Scribner, and Jason S. McCarley; **40** (9), 1818-26 (2001).

Blocking improved narrow-band filters for the UV-B region. — Hein Uhlig and Norbert Kaiser; **40** (10), 2331-7 (2001).

Real-time self-induced nonlinear optical Zernike- type filter in a bacteriorhodopsin film. — M. D. Iturbe Castillo, D. Sánchez-de-la-Llave, R. Ramos Garcia, L. I. Olivos-Pérez, L. A. González, and M. Rodriguez-Ortiz; **40** (11), 2367-8 (2001).

Color pattern recognition using fringe-adjusted joint transform correlation. — Mohammad S. Alam and C. N. Wai; **40** (11), 2407-13 (2001).

Independent task Fourier filters. — H. John Caulfield; **40** (11), 2414-8 (2001).

Design and performance analysis for a single-chip optoelectronic database filter. — Jianjing Tang, A. Rittgers, J. Lorenz, K. Miles, and Fred R. Beyette, Jr. ; **40** (11), 2419-30 (2001).

Improvement of measuring accuracy of spatial fringe analysis method using a Kalman filter and its application. — Yasuhiko Arai and Shunsuke Yokozeki; **40** (11), 2605-11 (2001).

Optimal synthetic aperture radar image correlation using enhanced scattering centers in holographic data storage. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **40** (11), 2624-37 (2001).

Limitations imposed by birefringence uniformity on narrow-linewidth filters based on mode coupling. — Franck Chollet, Jean-Pierre Goedgebuer, and Gadang Ramantoko; **40** (12), 2763-70 (2001).

Flows

Multi-image gradient-based algorithms for motion estimation. — Samson J. Timoner and Dennis M. Freeman; **40** (9), 2003-16 (2001).

Optimization of optical particle sizing in multiphase flows. — Huihe Qiu, Wangcun Jia, and Chin-Tsau Hsu; **40** (11), 2586-93 (2001).

Fluorescence

Microlens systems for fluorescence detection in chemical microsystems. — Jean-Christophe Roulet, Reinhard Völkel, Hans Peter Herzig, Elisabeth Verpoorte, Nico F. de Rooij, and René Dändliker; **40** (5), 814-21 (2001).

Interference filter refinement for artificial nose fluorescence sensing. — Jeevananda Karunamuni, Katherine E. Stitzer, DeLyle Eastwood, Keith J. Albert, David R. Walt, Steven B. Brown, and Michael L. Myrick; **40** (6), 888-95 (2001).

Laser-induced fluorescence imaging of the ocean bottom. — David N. Sitter, Jr., and Asher Gelbart; **40** (8), 1545-53 (2001).

Lidar remote sensing of stone cultural heritage: detection of protective treatments. — Gaia Ballerini, Susanna Bracci, Luca Pantani, and Piero Tiano; **40** (8), 1579-83 (2001).

Red fluorescence sensor for noncontact on-line measurements in paper production. — Carl Magnus Nilsson, Lennart Malmqvist, and Jörgen Carlsson; **40** (8), 1674-81 (2001).

Spectral estimation and color appearance prediction of fluorescent materials. — Bore-Kuen Lee, Feng-Chi Shen, and Chun-Yen Chen; **40** (10), 2069-76 (2001).

Focal plane arrays

Optimal dithering of focal plane arrays in passive millimeter-wave imaging. — Yun Gao and Stanley J. Reeves; **40** (10), 2179-87 (2001).

Focus

Phase-shifting apodizer for next-generation digital versatile disk. — Haifeng Wang, Zhongyu Chen, and Fuxi Gan; **40** (6), 991-4 (2001).

Forward-looking infrared

Uncertainty of temperature measurement with thermal cameras. — Krzysztof Chrzanowski, Robert Matyszkiel, Joachim Fischer, and Jarosław Barela; **40** (6), 1106-14 (2001).

Segmentation of forward-looking infrared image using fuzzy thresholding and edge detection. — Sun-Gu Sun and HyunWook Park; **40** (11), 2638-45 (2001).

Fourier optics

Detector patterns from optical disks. — Robert S. Upton and Tom D. Milster; **40** (6), 1030-44 (2001).

Digital synthesis of binary diffractive masks using mathematical morphology. — Gonzalo Urcid, Javier Báez-Rojas, and Alejandro Cornejo-Rodríguez; **40** (10), 2084-91 (2001).

Independent task Fourier filters. — H. John Caulfield; **40** (11), 2414-8 (2001).

Iterative stepwise binarization of digital amplitude holograms with added energy to the signal window. — Bhupendra B. Chhetri, Shiyuan Yang, and Teruo Shimomura; **40** (12), 2718-25 (2001).

Fourier spectroscopy

Spectral effects of sampling a continuous-scan Fourier transform spectrometer with a capacitive transimpedance amplifier. — Todd Hurt; **40** (7), 1415-7 (2001).

Fourier transforms

Diffractive optical element-based profilometer for surface inspection. — Giuseppe Schirripa Spagnolo and Dario Ambrosini; **40** (1), 44-52 (2001).

Optimization of encrypted holograms in optical security systems. — Mitsuhiro Yamazaki and Junji Ohtsubo; **40** (1), 132-7 (2001).

Method for measuring the cell gap in liquid-crystal displays. — Filip Bruyneel, Herbert De Smet, Jan Vanfleteren, and André Van Calster; **40** (2), 259-67 (2001).

Phase unwrapping algorithm based on fringe frequency analysis in Fourier-transform profilometry. — Xianyu Su and Lian Xue; **40** (4), 637-43 (2001).

Linear integer unconcerned phase-map profilometry by changing the projection angle of the grating. — Jingang Zhong; **40** (7), 1377-82 (2001).

Shadow moiré profilometry by frequency sweeping. — L. H. Jin, Y. Otani, and T. Yoshizawa; **40** (7), 1383-6 (2001).

Speckle photography and the fractional Fourier transform. — Robert Patten, John T. Sheridan, and Alan Larkin; **40** (8), 1438-40 (2001).

Multiple-target recognition using the discrete rotational Fourier transform. — Neng-Chung Hu, Kuo-Kan Yu, and Hong-I Chang; **40** (8), 1687-98 (2001).

Deformation measurement on specular surfaces by simple means. — Jürgen H. Massig; **40** (10), 2315-8 (2001).

Aliasing in minification of digital images. — Haitao Zhang, Dazun Zhao, Mali Gong, Ping Yan, and Yuxing Wang; **40** (11), 2540-5 (2001).

Application of sensitivity analysis for the design of six-degree-of-freedom measurement system. — Jong-Ahn Kim, Eui Won Bae, Soo Hyun Kim, and Yoon Keun Kwak; **40** (12), 2837-44 (2001).

Fractals

Suboptimal fractal coding scheme using iterative transformation. — Hyun-Soo Kang and Jae-won Chung; **40** (5), 703-12 (2001).

Relocation, scaling, and quantization effects on fractal images. — Hsuan T. Chang; **40** (6), 941-51 (2001).

New fractal coding scheme using reference images. — Hyun Soo Kang, Jae-Gark Choi, and Seong Dae Kim; **40** (7), 1265-73 (2001).

Fringe analysis

Diffractive optical element-based profilometer for surface inspection. — Giuseppe Schirripa Spagnolo and Dario Ambrosini; **40** (1), 44-52 (2001).

Phase unwrapping algorithm based on fringe frequency analysis in Fourier-transform profilometry. — Xianyu Su and Lian Xue; **40** (4), 637-43 (2001).

Sensitivity enhancement of far-infrared Fizeau interferometry by digital image processing. — Kaushal Verma and Bongtae Han; **40** (9), 1970-7 (2001).

Deformation measurement on specular surfaces by simple means. — Jürgen H. Massig; **40** (10), 2315-8 (2001).

Improvement of measuring accuracy of spatial fringe analysis method using a Kalman filter and its application. — Yasuhiko Arai and Shunsuke Yokozeki; **40** (11), 2605-11 (2001).

Fuzzy logic

Fuzzy logic control of a nitrogen laser. — Siu-Chung Tam, Siong-Chai Tan, Wah-Peng Neo, Sze-Chern Foong, Choon-Hao Chan, Anthony T. S. Ho, Hock-Chuan Chua, and Sing Lee; **40** (2), 237-44 (2001).

Geometric optics

Random facet Fresnel lenses and mirrors. — Don A. Gregory and Guolin Peng; **40** (5), 713-9 (2001).

Two-dimensional space-angle product of a Gaussian beam. — George H. Seward; **40** (9), 1959-62 (2001).

Wavefront measurement by solving the irradiance transport equation for multifocal systems. — Juan A. Quiroga, Jose A. Gómez-Pedrero, and Juan C. Martínez-Antón; **40** (12), 2885-91 (2001).

Germanium

Structure and doping optimization of SiGe heterojunction internal photoemission detectors for mid-infrared applications. — Elizabeth Corbin, Michael J. Shaw, Matt R. Kitchin, Milan Jaros, Johannes Konle, and Hartmut Presting; **40** (12), 2753-62 (2001).

Glass

Development of new near-infrared filters based on the "sandwich" polymer-chalcogenide glass-polymer composites. — Edward Bormashenko, Roman Pogreb, Zosya Pogreb, and Semion Sutovski; **40** (5), 661-2 (2001).

Prototype of hybrid diffractive/graded-index splitter for fiber optics. — Marina R. Gordova, Jesús Liñares, Andrey A. Lipovskii, Valentina V. Zhurihina, Dmitry K. Tagantsev, Boris V. Tatarintsev, and Jari Turunen; **40** (8), 1507-12 (2001).

New technology of precision polishing of glass optics. — Valentin V. Rogov, Yurii D. Filatov, Wolfgang Kottler, and Valerii P. Sobol; **40** (8), 1641-5 (2001).

Single-step fabrication of surface relief diffractive optical elements on hybrid sol-gel glass. — H. J. Jiang, X.-C. Yuan, Y. L. Lam, Y. C. Chan, and G. I. Ng; **40** (9), 2017-21 (2001).

Gradient index

Gradient-index rods as flux concentrators with applications to laser fiber optic surgery. — Daniel Feuermann and Jeffrey M. Gordon; **40** (3), 418-25 (2001).

Multi-image gradient-based algorithms for motion estimation. — Samson J. Timoner and Dennis M. Freeman; **40** (9), 2003-16 (2001).

Gratings

Diffractive optical element-based profilometer for surface inspection. — Giuseppe Schirripa Spagnolo and Dario Ambrosini; **40** (1), 44-52 (2001).

Dispersion compensation in externally modulated transport system using chirped fiber grating as well as large effective area fiber. — Hai-Han Lu, Ching-Ting Lee, and Chih-Jen Wang; **40** (5), 656-7 (2001).

Temperature-compensating device with central-wavelength tuning for optical fiber gratings. — Samuel I-En Lin; **40** (5), 698-702 (2001).

Influence of a general small inclination on the measurement in Talbot interferometry. — Qian Liu and Ryoji Ohba; **40** (5), 746-52 (2001).

Three-dimensional displacement measurement using a newly designed moiré interferometer. — Shyh-Tsong Lin; **40** (5), 822-6 (2001).

Tunable chirped fiber Bragg gratings by a distributed heater. — Zhihao Chen, Chao Lu, Jun Hong Ng, Xiufeng Yang, and Tee Hiang Cheng; **40** (7), 1156-7 (2001).

Reliable grating-based wavelength division (de)multiplexers for optical networks. — Feng Zhao, Jie Qiao, Xuegong Deng, Jizuo Zou, Baoping Guo, Ray Collins, Victor Villavicencio, Kwei K. Chang, James W. Horwitz, Bill Morey, and Ray T. Chen; **40** (7), 1204-11 (2001).
Theoretical and experimental investigations of dispersion compensation based on transmission properties of uniform fiber Bragg gratings. — Xiaomin Ren, Jianxin Li, Yuehui Xia, Xue Chen, and Yongqing Huang; **40** (7), 1223-6 (2001).
Theory of electrically controllable long-period gratings built in liquid-crystal fibers. — Yoonchan Jeong and Byoungho Lee; **40** (7), 1227-33 (2001).
Optical scatterometry evaluation of groove depth in lamellar silicon grating structures. — Shlomo Hava and Mark Auslender; **40** (7), 1244-8 (2001).
Phase relationships in a two-beam grating recombiner. — Yves Jourlin, Olivier Parriaux, and Alexander V. Tishchenko; **40** (8), 1464-70 (2001).
One-grating projection for absolute three-dimensional profiling. — Klaus Körner, Robert Windecker, Matthias Fleischer, and Hans J. Tiziani; **40** (8), 1653-60 (2001).
Digital synthesis of binary diffractive masks using mathematical morphology. — Gonzalo Ureid, Javier Báez-Rojas, and Alejandro Cornejo-Rodríguez; **40** (10), 2084-91 (2001).
Chirp tuning of a fiber Bragg grating by using different tapered transducers and loading procedures: an application in the accelerometer. — Yinian Zhu, Pieter L. Swart, Beatrys M. Lacquet, and Stephanus J. Spammer; **40** (10), 2092-6 (2001).
Grating detuning effect on holographic memory in photopolymers. — Mei-Li Hsieh and Ken Y. Hsu; **40** (10), 2125-33 (2001).
Effective exposure dose measurement technologies: multitone flood exposure by unresolved gratings with multilevel opening ratio. — Soichi Inoue, Tadahito Fujisawa, and Kyoko Izuha; **40** (10), 2338-44 (2001).
Temperature-insensitive fiber-Bragg-grating-based vibration sensor. — Ka On Lee, Kin Seng Chiang, and Zhihao Chen; **40** (11), 2582-5 (2001).
Application of sensitivity analysis for the design of six-degree-of-freedom measurement system. — Jong-Ahn Kim, Eui Won Bae, Soo Hyun Kim, and Yoon Keun Kwak; **40** (12), 2837-44 (2001).

Grazing incidence

Grazing-incidence flat-field spectrometer for high-order harmonic diagnostics. — Luca Poletto, Giampiero Naletto, and Giuseppe Tondello; **40** (2), 178-85 (2001).

Gyroscopes

Study of ultraminiature sensing coils and the performance of a depolarized interferometric fiber optic gyroscope. — Paul B. Ruffin, Janet Baeder, and C. C. Sung; **40** (4), 605-11 (2001).
New technique for reducing the angle random walk at the output of fiber optic gyroscopes during alignment processes of inertial navigation systems. — Aboelmagd Noureldin, Dave Irvine-Halliday, Herb Tabler, and Martin P. Mintchev; **40** (10), 2097-106 (2001).

Helium-neon lasers

Homodyne laser radar system for surface displacement monitoring. — Alejandro Rodriguez, Adolfo Comeron, and David Garcia; **40** (3), 398-405 (2001).
Performance assessment of a homodyne laser radar for surface displacement monitoring. — Alejandro Rodriguez, Adolfo Comeron, and Eloy Mesalles; **40** (12), 2812-21 (2001).

Heterodyning

Wind infrared Doppler lidar instrument. — Ch. Werner, P. H. Flamant, O. Reitebuch, F. Köpp, J. Streicher, S. Rahm, E. Nagel, M. Klier, H. Herrmann, C. Loth, P. Delville, Ph. Drobinski, B. Romand, Ch. Boitel, D. Oh, M. Lopez, M. Meissonnier, D. Bruneau, and A. Dabas; **40** (1), 115-25 (2001).
High-sensitivity surface-profile measurements by heterodyne white-light interferometer. — Akiko Hirai and Hirokazu Matsumoto; **40** (3), 387-91 (2001).

High-power lasers

Laser-induced temperature distributions and thermal deformations in sapphire, silicon, and calcium fluoride substrates at 1.315 μm. — Yufeng Peng, Zuhai Cheng, Yaoning Zhang, and Junlin Qiu; **40** (12), 2822-9 (2001).

Holograms

System for acquisition of three-dimensional shape and movement using digital Light-in-Flight holography. — Torgny E. Carlsson, Bengt Nilsson, and Jonny Gustafsson; **40** (1), 67-75 (2001).
Optimization of encrypted holograms in optical security systems. — Mitsuhiro Yamazaki and Junji Ohtsubo; **40** (1), 132-7 (2001).
Development of a noncontact optical sensor for measuring the shape of a surface and thickness of transparent objects. — Young Kee Ryu, Choonsuk Oh, and Jong-Seul Lim; **40** (4), 500-2 (2001).
Simulator for computer-aided design of holograms. — Tohru Shimizu, Yasuhiro Awatsuji, and Toshihiro Kubota; **40** (11), 2524-32 (2001).

Holographic optical elements

Simulator for computer-aided design of holograms. — Tohru Shimizu, Yasuhiro Awatsuji, and Toshihiro Kubota; **40** (11), 2524-32 (2001).

Holography

Thickness variation of self-processing acrylamide-based photopolymer and reflection holography. — F. T. O'Neill, J. R. Lawrence, and J. T. Sheridan; **40** (4), 533-9 (2001).
Hologram reconstruction using a digital micromirror device. — Thomas Kreis, Petra Aswendt, and Roland Höfling; **40** (6), 926-33 (2001).
Sandwich holography for simultaneous temperature visualization and heat-transfer coefficient measurement. — Dario Ambrosini, Domenica Paoletti, and Giuseppe Schirripa Spagnolo; **40** (7), 1274-80 (2001).
Hybrid holographic microscope for interferometric measurement of microstructures. — Lei Xu, Xiaoyuan Peng, Anand K. Asundi, and Jianmin Miao; **40** (11), 2533-9 (2001).
Optimal synthetic aperture radar image correlation using enhanced scattering centers in holographic data storage. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **40** (11), 2624-37 (2001).
Iterative stepwise binarization of digital amplitude holograms with added energy to the signal window. — Bhupendra B. Chhetri, Shiyuan Yang, and Teruo Shimomura; **40** (12), 2718-25 (2001).
Dual-beam symmetric illumination-observation TV holography system for measurements. — Nandigana Krishna Mohan, Angelica Svanbro, Mikael Sjödahl, and Nils-Erik Molin; **40** (12), 2780-7 (2001).

Homodyning

Homodyne laser radar system for surface displacement monitoring. — Alejandro Rodriguez, Adolfo Comeron, and David Garcia; **40** (3), 398-405 (2001).
Inclusive modeling tool for homodyne crosstalk in optical networks. — Efraim Buimovich, Dan Sadot, and Sam Rubin; **40** (6), 1065-70 (2001).
Performance assessment of a homodyne laser radar for surface displacement monitoring. — Alejandro Rodriguez, Adolfo Comeron, and Eloy Mesalles; **40** (12), 2812-21 (2001).

Illumination

Long-range laser illuminated imaging: analysis and experimental demonstrations. — David Dayton, Steve Browne, John Gonglewski, Steve Sandven, Joe Gallegos, and Mike Shilko; **40** (6), 1001-9 (2001).
Si-based resonant-cavity-enhanced photodetector. — Qiming Wang, Cheng Li, Buwen Cheng, and Qinqing Yang; **40** (7), 1192-4 (2001).

Image analysis

Tumor detection in digitized mammograms by image texture analysis. — Richard Pfisterer and Farzin Aghdasi; **40** (2), 209-16 (2001).
Instantaneous bubble velocity measurements using digital image analysis. — T. Bui Dinh and T. S. Choi; **40** (2), 325-7 (2001).
Subband correlation of Daubechies wavelet representations. — Zikuan Chen and Yang Tao; **40** (3), 362-71 (2001).
Shape measurement by digital speckle temporal sequence correlation with digital light projector. — Hongjun Dai and Xianyu Su; **40** (5), 793-800 (2001).
Relocation, scaling, and quantization effects on fractal images. — Hsuan T. Chang; **40** (6), 941-51 (2001).
Image analysis of standard pilling series. — María S. Millán and Héctor C. Abril; **40** (7), 1281-6 (2001).
Karhunen-Loève transform applied to region-based segmentation of color aerial images. — J. C. Devaux, P. Gouton, and F. Truchetet; **40** (7), 1302-8 (2001).
Full field automated photoelasticity using two-load-step method. — Tong Liu, Anand Asundi, and Chai Gin Boay; **40** (8), 1629-35 (2001).
Improved motion stereo matching based on a modified dynamic programming. — Mikhail Mozerov, Vitaly Kober, and Tae Sun Choi; **40** (10), 2234-9 (2001).

Image compression

Image coding schemes based on subsampling vector quantization. — Yu-Chen Hu and Chin-Chen Chang; **40** (1), 108-14 (2001).
Enhancement of an image compression algorithm by pre- and post-filtering. — Ofer Hadar, Adrian Stern, and Raz Koresh; **40** (2), 193-9 (2001).
Error-resilient zero-tree wavelet image coding technique over noisy channels. — Woo Young Jang, Jung Ryul Ryou, Chulhee Lee, and Kwanghoon Sohn; **40** (5), 861-7 (2001).
Improved nearest codeword search scheme using a tighter kick-out condition. — Kuo-Feng Hwang and Chin-Chen Chang; **40** (9), 1749-51 (2001).
Adaptive intercolor error prediction coder for lossless color (RGB) picture compression. — Y. Mann, Y. Peretz, and H. B. Mitchell; **40** (9), 1963-9 (2001).
Modulation transfer function as a quality measure for compressed images transmitted over a lossy packet network. — Ofer Hadar, Adrian Stern, Merav Huber, and Revital Huber; **40** (10), 2134-42 (2001).
Subjective quality of reconstructed images obtained with classical and advanced wavelet coders. — Dušan Gleich, Peter Planinšič, Bojan Gergič, and Žarko Čučej; **40** (10), 2143-50 (2001).

Image enhancement

Generalized filtering operations for hue images. — HyunWook Park, Taiyi Cheng, and Yongmin Kim; **40** (1), 100-7 (2001).
Statistical interpolation of sampled images. — W.-Y. V. Leung, P. J. Bones, and R. G. Lane; **40** (4), 547-53 (2001).

Image formation

Bayesian sensor image fusion using local linear generative models. — Ravi K. Sharma, Todd K. Leen, and Misha Pavel; **40** (7), 1364-76 (2001).

Image fusion

Efficient intensity-hue-saturation-based image fusion with saturation compensation. — Te-Ming Tu, Shun-Chi Su, Hsuen-Chyun Shyu, and Ping Sheng Huang; **40** (5), 720-8 (2001).

Image processing

All-optical fiber sensing system based on random phase encoding and volume holographic interconnection. — Ching-Cherng Sun, Yi-Ming Chen, and Wei-Chia Su; **40** (2), 160-1 (2001).
Color features for quality control in ceramic tile industry. — Saku Kukkonen, Heikki Kälviäinen, and Jussi Parkkinen; **40** (2), 170-7 (2001).
Efficient coding algorithm for affine motion parameters. — Yun-Ho Ko, Jae Gark Choi, Soon-Jae Cho, and Seong-Dae Kim; **40** (2), 200-8 (2001).
Proposal of quantitative temperature measurement using two-color technique combined with several infrared radiometers having different detection wavelength bands. — Terumi Inagaki and Toshimitsu Ishii; **40** (3), 372-80 (2001).
Small-rotation-angle measurement using an imaging method. — Takamasa Suzuki, Hideki Nakamura, Osami Sasaki, and John E. Greivenkamp; **40** (3), 426-32 (2001).
Modified cubic convolution scaler with minimum loss of information. — Jong-Ki Han and Hyung-Myung Kim; **40** (4), 540-6 (2001).
Statistical interpolation of sampled images. — W.-Y. V. Leung, P. J. Bones, and R. G. Lane; **40** (4), 547-53 (2001).
Access control: adaptation and real-time implantation of a face recognition method. — J. Mitéran, J. P. Zimmer, F. Yang, and M. Paindavoine; **40** (4), 586-93 (2001).
Edge enhancement for subband-coded images. — Ciro Cafforio, Eugenio Di Sciascio, and Cataldo Guaragnella; **40** (5), 729-39 (2001).
Error-resilient zero-tree wavelet image coding technique over noisy channels. — Woo Young Jang, Jung Ryul Ryou, Chulhee Lee, and Kwanghoon Sohn; **40** (5), 861-7 (2001).
Wavelet-based adaptive thresholding method for image segmentation. — Zikuan Chen, Yang Tao, Xin Chen, and Carl Griffis; **40** (5), 868-74 (2001).
On the reduction of impulsive noise in multichannel image processing. — B. Smolka, A. Chydzinski, K. W. Wojciechowski, K. N. Plataniotis, and A. N. Venetsanopoulos; **40** (6), 902-8 (2001).
Nonlinear filters with spatially connected neighborhoods. — Vitaly Kober, Mikhael Mozerov, and Josué Alvarez-Borrego; **40** (6), 971-83 (2001).
Expectation-maximization algorithms for image processing using multiscale models and mean-field theory, with applications to laser radar range profiling and segmentation. — Andy Tsai, Jun Zhang, and Alan S. Willsky; **40** (7), 1287-301 (2001).
Subpixel displacement and deformation gradient measurement using digital image/speckle correlation (DISC). — Peng Zhou and Kenneth E. Goodson; **40** (8), 1613-20 (2001).
Detection of velocity distribution of a flow field using sequences of Schlieren images. — Shan Fu and Yajue Wu; **40** (8), 1661-6 (2001).
Secure discrete cosine transform based technique for recoverable tamper proofing. — Kuo-Lung Hung, Chin-Chen Chang, and Tung-Shou Chen; **40** (9), 1950-8 (2001).
Experimental study on the measurement of the curvature radius of a spherical grid. — Qingxiang Li, Yunqing Wang, Lifen Bai, and Zili Zhao; **40** (10), 2120-4 (2001).
Hybrid neural method for locating eyes in facial images. — David Zhang, Hui Peng, and Kuanquan Wang; **40** (10), 2151-8 (2001).

Stochastic algorithm for approximating soft morphological operators. — Michael A. Zmuda; **40** (12), 2746-52 (2001).
Algorithm of automatic cartridge identification. — Jie Zhou, Le-ping Xin, Gang Rong, and David Zhang; **40** (12), 2860-5 (2001).

Image quality
Enhancement of an image compression algorithm by pre- and post-filtering. — Ofer Hadar, Adrian Stern, and Raz Koresh; **40** (2), 193-9 (2001).
Nonuniformity correction and restoration of passive millimeter-wave images. — Alan H. Lettington, Sophie Tzimopoulou, and Malcolm P. Rollason; **40** (2), 268-74 (2001).
Efficient method for the translational motion compensation of inverse synthetic aperture radar imagery. — Benjamin C. Flores, Jae Sok Son, and Salim Tariq; **40** (3), 433-42 (2001).
Comparison of SNR image quality metrics for remote sensing systems. — Robert D. Fiete and Theodore Tantalo; **40** (4), 574-85 (2001).
Fuzzy control of subband coded image quality using standard and fuzzy quality measure. — Peter Planinšič, Bojan Gergič, Dušan Gleich, and Žarko Čučej; **40** (8), 1529-44 (2001).

Image registration
Stereo-based registration of range and projective imagery for data fusion and visualization. — Philip W. Smith and Mark D. Elstrom; **40** (3), 352-61 (2001).

Image restoration
Enhancement of an image compression algorithm by pre- and post-filtering. — Ofer Hadar, Adrian Stern, and Raz Koresh; **40** (2), 193-9 (2001).
Influence of severe vibrations on the visual perception of video sequences. — Adrian Stern, Etan Fisher, Stanley R. Rotman, and Norman S. Kopeika; **40** (6), 964-70 (2001).
Underwater image transmission and blurred image restoration. — Zhishen Liu, Yifan Yu, Kailin Zhang, and Hailong Huang; **40** (6), 1125-31 (2001).
Wavelet analysis for the elimination of striping noise in satellite images. — Jorge Torres and Sergio Omar Infante; **40** (7), 1309-14 (2001).

Image segmentation
Tumor detection in digitized mammograms by image texture analysis. — Richard Pfisterer and Farzin Aghdasi; **40** (2), 209-16 (2001).
Three-dimensional perceived-shape representation fusing range data and fuzzy-like segmented image data. — Nikolaos G. Bourbakis; **40** (4), 618-26 (2001).
Wavelet-based adaptive thresholding method for image segmentation. — Zikuan Chen, Yang Tao, Xin Chen, and Carl Griffis; **40** (5), 868-74 (2001).
Karhunen-Loève transform applied to region-based segmentation of color aerial images. — J. C. Devaux, P. Gouton, and F. Truchetet; **40** (7), 1302-8 (2001).
Chaotic neural network clustering: an application to landmine detection by dynamic infrared imaging. — Leonardo Angelini, Francesco De Carlo, Carmela Marangi, Massimo Mannarelli, Giuseppe Nardulli, Mario Pellicoro, Giuseppe Satalino, and Sebastiano Stramaglia; **40** (12), 2878-84 (2001).

Image sensors
Edge-adaptive color interpolation algorithm for progressive scan charge-coupled device image sensors. — Bong Soo Hur and Moon Gi Kang; **40** (12), 2698-708 (2001).

Image storage
Image encryption using separable amplitude-based virtual image and iteratively retrieved phase information. — Hsuan T. Chang; **40** (10), 2165-71 (2001).

Image transmission
Robust layered image transmission based on genetic programming for noisy channels. — Wen-Jyi Hwang, Ray-Shine Lin, and Chung-Kun Wu; **40** (2), 245-51 (2001).
Evaluation of solid-state camera systems in varying illumination conditions. — Jyrki Laitinen, Jani Saviaro, and Heikki Ailisto; **40** (6), 896-901 (2001).
Modulation transfer function as a quality measure for compressed images transmitted over a lossy packet network. — Ofer Hadar, Adrian Stern, Merav Huber, and Revital Huber; **40** (10), 2134-42 (2001).
Image encryption using separable amplitude-based virtual image and iteratively retrieved phase information. — Hsuan T. Chang; **40** (10), 2165-71 (2001).

Imaging
Long-range laser illuminated imaging: analysis and experimental demonstrations. — David Dayton, Steve Browne, John Gonglewski, Steve Sandven, Joe Gallegos, and Mike Shilko; **40** (6), 1001-9 (2001).
Dynamically observing intratumor injection of laser-absorbing dye and immunoadjuvant using digital x-ray imaging technique. — Wei R. Chen, Hong Liu, Wei Yue, Jiping Wang, and Robert E. Nordquist; **40** (7), 1249-54 (2001).
New fractal coding scheme using reference images. — Hyun Soo Kang, Jae-Gark Choi, and Seong Dae Kim; **40** (7), 1265-73 (2001).
Sandwich holography for simultaneous temperature visualization and heat-transfer coefficient measurement. — Dario Ambrosini, Domenica Paoletti, and Giuseppe Schirripa Spagnolo; **40** (7), 1274-80 (2001).
Laser-induced fluorescence imaging of the ocean bottom. — David N. Sitter, Jr., and Asher Gelbart; **40** (8), 1545-53 (2001).
Evaluation of target acquisition difficulty using recognition distance to measure required retinal area. — Thomy Nilsson; **40** (9), 1827-34 (2001).
Computational models for search and discrimination. — Anthony C. Copeland and Mohan M. Trivedi; **40** (9), 1885-95 (2001).
CAMEO-SIM: a physics-based broadband scene simulation tool for assessment of camouflage, concealment, and deception methodologies. — Ian R. Moorhead, Marilyn A. Gilmore, Alex W. Houlbrook, David E. Oxford, David Filbee, Colin Stroud, George Hutchings, and Albert Kirk; **40** (9), 1896-905 (2001).
Search and target acquisition: single line of sight versus wide baseline stereo. — Wendell R. Watkins, Garrett D. Heath, Michael D. Phillips, Mathee Valeton, and Alexander Toet; **40** (9), 1914-27 (2001).
Spectral imaging, reflectivity measurements, and modeling of iridescent butterfly scale structures. — Seth E. Mann, Ioannis N. Miaoulis, and Peter Y. Wong; **40** (10), 2061-8 (2001).
Optimal dithering of focal plane arrays in passive millimeter-wave imaging. — Yun Gao and Stanley J. Reeves; **40** (10), 2179-87 (2001).
Hidden Markov model approach to spectral analysis for hyperspectral imagery. — Qian Du and Chein-I Chang; **40** (10), 2277-84 (2001).
Synthetic aperture radar image of agricultural fields with surface drainage network: simulation and spatial information retrieval. — François Meunier, Jean Meunier, and François Cavayas; **40** (10), 2319-30 (2001).
Texture synthesis using gray-level co-occurrence models: algorithms, experimental analysis, and psychophysical support. — Anthony C. Copeland, Gopalan Ravichandran, and Mohan M. Trivedi; **40** (11), 2655-73 (2001).

Imaging systems
Comparison of SNR image quality metrics for remote sensing systems. — Robert D. Fiete and Theodore Tantalo; **40** (4), 574-85 (2001).
Inverse synthetic aperture radar imaging using a coherent ultrawideband random noise radar system. — Daryl C. Bell and Ram M. Narayanan; **40** (11), 2612-23 (2001).

Information processing
Multiple information hiding technique using random sequence and Hadamard matrix. — Kyu-Tae Kim, Jang-Hwan Kim, and Eun-Soo Kim; **40** (11), 2489-94 (2001).

Infrared
Infrared image synthesis of desert backgrounds based on semiempirical thermal models. — Ali Mahmoodi, Abdolreza Nabavi, and Mehdi N. Fesharaki; **40** (2), 227-36 (2001).
Proposal of quantitative temperature measurement using two-color technique combined with several infrared radiometers having different detection wavelength bands. — Terumi Inagaki and Toshimitsu Ishii; **40** (3), 372-80 (2001).
Development of new near-infrared filters based on the "sandwich" polymer-chalcogenide glass-polymer composites. — Edward Bormashenko, Roman Pogreb, Zosya Pogreb, and Semion Sutovski; **40** (5), 661-2 (2001).
Infrared detector performance in an area array. — Vikram Dhar and Vishnu Gopal; **40** (5), 679-91 (2001).
Computer simulations of interferometric imaging with the Very Large Telescope Interferometer and its Astronomical Multibeam Recombiner instrument. — F. Przygodda, T. Blocker, K.-H. Hofmann, and G. Weigelt; **40** (5), 753-60 (2001).
Direct laser writing of mid-infrared microelements on polyethylene material. — Manuel Ornelas-Rodriguez and Sergio Calixto; **40** (6), 921-5 (2001).
Uncertainty of temperature measurement with thermal cameras. — Krzysztof Chrzanowski, Robert Matyszkiel, Joachim Fischer, and Jaroslaw Barela; **40** (6), 1106-14 (2001).
Fiber optic infrared thermometer for accurate measurement of the core temperature of the human body. — S. Sade and A. Katzir; **40** (6), 1141-3 (2001).
Thermal infrared hot spot and dependence on canopy geometry. — James A. Smith and Jerrell R. Ballard, Jr.; **40** (8), 1435-7 (2001).
Design considerations for rare earth doped silver halide fiber amplifiers. — Ram Oron, David Bunimovich, Lev Nagli, Abraham Katzir, and Amos A. Hardy; **40** (8), 1516-20 (2001).
New two-color cancellation algorithm for counter-countermeasures of infrared seekers. — Jeong-Su Oh, Kyung-Soo Doo, Yong-In Yoon, Dong-Sun Seo, and Jong-Soo Choi; **40** (8), 1699-708 (2001).
Novel background removal algorithm for Navy infrared search and track systems. — M. Diani, A. Baldacci, and G. Corsini; **40** (8), 1729-34 (2001).
Development of the technology of contacting ZnSe infrared optical windows using polyethylene films. — Edward Bormashenko, Roman Pogreb, Avigdor Sheshnev, Semion Sutovski, Yelena Bormashenko, Zosya Pogreb, and Abraham Katzir; **40** (9), 1754-5 (2001).
Theoretical and experimental studies on linear and nonlinear algorithms for the measurement of muscle oxygenation using continuous-wave near-infrared spectroscopy. — Jun Shao, Ling Lin, Masatsugu Niwayama, Nobuki Kudo, and Katsuyuki Yamamoto; **40** (10), 2293-301 (2001).
Miniaturization and module integration of an infrared spectrometer. — Kimmo Keränen, Pentti Karioja, Martti Blomberg, Jussi Tenhunen, Outi Rusanen, and Harri Kopola; **40** (10), 2308-14 (2001).
Ratio of quantum efficiency to crosstalk: a proposed figure of merit for a mosaic infrared diode array. — Vikram Dhar and Vishnu Gopal; **40** (10), 2345-9 (2001).
Simulation of target detection in ultraviolet and infrared bands. — Kyoung-Soo Doo, Jeong-Su Oh, Sung-Gabb Jahng, Hyun-Ki Hong, Jong-Soo Choi, and Dong-Sun Seo; **40** (11), 2646-54 (2001).
Design and construction of a fiber bundle connector using microlenses. — Deqing Ren, Ray Sharples, J. R. Allington-Smith, G. N. Dodsworth, D. J. Robertson, and G. Dalton; **40** (12), 2709-17 (2001).
Structure and doping optimization of SiGe heterojunction internal photoemission detectors for mid-infrared applications. — Elizabeth Corbin, Michael J. Shaw, Matt R. Kitchin, Milan Jaros, Johannes Konle, and Hartmut Presting; **40** (12), 2753-62 (2001).

Infrared imaging
Analyzing the effect of imagery wavelength on the agreement between various image metrics and human detection performance of targets embedded in natural images. — Guy Aviram and Stanley R. Rotman; **40** (9), 1877-84 (2001).

Infrared lasers
Relaxation oscillation with Tm:YLF laser using a double cavity in the single-longitudinal-mode oscillation. — Jun Izawa, Hayato Nakajima, Hiroshi Hara, and Yoshinori Arimoto; **40** (3), 466-8 (2001).

Infrared spectroscopy
Generation of front-surface low-mass epoxy-composite mirrors by spin-casting. — Robert L. Richardson and Peter R. Griffiths; **40** (2), 252-8 (2001).
Spectral effects of sampling a continuous-scan Fourier transform spectrometer with a capacitive transimpedance amplifier. — Todd Hurt; **40** (7), 1415-7 (2001).
Near-infrared spectroscopy studies on cerebral blood oxygenation changes during brain activation: possible limitations of blood oxygenation level dependent functional magnetic resonance imaging. — Yuxiao Xie, Kaoru Sakatani, Wemara Lichty, Huancong Zuo, Zuoping Xie, and Jing Bai; **40** (10), 2302-7 (2001).

Infrared systems
Target identification performance as a function of temporal and fixed pattern noise. — Ronald G. Driggers, Richard Vollmerhausen, and Keith Krapels; **40** (3), 443-7 (2001).

Integrated circuits
Comparison of the signal latency in optical and electrical interconnections for interchip links. — E.D. Kyriakis-Bitzaros, N. Haralabidis, Y. Moisiadis, M. Lagadas, A. Georgakilas, and G. Halkias; **40** (1), 144-6 (T) (2001).

Integrated optics
Simultaneous alignment of multiple optical axes in a multistage optical system using Hamiltonian algorithm. — Masato Mizukami, Motohisa Hirano, and Kazuasa Shinjo; **40** (3), 448-54 (2001).
Experimental assessment of access guide first-order mode effect on multimode interference couplers. — Carmen Vázquez, Cándido Aramburu, Marko Galarza, and Manuel López-Amo; **40** (7), 1160-2 (2001).
Advances in telecom and datacom optical components. — Louay Eldada; **40** (7), 1165-78 (2001).
Novel passive polymer waveguides integrated with electro-optically active ferroelectric liquid crystals. — David S. Hermann, Giusy Scalia, Claire Pitois, Francesco De Marco, Koen D'have, Giancarlo Abbate, Mikael Lindgren, and Anders Hult; **40** (10), 2188-98 (2001).
Polarization separation/combination based on self-imaging. — David M. Mackie, Tristan J. Tayag, and Ted E. Batchman; **40** (10), 2265-72 (2001).

Miniaturization and module integration of an infrared spectrometer. — Kimmo Keränen, Pentti Karioja, Martti Blomberg, Jussi Tenhunen, Outi Rusanen, and Harri Kopola; **40** (10), 2308-14 (2001).
Optical properties of two photoresists designed for charge-coupled device microlenses. — Nina Nordman and Olli Nordman; **40** (11), 2572-6 (2001).
Limitations imposed by birefringence uniformity on narrow-linewidth filters based on mode coupling. — Franck Chollet, Jean-Pierre Goedgebuer, and Gadang Ramantoko; **40** (12), 2763-70 (2001).

Interconnects
All-optical fiber sensing system based on random phase encoding and volume holographic interconnection. — Ching-Cherng Sun, Yi-Ming Chen, and Wei-Chia Su; **40** (2), 160-1 (2001).
Liquid crystal-based self-aligning 2×2 wavelength routing module. — Sarun Sumriddetchkajorn, Nabeel A. Riza, and Deepak K. Sengupta; **40** (8), 1521-8 (2001).

Interference
Method for measuring the cell gap in liquid-crystal displays. — Filip Bruyneel, Herbert De Smet, Jan Vanfleteren, and André Van Calster; **40** (2), 259-67 (2001).
Optimum optical system for generating interference signals in quadrature using polarization method. — Galyna A. Lysenko and Alexander S. Korniets; **40** (3), 381-6 (2001).
Interferometric oil-spill detection system. — Yen-Chieh Huang and Uen-Chin Liang; **40** (5), 740-5 (2001).
Optical profilometer based on the principle of differential interference. — Qingxiang Li, Hong Gao, Shifu Xue, and Yuhe Li; **40** (5), 833-6 (2001).
Interference filter refinement for artificial nose fluorescence sensing. — Jeevananda Karunamuni, Katherine E. Stitzer, DeLyle Eastwood, Keith J. Albert, David R. Walt, Steven B. Brown, and Michael L. Myrick; **40** (6), 888-95 (2001).
Detector patterns from optical disks. — Robert S. Upton and Tom D. Milster; **40** (6), 1030-44 (2001).
Polarization separation/combination based on self-imaging. — David M. Mackie, Tristan J. Tayag, and Ted E. Batchman; **40** (10), 2265-72 (2001).

Interferometers
633-nm tunable external-cavity diode laser with an intracavity glass plate as the fine-tuning device. — Zhixia Chao, Jian Wu, Chunyong Yin, and Yi Xu; **40** (5), 801-4 (2001).
Three-dimensional displacement measurement using a newly designed moiré interferometer. — Shyh-Tsong Lin; **40** (5), 822-6 (2001).
Heating measurements in diode-end-pumped Nd:YVO_4 lasers. — Xiaoyuan Peng, Anand Asundi, Yihong Chen, and Zhengjun Xiong; **40** (6), 1100-5 (2001).
Transmission of optical length information through single-mode fiber by a low-coherence tandem interferometer. — Hirokazu Matsumoto and Akiko Hirai; **40** (11), 2365-6 (2001).

Interferometry
Unusual techniques for absolute distance measurement. — Peter de Groot; **40** (1), 28-32 (2001).
Distance measurement of moving objects by frequency modulated laser radar. — Richard Schneider, Peter Thürmel, and Michael Stockmann; **40** (1), 33-7 (2001).
Diffractive optical element-based profilometer for surface inspection. — Giuseppe Schirripa Spagnolo and Dario Ambrosini; **40** (1), 44-52 (2001).
System for acquisition of three-dimensional shape and movement using digital Light-in-Flight holography. — Torgny E. Carlsson, Bengt Nilsson, and Jonny Gustafsson; **40** (1), 67-75 (2001).
Subnanometer digital positioning of large bodies by Fabry-Pérot interferometry. — Fabrizio Bertinetto and Enrico Canuto; **40** (1), 76-80 (2001).
Characterization of composite materials using a polarizing speckle interferometer. — Pascal Picart, Éric Lolive, and Jean-Marie Berthelot; **40** (1), 81-9 (2001).
Zero and direction reference mark based on phase jump. — Weidong Zhou and Lilong Cai; **40** (2), 289-94 (2001).
Deformation analysis with temporal speckle pattern interferometry. — Xide Li, Yizhang Yang, Gang Tao, and Rongxian Li; **40** (2), 310-7 (2001).
Measurement of the temporal evolution of periodic induced displacement derivatives using stroboscopic electronic speckle-shearing interferometry. — Pablo D. Ruiz, Abundio Dávila, Gabriel Mendiola, and Guillermo H. Kaufmann; **40** (2), 318-24 (2001).
High-sensitivity surface-profile measurements by heterodyne white-light interferometer. — Akiko Hirai and Hirokazu Matsumoto; **40** (3), 387-91 (2001).
Frequency stabilization of a semiconductor laser using water-vapor absorption lines. — Oliver Grohe, Harald Gottschling, Holger Jennewein, and Theo Tschudi; **40** (4), 529-32 (2001).
Study of ultraminiature sensing coils and the performance of a depolarized interferometric fiber optic gyroscope. — Paul B. Ruffin, Janet Baeder, and C. C. Sung; **40** (4), 605-11 (2001).
Influence of a general small inclination on the measurement in Talbot interferometry. — Qian Liu and Ryoji Ohba; **40** (5), 746-52 (2001).
Computer simulations of interferometric imaging with the Very Large Telescope Interferometer and its Astronomical Multibeam Recombiner instrument. — F. Przygodda, T. Blöcker, K.-H. Hofmann, and G. Weigelt; **40** (5), 753-60 (2001).
Simulations and experimental results with a vectorial shearing interferometer. — Guillermo Garcia-Torales, Gonzalo Paez, and Marija Strojnik; **40** (5), 767-73 (2001).
Algorithm for resolving 2π ambiguities in interferometric measurements by use of multiple wavelengths. — Mats G. Löfdahl and Henrik Eriksson; **40** (6), 984-90 (2001).
Multiplexed interferometer for ultrasonic imaging applications. — Todd W. Murray and Sridhar Krishnaswamy; **40** (7), 1321-8 (2001).
Analysis of spectrally resolved white light interferograms: use of a phase shifting technique. — S. Suja Helen, M. P. Kothiyal, and R. S. Sirohi; **40** (7), 1329-36 (2001).
Spectral effects of sampling a continuous-scan Fourier transform spectrometer with a capacitive transimpedance amplifier. — Todd Hurt; **40** (7), 1415-7 (2001).
Profilometer for measuring superfine surfaces. — Zhao-Fei Zhou, Tao Zhang, Weidong Zhou, and Wenjie Li; **40** (8), 1646-52 (2001).
Sensitivity enhancement of far-infrared Fizeau interferometry by digital image processing. — Kaushal Verma and Bongtae Han; **40** (9), 1970-7 (2001).
Influence of object roughness on specimen gratings for moiré interferometry. — Amalia Martínez, Ramon Rodríguez-Vera, Juan A. Rayas, and José F. Vázquez; **40** (9), 1978-83 (2001).
Noncontact probe for profilometric measurement of small-form parts. — Ming Chang and Kao-Hui Lin; **40** (10), 2057-8 (2001).
Digital moiré subtraction in optical engineering. — Colin Forno and Maurice P. Whelan; **40** (10), 2199-207 (2001).
Simple method for measuring the extraordinary and ordinary indices of quartz plates. — Cheng-Chih Hsu and Der-Chin Su; **40** (10), 2273-6 (2001).
Hybrid holographic microscope for interferometric measurement of microstructures. — Lei Xu, Xiaoyuan Peng, Anand K. Asundi, and Jianmin Miao; **40** (11), 2533-9 (2001).
Comparative study of wavelet thresholding methods for denoising electronic speckle pattern interferometry fringes. — Alejandro Federico and Guillermo H. Kaufmann; **40** (11), 2598-604 (2001).
Identification of primary aberrations on a lateral shearing interferogram of optical components using neural network. — Tae-Seok Yang and Jun Ho Oh; **40** (12), 2771-9 (2001).

Inverse optics
Inverse synthetic aperture radar imaging using a coherent ultrawideband random noise radar system. — Daryl C. Bell and Ram M. Narayanan; **40** (11), 2612-23 (2001).

Ions
Fabrication of a waveguiding layer in Teflon AF® by ion irradiation. — M. Leitz, R. P. Podgorsek, H. Franke, D. Hernandez, E. J. Knystautas, and R. A. Lessard; **40** (7), 1315-20 (2001).

Joint transforms
Optimization of encrypted holograms in optical security systems. — Mitsuhiro Yamazaki and Junji Ohtsubo; **40** (1), 132-7 (2001).
Security optical systems based on a joint transform correlator with significant output images. — David Abookasis, Ortal Arazi, Joseph Rosen, and Bahram Javidi; **40** (8), 1584-9 (2001).
Chinese seal imprint recognition with joint transform correlators. — Jian-Shuen Fang and Chulung Chen; **40** (10), 2159-64 (2001).
Parallel fuzzy inference and logic processing with a joint transform correlator. — Shuqun Zhang and Mohammad A. Karim; **40** (11), 2400-6 (2001).
Color pattern recognition using fringe-adjusted joint transform correlation. — Mohammad S. Alam and C. N. Wai; **40** (11), 2407-13 (2001).

Kinoforms
Determination of phase-step errors of kinoform gratings from their diffraction efficiencies. — Zbigniew Jaroszewicz, Andrzej Kolodziejczyk, Andrzej Kowalik, and Roberto Restrepo; **40** (5), 692-7 (2001).

Laser applications
Airborne lidar for fisheries applications. — James H. Churnside, James J. Wilson, and Viatcheslav V. Tatarskii; **40** (3), 406-14 (2001).

Laser diodes
Unusual techniques for absolute distance measurement. — Peter de Groot; **40** (1), 28-32 (2001).
Angle measurement by injection detection in a laser diode. — Guido Giuliani, Silvano Donati, Marco Passerini, and Thierry Bosch; **40** (1), 95-9 (2001).

Laser Doppler velocimetry
Measurement of speed and attenuation of longitudinal elastic waves in optical fibers. — Brad M. Beadle and Jacek Jarzynski; **40** (10), 2115-9 (2001).

Laser-induced damage
Laser-induced temperature distributions and thermal deformations in sapphire, silicon, and calcium fluoride substrates at 1.315 μm. — Yufeng Peng, Zuhai Cheng, Yaoning Zhang, and Junlin Qiu; **40** (12), 2822-9 (2001).

Laser-induced fluorescence
Laser-induced fluorescence imaging of the ocean bottom. — David N. Sitter, Jr., and Asher Gelbart; **40** (8), 1545-53 (2001).

Lasers
Laser ranging: a critical review of usual techniques for distance measurement. — Markus-Christian Amann, Thierry Bosch, Marc Lescure, Risto Myllylä, and Marc Rioux; **40** (1), 10-9 (2001).
Unusual techniques for absolute distance measurement. — Peter de Groot; **40** (1), 28-32 (2001).
New laser rangefinder for three-dimensional shape measurement of specular objects. — Mitsuru Baba, Kozo Ohtani, Makoto Imai, and Tadataka Konishi; **40** (1), 53-60 (2001).
Low-cost three-dimensional vision system based on a low-power semiconductor laser rangefinder and a single scanning mirror. — Ernesto García and Horacio Lamela; **40** (1), 61-6 (2001).
Optimum analog-to-digital converters for a laser speckle correlation-based displacement and strain sensor with optical preprocessing. — Christian Kargel and Bernhard G. Zagar; **40** (1), 90-4 (2001).
Angle measurement by injection detection in a laser diode. — Guido Giuliani, Silvano Donati, Marco Passerini, and Thierry Bosch; **40** (1), 95-9 (2001).
Fuzzy logic control of a nitrogen laser. — Siu-Chung Tam, Siong-Chai Tan, Wah-Peng Neo, Sze-Chern Foong, Choon-Hao Chan, Anthony T. S. Ho, Hock-Chuan Chua, and Sing Lee; **40** (2), 237-44 (2001).
Abnormal photon absorption behavior in melanin detected by photothermal lensing due to simultaneous irradiation with multiple laser wavelengths. — Yue Han, Joseph S. Rosenshein, Z. L. Wu, Wen Ye, Marshall Thomsen, and Qiang Zhao; **40** (2), 303-9 (2001).
Threshold characteristics of 1.55-μm InGaAs/InGaAsP strain-compensated quantum well lasers with zero net strain. — Chunsheng Ma, Lijun Wang, and Shiyong Liu; **40** (3), 460-5 (2001).
Mode suppression, its elimination, and generation of small frequency differences in birefringence He-Ne lasers. — Shulian Zhang, Yuye Jin, Jie Fu, Yan Li, Li Shiqun, and Li Jiaqiang; **40** (4), 594-7 (2001).
Method for the measurement of retardation of wave plates based on laser frequency-splitting technology. — Yi Zhang, Shulian Zhang, Yanmei Han, Yan Li, and Xiaonan Xu; **40** (6), 1071-5 (2001).
Heating measurements in diode-end-pumped Nd:YVO_4 lasers. — Xiaoyuan Peng, Anand Asundi, Yihong Chen, and Zhengjun Xiong; **40** (6), 1100-5 (2001).
Short-wavelength vertical-cavity surface-emitting laser applications: from high-throughput multimode fiber links to two-dimensional interchip interconnections. — Rainer Michalzik, Roger King, Felix Mederer, Max Kicherer, Giorgio Giaretta, and Karl J. Ebeling; **40** (7), 1179-85 (2001).
Design considerations for rare earth doped silver halide fiber amplifiers. — Ram Oron, David Bunimovich, Lev Nagli, Abraham Katzir, and Amos A. Hardy; **40** (8), 1516-20 (2001).
Mathematical model for the irradiance probability density function of a laser beam propagating through turbulent media. — M. A. Al-Habash, L. C. Andrews, and R. L. Phillips; **40** (8), 1554-62 (2001).
Self-compensation heterodyne vibrometer using an acousto-optic modulator as vibration detector. — B. K. A. Ngoi and K. Venkatakrishnan; **40** (8), 1563-7 (2001).
Simple method to calculate the radial energy and temperature distributions in diode-pumped solid state laser rods. — Wenjie Xie, Siu-Chung Tam, and Yee-Loy Lam; **40** (8), 1568-72 (2001).
Profilometer for measuring superfine surfaces. — Zhao-Fei Zhou, Tao Zhang, Weidong Zhou, and Wenjie Li; **40** (8), 1646-52 (2001).
Laser examination of cast surface roughness. — Konrad Łukaszewski, Kazimierz Rożniakowski, and Tomasz W. Wojtatowicz; **40** (9), 1993-7 (2001).
Laser polishing of optical fiber end surface. — Mircea Udrea, Hamdi Orun, and Ali Alacakir; **40** (9), 2026-30 (2001).
Measurement of human vocal fold vibrations with laser triangulation. — Göran Manneberg, Stellan Hertegård, and Johan Liljencrantz; **40** (9), 2041-4 (2001).

Laser beam deflectometry based on a subpixel resolution algorithm. — Héctor Canabal, José Alonso, and Eusebio Bernabeu; **40** (11), 2517-23 (2001).
Online machine vision method for measuring the diameter and straightness of seamless steel pipes. — Changku Sun, Qiang You, Yu Qiu, and Shenghua Ye; **40** (11), 2565-71 (2001).
Third-order optical nonlinearities and optical limiting of octa-octyloxy phthalocyanine free base in toluene. — Chen Yu, Yunjing Li, Qu Shiliang, Song Yinglin, Yuxin Nie, and Wang Duoyuan; **40** (12), 2683-4 (2001).
Measurement of low-level gain in a visible chemical laser amplifier. — James Michael Stephens, John David Stout, Joseph Abraham, Martin Neumann, James L. Gole, Lee H. Sentman, and Mariusz Zaczek; **40** (12), 2788-801 (2001).
Submicron holes in copper thin film directly ablated using femtosecond pulsed laser. — K. Venkatakrishnan, B. Tan, and B. K. A. Ngoi; **40** (12), 2892-3 (2001).

Lasers in medicine

Dynamically observing intratumor injection of laser-absorbing dye and immunoadjuvant using digital x-ray imaging technique. — Wei R. Chen, Hong Liu, Wei Yue, Jiping Wang, and Robert E. Nordquist; **40** (7), 1249-54 (2001).

Lenses

Random facet Fresnel lenses and mirrors. — Don A. Gregory and Guofin Peng; **40** (5), 713-9 (2001).
Analysis of single lens arrays using convolution. — Andrew P. Riser and William J. Cassarly; **40** (5), 805-13 (2001).
Optical properties of cyclic olefin copolymers. — G. Khanarian and Hoechst Celanese; **40** (6), 1024-9 (2001).
Theoretical investigation of the influence of a diaphragm on the flat surface of a solid immersion lens on beam parameters. — Anatoly S. Lapchuk, Vyacheslav V. Petrov, Andrey A. Kryuchin, and Semen M. Shanoylo; **40** (8), 1471-5 (2001).
Dwell time algorithm for computer-controlled polishing of small axis-symmetrical aspherical lens mold. — Hocheol Lee and Minyang Yang; **40** (9), 1936-43 (2001).
Near-field optical data storage: avenues for improved performance. — Tom D. Milster; **40** (10), 2255-60 (2001).
Polarization analyses of readout signals by a solid immersion lens in phase change recording material. — Chung-Hao Tien, Yin-Chieh Lai, and Han-Ping David Shieh; **40** (10), 2285-92 (2001).
Free-space optical interconnection modules for two-dimensional photonic very large scale integration circuitry based on microlenses and gradient-refractive-index lenses. — Valérie Baukens, Irina Veretennicoff, and Hugo Thienpont; **40** (11), 2431-41 (2001).
Optical properties of two photoresists designed for charge-coupled device microlenses. — Nina Nordman and Olli Nordman; **40** (11), 2572-6 (2001).
Design and construction of a fiber bundle connector using microlenses. — Deqing Ren, Ray Sharples, J. R. Allington-Smith, G. N. Dodsworth, D. J. Robertson, and G. Dalton; **40** (12), 2709-17 (2001).

Lidar

Wind infrared Doppler lidar instrument. — Ch. Werner, P. H. Flamant, O. Reitebuch, F. Köpp, J. Streicher, S. Rahm, E. Nagel, M. Klier, H. Herrmann, C. Loth, P. Delville, Ph. Drobinski, B. Romand, Ch. Boitel, D. Oh, M. Lopez, M. Meissonnier, D. Bruneau, and A. Dabas; **40** (1), 115-25 (2001).
Stereo-based registration of range and projective imagery for data fusion and visualization. — Philip W. Smith and Mark D. Elstrom; **40** (3), 352-61 (2001).
Evaluation of differential absorption lidar (DIAL) measurement error by simultaneous DIAL and null profiling. — Tetsuo Fukuchi, Takashi Fujii, Naohiko Goto, Koshichi Nemoto, and Nobuo Takeuchi; **40** (3), 392-7 (2001).
Airborne lidar for fisheries applications. — James H. Churnside, James J. Wilson, and Viatcheslav V. Tatarskii; **40** (3), 406-14 (2001).
Relaxation oscillation with Tm:YLF laser using a double cavity in the single-longitudinal-mode oscillation. — Jun Izawa, Hayato Nakajima, Hiroshi Hara, and Yoshinori Arimoto; **40** (5), 466-8 (2001).
Frequency stabilization of a diode laser to absorption lines of water vapor in the 944-nm wavelength region. — Grady J. Koch, Anthony L. Cook, Colleen M. Fitzgerald, and Amin N. Dharamsi; **40** (4), 525-8 (2001).
Lidar remote sensing of stone cultural heritage: detection of protective treatments. — Gaia Ballerini, Susanna Bracci, Luca Pantani, and Piero Tiano; **40** (8), 1579-83 (2001).
Tropospheric O_3 measurement by simultaneous differential absorption lidar and null profiling and comparison with sonde measurement. — Tetsuo Fukuchi, Takashi Fujii, Nianwen Cao, Koshichi Nemoto, and Nobuo Takeuchi; **40** (9), 1944-9 (2001).
Measurement system for laser bistatic lidar scattering. — Chin-Yuan Hsieh; **40** (11), 2546-51 (2001).

Light

New structured light encoding method for range-data acquisition. — Boxiong Wang, Wei Xiao, and Xiuzhi Luo; **40** (11), 2474-9 (2001).
Studies on the propagation of light from a light-emitting diode through a glass tube and development of an optosensor for the continuous detection of liquid level. — N. B. Manik, S. C. Mukherjee, and A. N. Basu; **40** (12), 2830-6 (2001).

Liquid crystals

Method for measuring the cell gap in liquid-crystal displays. — Filip Bruyneel, Herbert De Smet, Jan Vanfleteren, and André Van Calster; **40** (2), 259-67 (2001).
Encoding complex diffractive optical elements onto a phase-only liquid-crystal spatial light modulator. — Jeffrey A. Davis, Dylan E. McNamara, Don M. Cottrell, Juan Campos, Maria J. Yzuel, and Ignacio Moreno; **40** (2), 327-9 (2001).
Theory of electrically controllable long-period gratings built in liquid-crystal fibers. — Yoonchan Jeong and Byoungho Lee; **40** (7), 1227-33 (2001).
Open-cell photoacoustic investigation of the thermal effusivity of liquid crystals. — Nibu A. George, C. P. G. Vallabhan, V. P. N. Nampoori, A. K. George, and P. Radhakrishnan; **40** (7), 1343-7 (2001).
Polymer-enhanced diffraction in an azo-dye-doped liquid crystal. — Manlin Pei, Yong-Jing Wang, and Gene O. Carlisle; **40** (8), 1481-5 (2001).
Liquid crystal-based self-aligning 2×2 wavelength routing module. — Sarun Sumriddetchkajorn, Nabeel A. Riza, and Deepak K. Sengupta; **40** (8), 1521-8 (2001).
Novel passive polymer waveguides integrated with electro-optically active ferroelectric liquid crystals. — David S. Hermann, Giusy Scalia, Claire Pitois, Francesco De Marco, Koen D'havé, Giancarlo Abbate, Mikael Lindgren, and Anders Hult; **40** (10), 2188-98 (2001).
Polarization eigenvectors for reflective twisted nematic liquid crystal displays. — Ignacio Moreno, Carlos R. Fernández-Pousa, Jeffrey A. Davis, and David J. Franich; **40** (10), 2220-6 (2001).
Iterative finite-difference method for calculating the distribution of a liquid-crystal director. — Qian Wang, Saíling He, Feihong Yu, and Nairong Huang; **40** (11), 2552-7 (2001).
Quantitative prediction of the modulation behavior of twisted nematic liquid crystal displays based on a simple physical model. — Andrés Márquez, Claudio Iemmi, Ignacio Moreno, Jeffrey A. Davis, Juan Campos, and Maria J. Yzuel; **40** (11), 2558-64 (2001).

Lithium niobate

X-cut $LiNbO_3$ optoelectronic device passivated by silicon nitride film. — Futoshi Yamamoto, Yasuyuki Miyama, Hirotoshi Nagata, and Masumi Tamai; **40** (6), 1138-41 (2001).
Electro-optic intensity modulators at $\lambda = 1.55\ \mu m$ utilizing strain-optic effects in $LiNbO_3$. — H. S. Jung, O. Eknoyan, and H. F. Taylor; **40** (8), 1499-501 (2001).

Lithography

Determination of phase-step errors of kinoform gratings from their diffraction efficiencies. — Zbigniew Jaroszewicz, Andrzej Kolodziejczyk, Andrzej Kowalik, and Roberto Restrepo; **40** (5), 692-7 (2001).
Micro-optical distance sensor fabricated by deep x-ray lithography. — Hajime Nakajima, Patrick Ruther, Jürgen Mohr, Masahiro Tsugai, and Teruo Usami; **40** (8), 1667-73 (2001).

Logic

Parallel fuzzy inference and logic processing with a joint transform correlator. — Shuqun Zhang and Mohammad A. Karim; **40** (11), 2400-6 (2001).

Luminescence

Enhancement of the laterally emitting thin film electroluminescent device optical outcoupling via the fabrication of novel geometry structures. — Sara Otero Barros, Robert Stevens, and Wayne Cranton; **40** (6), 934-40 (2001).

Machine vision

Color features for quality control in ceramic tile industry. — Saku Kukkonen, Heikki Kälviäinen, and Jussi Parkkinen; **40** (2), 170-7 (2001).
Online machine vision method for measuring the diameter and straightness of seamless steel pipes. — Changku Sun, Qiang You, Yu Qiu, and Shenghua Ye; **40** (11), 2565-71 (2001).

Magnetic resonance

Near-infrared spectroscopy studies on cerebral blood oxygenation changes during brain activation: possible limitations of blood oxygenation level dependent functional magnetic resonance imaging. — Yuxiao Xie, Kaoru Sakatani, Wemara Lichty, Huancong Zuo, Zuoping Xie, and Jing Bai; **40** (10), 2302-7 (2001).

Magneto-optics

New design of a detachable bulk-optic Faraday effect current clamp. — Benshun Yi, Beatrice C. B. Chu, and Kin Seng Chiang; **40** (6), 914-20 (2001).

Mapping

Mapping correlation algorithm as interface between experimental optical technique and computer modeling for the study of mechanical structures. — Héctor J. Puga, Ramón Rodríguez-Vera, and S. Botello; **40** (8), 1598-607 (2001).

Masks

Efficient pseudo-nondiffracting beam shaping using a quasicontinuous-phase diffractive element. — Michael R. Wang, Changyuan Yu, and Alberto J. Varela; **40** (4), 517-24 (2001).
Security optical systems based on a joint transform correlator with significant output images. — David Abookasis, Ortal Arazi, Joseph Rosen, and Bahram Javidi; **40** (8), 1584-9 (2001).

Materials

Thickness variation of self-processing acrylamide-based photopolymer and reflection holography. — F. T. O'Neill, J. R. Lawrence, and J. T. Sheridan; **40** (4), 533-9 (2001).

Mathematical morphology

Digital synthesis of binary diffractive masks using mathematical morphology. — Gonzalo Urcid, Javier Báez-Rojas, and Alejandro Cornejo-Rodríguez; **40** (10), 2084-91 (2001).
Stochastic algorithm for approximating soft morphological operators. — Michael A. Zmuda; **40** (12), 2746-52 (2001).

Matrices

Implementation of all-optical digital matrix multiplication scheme with nonlinear material. — Sourangshu Mukhopadhyay, Debendra Nath Das, Partha Pratima Das, and Partha Ghosh; **40** (9), 1998-2002 (2001).
Multiple information hiding technique using random sequence and Hadamard matrix. — Kyu-Tae Kim, Jang-Hwan Kim, and Eun-Soo Kim; **40** (11), 2489-94 (2001).
Texture synthesis using gray-level co-occurrense models: algorithms, experimental analysis, and psychophysical support. — Anthony C. Copeland, Gopalan Ravichandran, and Mohan M. Trivedi; **40** (11), 2655-73 (2001).

Measurement

Laser ranging: a critical review of usual techniques for distance measurement. — Markus-Christian Amann, Thierry Bosch, Marc Lescure, Risto Myllylä, and Marc Rioux; **40** (1), 10-9 (2001).
Optical feedback interferometry for sensing application. — Thierry Bosch, Noël Servagent, and Silvano Donati; **40** (1), 20-7 (2001).
Unusual techniques for absolute distance measurement. — Peter de Groot; **40** (1), 28-32 (2001).
New laser rangefinder for three-dimensional shape measurement of specular objects. — Mitsuru Baba, Kozo Ohtani, Makoto Imai, and Tadataka Konishi; **40** (1), 53-60 (2001).
System for acquisition of three-dimensional shape and movement using digital Light-in-Flight holography. — Torgny E. Carlsson, Bengt Nilsson, and Jonny Gustafsson; **40** (1), 67-75 (2001).
Characterization of composite materials using a polarizing speckle interferometer. — Pascal Picart, Eric Lolive, and Jean-Marie Berthelot; **40** (1), 81-9 (2001).

Medical imaging

Tumor detection in digitized mammograms by image texture analysis. — Richard Pfisterer and Farzin Aghdasi; **40** (2), 209-16 (2001).

Meteorology

Small-rotation-angle measurement using an imaging method. — Takamasa Suzuki, Hideki Nakamura, Osami Sasaki, and John E. Greivenkamp; **40** (3), 426-32 (2001).

Metrology

Distance measurement of moving objects by frequency modulated laser radar. — Richard Schneider, Peter Thürmel, and Michael Stockmann; **40** (1), 33-7 (2001).
Characterization of composite materials using a polarizing speckle interferometer. — Pascal Picart, Éric Lolive, and Jean-Marie Berthelot; **40** (1), 81-9 (2001).
Measurement of the temporal evolution of periodic induced displacement derivatives using stroboscopic electronic speckle-shearing interferometry. — Pablo D. Ruiz, Abundio Dávila, Gabriel Mendiola, and Guillermo H. Kaufmann; **40** (2), 318-24 (2001).
Opto-digital system for curvature measurement. — V. KrishnaKumar, V. M. Murukeshan, A. Kishen, and A. Asundi; **40** (3), 340-1 (2001).
Error propagation in two-sensor three-dimensional position estimation. — John N. Sanders-Reed; **40** (4), 627-36 (2001).

Simulations and experimental results with a vectorial shearing interferometer. — Guillermo Garcia-Torales, Gonzalo Paez, and Marija Strojnik; **40** (5), 767-73 (2001).
On the choice of the number of samples in laser Doppler anemometry signal processing. — Federico Dios, Adolfo Comerón, and David García-Vizcaíno; **40** (5), 774-82 (2001).
Investigation of microcracks in wood with laser speckle intensity. — Paul Wahl, Antti Hanhijärvi, and Raimo Silvennoinen; **40** (5), 788-92 (2001).
Hologram reconstruction using a digital micromirror device. — Thomas Kreis, Petra Aswendt, and Roland Höfling; **40** (6), 926-33 (2001).
Uncertainty of temperature measurement with thermal cameras. — Krzysztof Chrzanowski, Robert Matyszkiel, Joachim Fischer, and Jaroslaw Barela; **40** (6), 1106-14 (2001).
Out-of-plane vibration measurement by speckle photography using photorefractive $BaTiO_3$ crystal. — K. S. Dharmsaktu, Arvind Kumar, and Kehar Singh; **40** (6), 1132-7 (2001).
Speckle photography and the fractional Fourier transform. — Robert Patten, John T. Sheridan, and Alan Larkin; **40** (8), 1438-40 (2001).
Mapping correlation algorithm as interface between experimental optical technique and computer modeling for the study of mechanical structures. — Héctor J. Puga, Ramón Rodríguez-Vera, and S. Botello; **40** (8), 1598-607 (2001).
Optical reference profilometry. — Stephan R. Clark and John E. Greivenkamp; **40** (12), 2845-51 (2001).
Optical profilometer with a standalone scanning sensor head. — Alessandro Bartoli, Pasquale Poggi, Franco Quercioli, Bruno Tiribilli, and Massimo Vassalli; **40** (12), 2852-9 (2001).

Micro-optics
Microlens systems for fluorescence detection in chemical microsystems. — Jean-Christophe Roulet, Reinhard Völkel, Hans Peter Herzig, Elisabeth Verpoorte, Nico F. de Rooij, and René Dändliker; **40** (5), 814-21 (2001).
Direct laser writing of mid-infrared microelements on polyethylene material. — Manuel Ornelas-Rodriguez and Sergio Calixto; **40** (6), 921-5 (2001).
Low numerical aperture refractive microlenses in fused silica. — Ph. Nussbaum and H. P. Herzig; **40** (7), 1412-4 (2001).
Novel one-step method of microlens mold array fabrication. — Yongqi Fu and Bryan Kok Ann Ngoi; **40** (8), 1433-4 (2001).
Micro-optical distance sensor fabricated by deep x-ray lithography. — Hajime Nakajima, Patrick Ruther, Jürgen Mohr, Masahiro Tsugai, and Teruo Usami; **40** (8), 1667-73 (2001).
Fabrication of refractive microlens array by etching dichromate gelatin with enzyme solution. — Jun Yao, Fuhua Gao, Yongkang Guo, and Zheng Cui; **40** (9), 2022-5 (2001).

Microelectromechanical systems
Optically interrogated MEMS pressure sensors for propulsion applications. — Jie Zhou, Samhita Dasgupta, Hiroshi Kobayashi, J. Mitch Wolff, Howard E. Jackson, and Joseph T. Boyd; **40** (4), 598-604 (2001).

Microfabrication
Investigation of diffractive-refractive microlens array fabricated by focused ion beam technology. — Yongqi Fu and Bryan Kok Ann Ngoi; **40** (4), 511-6 (2001).

Microlenses
Investigation of diffractive-refractive microlens array fabricated by focused ion beam technology. — Yongqi Fu and Bryan Kok Ann Ngoi; **40** (4), 511-6 (2001).
Microlens systems for fluorescence detection in chemical microsystems. — Jean-Christophe Roulet, Reinhard Völkel, Hans Peter Herzig, Elisabeth Verpoorte, Nico F. de Rooij, and René Dändliker; **40** (5), 814-21 (2001).
Algorithm for expanding the dynamic range of a Shack-Hartmann sensor by using a spatial light modulator array. — Norbert Lindlein, Johannes Pfund, and Johannes Schwider; **40** (5), 837-40 (2001).

Microlithography
Reduction of residual stress in extreme ultraviolet Mo/Si multilayer mirrors with postdeposition thermal treatments. — Claude Montcalm; **40** (3), 469-77 (2001).
Effective exposure dose measurement technologies: multitone flood exposure by unresolved gratings with multilevel opening ratio. — Soichi Inoue, Tadahito Fujisawa, and Kyoko Izuha; **40** (10), 2338-44 (2001).
Optical properties of two photoresists designed for charge-coupled device microlenses. — Nina Nordman and Olli Nordman; **40** (11), 2572-6 (2001).

Microscopes
Surface imperfections: specimen measurement by microscope and digital camera. — Lionel R. Baker; **40** (10), 2059-60 (2001).
Experimental study on the measurement of the curvature radius of a spherical grid. — Qingxiang Li, Yunqing Wang, Lifen Bai, and Zili Zhao; **40** (10), 2120-4 (2001).
Hybrid holographic microscope for interferometric measurement of microstructures. — Lei Xu, Xiaoyuan Peng, Anand K. Asundi, and Jianmin Miao; **40** (11), 2533-9 (2001).

Microscopy
Noninterferometric measurement of lead zirconate titanate inverse piezoelectric extension. — Lisong Yang, Li Liu, Guiying Wang, and Zhizhan Xu; **40** (6), 909-13 (2001).

Microwaves
Photonic radio frequency mixer using metal-semiconductor-metal photodetectors. — Bing Li, Lei Lin, Suning Tang, Yujie Liu, and Ray T. Chen; **40** (7), 1234-7 (2001).

Mie theory
Bibliographical review for reflectance of diffusing media. — Bernadette Philips-Invernizzi, Daniel Dupont, and Claude Cazé; **40** (6), 1082-92 (2001).

Millimeter waves
Nonuniformity correction and restoration of passive millimeter-wave images. — Alan H. Lettington, Sophie Tzimopoulou, and Malcolm P. Rollason; **40** (2), 268-74 (2001).
Optimal dithering of focal plane arrays in passive millimeter-wave imaging. — Yun Gao and Stanley J. Reeves; **40** (10), 2179-87 (2001).

Mirrors
Low-cost three-dimensional vision system based on a low-power semiconductor laser rangefinder and a single scanning mirror. — Ernesto García and Horacio Lamela; **40** (1), 61-6 (2001).
Angle measurement by injection detection in a laser diode. — Guido Giuliani, Silvano Donati, Marco Passerini, and Thierry Bosch; **40** (1), 95-9 (2001).
Generation of front-surface low-mass epoxy-composite mirrors by spin-casting. — Robert L. Richardson and Peter R. Griffiths; **40** (2), 252-8 (2001).
Random facet Fresnel lenses and mirrors. — Don A. Gregory and Guolin Peng; **40** (5), 713-9 (2001).

Missiles
Adaptive infrared counter countermeasure for two-color spinning concentric-annular-ring reticle seeker. — Hyun-Ki Hong, Sung-Gabb Jahng, Kyoung-Soo Doo, Jong-Soo Choi, and Sung-Hyun Han; **40** (6), 1093-9 (2001).

Modeling
Inclusive modeling tool for homodyne crosstalk in optical networks. — Efraim Buimovich, Dan Sadot, and Sam Rubin; **40** (6), 1065-70 (2001).

Modes
Application of V^{3+}:YAG crystals for Q-switching and mode-locking of 1.3-μm diode-pumped neodymium lasers. — Jan K. Jabczyński, Krzysztof Kopczyński, Zygmunt Mierczyk, Antonio Agnesi, Annalisa Guandalini, and GianCarlo Reali; **40** (12), 2802-11 (2001).

Modulation
Frequency stabilization of a diode laser to absorption lines of water vapor in the 944-nm wavelength region. — Grady J. Koch, Anthony L. Cook, Colleen M. Fitzgerald, and Amin N. Dharamsi; **40** (4), 525-8 (2001).
Quantitative prediction of the modulation behavior of twisted nematic liquid crystal displays based on a simple physical model. — Andrés Márquez, Claudio Iemmi, Ignacio Moreno, Jeffrey A. Davis, Juan Campos, and Maria J. Yzuel; **40** (11), 2558-64 (2001).

Modulation transfer functions
Underwater image transmission and blurred image restoration. — Zhishen Liu, Yifan Yu, Kailin Zhang, and Hailong Huang; **40** (6), 1125-31 (2001).
Atmospheric turbulence modulation transfer function for infrared target acquisition modeling. — Keith Krapels, Ronald G. Driggers, Richard H. Vollmerhausen, Norman S. Kopeika, and Carl E. Halford; **40** (9), 1906-13 (2001).
Modulation transfer function as a quality measure for compressed images transmitted over a lossy packet network. — Ofer Hadar, Adrian Stern, Merav Huber, and Revital Huber; **40** (10), 2134-42 (2001).

Modulators
Simulation and analysis of a high-efficiency silicon optoelectronic modulator based on a Bragg mirror. — Giuseppe Coppola, Andrea Irace, Mario Iodice, and Antonello Cutolo; **40** (6), 1076-81 (2001).
X-cut $LiNbO_3$ optoelectronic device passivated by silicon nitride film. — Futoshi Yamamoto, Yasuyuki Miyama, Hirotoshi Nagata, and Masumi Tamai; **40** (6), 1138-41 (2001).
High-speed, dual-function vertical cavity multiple quantum well modulators and photodetectors for optical interconnects. — Hong Liu, Chien-Chung Lin, and James S. Harris, Jr. ; **40** (7), 1186-91 (2001).
Large-aperture multiple quantum well modulating retroreflector for free-space optical data transfer on unmanned aerial vehicles. — G. C. Gilbreath, W. S. Rabinovich, T. J. Meehan, M. J. Vilcheck, R. Mahon, Ray Burris, M. Ferraro, I. Sokolsky, J. A. Vasquez, C. S. Bovais, K. Cochrell, K. C. Goins, R. Barbehenn, D. S. Katzer, K. Ikossi-Anastasiou, and Marcos J. Montes; **40** (7), 1348-56 (2001).
Electro-optic intensity modulators at $\lambda = 1.55$ μm utilizing strain-optic effects in $LiNbO_3$. — H. S. Jung, O. Eknoyan, and H. F. Taylor; **40** (8), 1499-501 (2001).
Self-compensation heterodyne vibrometer using an acousto-optic modulator as vibration detector. — B. K. A. Ngoi and K. Venkatakrishnan; **40** (8), 1563-7 (2001).
Nanotribology of thin films in a lithium niobate optical waveguide modulator $LiNbO_3$-Ti(20 nm)-Pt(10 nm)-Au(100 nm)-Au(10 μm) using depth-sensing nanoindentation and scratching techniques. — Lotfi Chouanine; **40** (8), 1709-16 (2001).
Effect of conductivity and dielectric constant on the modulation voltage for optoelectronic devices based on nonlinear optical polymers. — James G. Grote, John S. Zetts, Robert L. Nelson, Frank K. Hopkins, Larry R. Dalton, Cheng Zhang, and William H. Steier; **40** (11), 2464-73 (2001).

Moire
Influence of a general small inclination on the measurement in Talbot interferometry. — Qian Liu and Ryoji Ohba; **40** (5), 746-52 (2001).
Three-dimensional displacement measurement using a newly designed moiré interferometer. — Shyh-Tsong Lin; **40** (5), 822-6 (2001).
Shadow moiré profilometry by frequency sweeping. — L. H. Jin, Y. Otani, and T. Yoshizawa; **40** (7), 1383-6 (2001).
Measurement of yarn densities in fabrics using phase-shifted digital moiré. — B. Xu, S. Lin, and N. Jiang; **40** (8), 1476-80 (2001).
Influence of object roughness on specimen gratings for moiré interferometry. — Amalia Martínez, Ramon Rodríguez-Vera, Juan A. Rayas, and José F. Vázquez; **40** (9), 1978-83 (2001).
Three-dimensional object classification using shadow moiré and neural network. — Mani Maran Ratnam, Chee Peng Lim, and Ai Ni Khor; **40** (9), 2036-40 (2001).
Matching information terminal based on a spatially coded moiré technique. — Kouichi Nitta, Hiroyuki Togo, and Jun Tanida; **40** (11), 2386-91 (2001).
Optoelectronic hidden grids and moiré patterns: basics and applications in distance measurement. — Mario Garavaglia and Anibal Pablo Laquidara; **40** (11), 2510-6 (2001).

Moire gratings
Digital moiré subtraction in optical engineering. — Colin Forno and Maurice P. Whelan; **40** (10), 2199-207 (2001).

Motion
Efficient method for the translational motion compensation of inverse synthetic aperture radar imagery. — Benjamin C. Flores, Jae Sok Son, and Salim Tariq; **40** (3), 433-42 (2001).
Fast motion estimation with search-center prediction. — Hing Yip Chung, N. H. C. Yung, and P. Y. S. Cheung; **40** (6), 952-63 (2001).
Digital camcorder image stabilizer based on gray-coded bit-plane block matching. — Yeou-Min Yeh, Huang-Cheng Chiang, and Sheng-Jyh Wang; **40** (10), 2172-8 (2001).
Improved motion stereo matching based on a modified dynamic programming. — Mikhail Mozerov, Vitaly Kober, and Tae Sun Choi; **40** (10), 2234-9 (2001).

Multilayers
Reduction of residual stress in extreme ultraviolet Mo/Si multilayer mirrors with postdeposition thermal treatments. — Claude Montcalm; **40** (3), 469-77 (2001).
Blocking improved narrow-band filters for the UV-B region. — Hein Uhlig and Norbert Kaiser; **40** (10), 2331-7 (2001).

Multilevel thresholding
Automating data extraction and identification on Chinese road maps. — Peng-Yeng Yin and Yen-Bo Huang; **40** (5), 663-73 (2001).

Multiplexing
Hybrid dense-wavelength-division-multiplexing system for CATV and 256-QAM transport. — Hai-Han Lu; **40** (7), 1158-9 (2001).
Short-wavelength vertical-cavity surface-emitting laser applications: from high-throughput multimode fiber links to two-dimensional interchip interconnections. — Rainer Michalzik, Roger King, Felix Mederer, Max Kicherer, Giorgio Giaretta, and Karl J. Ebeling; **40** (7), 1179-85 (2001).
Reliable grating-based wavelength division (de)multiplexers for optical networks. — Feng Zhao, Jie Qiao, Xuegong Deng, Jizuo Zou, Baoping Guo, Ray Collins, Victor Villavicencio, Kwei K. Chang, James W. Horwitz, Bill Morey, and Ray T. Chen; **40** (7), 1204-11 (2001).

Multiplexed interferometer for ultrasonic imaging applications. — Todd W. Murray and Sridhar Krishnaswamy; **40** (7), 1321-8 (2001).
Cross-talk analysis of optical time-division demultiplexer. — Graham Swift, Zabih Ghassemlooy, Chin Y. Cheung, and Alfred Decker; **40** (7), 1357-63 (2001).
Polarization separation/combination based on self-imaging. — David M. Mackie, Tristan J. Tayag, and Ted E. Batchman; **40** (10), 2265-72 (2001).

Neodymium lasers

Mode-locking operation of Nd:LuYLF. — Edison Puig Maldonado, Eduardo Acedo Barbosa, Niklaus Ursus Wetter, Lilia Coronato Courrol, Izilda Marcia Ranieri, Spero Penha Morato, and Nilson Dias Vieira, Jr. ; **40** (8), 1573-8 (2001).
Application of V^{3+}:YAG crystals for Q-switching and mode-locking of 1.3-μm diode-pumped neodymium lasers. — Jan K. Jabczyński, Krzysztof Kopczyński, Zygmunt Mierczyk, Antonio Agnesi, Annalisa Guandalini, and GianCarlo Reali; **40** (12), 2802-11 (2001).

Networks

Design and analysis of a scalable optical interconnection network for a computer cluster. — Wencai Jing, Ge Zhou, Yimo Zhang, Wei Liu, Jindong Tian, Xun Zhang, Haifeng Li, and Nan Zhang; **40** (6), 1057-64 (2001).
Reliable grating-based wavelength division (de)multiplexers for optical networks. — Feng Zhao, Jie Qiao, Xuegong Deng, Jizuo Zou, Baoping Guo, Ray Collins, Victor Villavicencio, Kwei K. Chang, James W. Horwitz, Bill Morey, and Ray T. Chen; **40** (7), 1204-11 (2001).
Hybrid neural method for locating eyes in facial images. — David Zhang, Hui Peng, and Kuanquan Wang; **40** (10), 2151-8 (2001).
Analysis of the higher order signals in fiber optic code-division multiple access networks using series coupler access encoder and series coupler access decoder. — Tae-Gu Kang and Young-Wan Choi; **40** (10), 2240-6 (2001).

Neural networks

Compact optical instrument for surface classification using self-mixing interference in a laser diode. — Şahin Kaya Özdemir, Shigenobu Shinohara, Satoshi Ito, Sotetsu Takamiya, and Hirofumi Yoshida; **40** (1), 38-43 (2001).
Three-dimensional object classification using shadow moiré and neural network. — Mani Maran Ratnam, Chee Peng Lim, and Ai Ni Khor; **40** (9), 2036-40 (2001).
Modeling of an acousto-optic laser beam steering system intended for satellite communication. — Vladimir V. Nikulin, Mounir Bouzoubaa, Victor A. Skormin, and Timothy E. Busch; **40** (10), 2208-14 (2001).
Identification of primary aberrations on a lateral shearing interferogram of optical components using neural network. — Tae-Seok Yang and Jun Ho Oh; **40** (12), 2771-9 (2001).
Chaotic neural network clustering: an application to landmine detection by dynamic infrared imaging. — Leonardo Angelini, Francesco De Carlo, Carmela Marangi, Massimo Mannarelli, Giuseppe Nardulli, Mario Pellicoro, Giuseppe Satalino, and Sebastiano Stramaglia; **40** (12), 2878-84 (2001).

Noise

Effects of signal seeding on long-wavelength-band Er^{3+}-doped fiber amplifiers. — Mohd A. Mahdi, F. R. Mahamd Adikan, P. Poopalan, S. Selvakennedy, and H. Ahmad; **40** (2), 186-92 (2001).
Target identification performance as a function of temporal and fixed pattern noise. — Ronald G. Driggers, Richard Vollmerhausen, and Keith Krapels; **40** (3), 443-7 (2001).
Infrared detector performance in an area array. — Vikram Dhar and Vishnu Gopal; **40** (5), 679-91 (2001).
On the choice of the number of samples in laser Doppler anemometry signal processing. — Federico Dios, Adolfo Comerón, and David García-Vizcaíno; **40** (5), 774-82 (2001).
On the reduction of impulsive noise in multichannel image processing. — B. Smolka, A. Chydzinski, K. W. Wojciechowski, K. N. Plataniotis, and A. N. Venetsanopoulos; **40** (6), 902-8 (2001).
Nonlinear filters with spatially connected neighborhoods. — Vitaly Kober, Mikhael Mozerov, and Josué Alvarez-Borrego; **40** (6), 971-83 (2001).
Local activity indicators for hard-switching adaptive filtering of images with mixed noise. — Vladimir P. Melnik, Vladimir V. Lukin, Alexander A. Zelensky, Jaakko T. Astola, and Pauli Kuosmanen; **40** (8), 1441-55 (2001).
New technique for reducing the angle random walk at the output of fiber optic gyroscopes during alignment processes of inertial navigation systems. — Aboelmagd Noureldin, Dave Irvine-Halliday, Herb Tabler, and Martin P. Mintchev; **40** (10), 2097-106 (2001).
Bit error rate and system limitations on the storage capacity of volume holographic memory systems. — Adil Lahrichi; **40** (11), 2392-9 (2001).
Comparative study of wavelet thresholding methods for denoising electronic speckle pattern interferometry fringes. — Alejandro Federico and Guillermo H. Kaufmann; **40** (11), 2598-604 (2001).
Inverse synthetic aperture radar imaging using a coherent ultrawideband random noise radar system. — Daryl C. Bell and Ram M. Narayanan; **40** (11), 2612-23 (2001).
Algorithm of automatic cartridge identification. — Jie Zhou, Le-ping Xin, Gang Rong, and David Zhang; **40** (12), 2860-5 (2001).

Nondestructive testing

Thickness variation of self-processing acrylamide-based photopolymer and reflection holography. — F. T. O'Neill, J. R. Lawrence, and J. T. Sheridan; **40** (4), 533-9 (2001).
Optical profilometer with a standalone scanning sensor head. — Alessandro Bartoli, Pasquale Poggi, Franco Quercioli, Bruno Tiribilli, and Massimo Vassalli; **40** (12), 2852-9 (2001).

Nonlinear image processing

Generalized filtering operations for hue images. — HyunWook Park, Taiyi Cheng, and Yongmin Kim; **40** (1), 100-7 (2001).
Edge enhancement for subband-coded images. — Ciro Cafforio, Eugenio Di Sciascio, and Cataldo Guaragnella; **40** (5), 729-39 (2001).

Nonlinear optics

Optical limiting of pentaazadentate complexes in solution for nanosecond pulses. — Fengqi Guo, Wenfang Sun, Duoyuan Wang, and Yinglin Song; **40** (1), 138-41 (2001).
Third-order optical nonlinearities and optical limiting of octa-octyloxy phthalocyanine free base in toluene. — Chen Yu, Yunjing Li, Qu Shiliang, Song Yinglin, Yuxin Nie, and Wang Duoyuan; **40** (12), 2683-4 (2001).

Oceanography

Airborne lidar for fisheries applications. — James H. Churnside, James J. Wilson, and Viatcheslav V. Tatarskii; **40** (3), 406-14 (2001).

Optical communications

In-orbit measurements of short term attitude and vibrational environment on the Engineering Test Satellite VI using laser communication equipment. — Morio Toyoshima and Kenichi Araki; **40** (5), 827-32 (2001).
Measurement of optical fiber dispersion and dispersion slope using a pair of short optical pulses and Fourier transform property of dispersive medium. — Farhad Hakimi and Hosain Hakimi; **40** (6), 1053-6 (2001).
Reliable grating-based wavelength division (de)multiplexers for optical networks. — Feng Zhao, Jie Qiao, Xuegong Deng, Jizuo Zou, Baoping Guo, Ray Collins, Victor Villavicencio, Kwei K. Chang, James W. Horwitz, Bill Morey, and Ray T. Chen; **40** (7), 1204-11 (2001).
Cross-talk analysis of optical time-division demultiplexer. — Graham Swift, Zabih Ghassemlooy, Chin Y. Cheung, and Alfred Decker; **40** (7), 1357-63 (2001).
Liquid crystal-based self-aligning 2×2 wavelength routing module. — Sarun Sumriddetchkajorn, Nabeel A. Riza, and Deepak K. Sengupta; **40** (8), 1521-8 (2001).
Design and construction of a fiber bundle connector using microlenses. — Deqing Ren, Ray Sharples, J. R. Allington-Smith, G. N. Dodsworth, D. J. Robertson, and G. Dalton; **40** (12), 2709-17 (2001).

Optical computing

Optoelectronic quotient-selected modified signed-digit division. — Feng Qian, Guoqiang Li, and Mohammad S. Alam; **40** (2), 275-82 (2001).
Method to analyze the influence of hysteresis in optical arithmetic units. — Ana González-Marcos and José A. Martín-Pereda; **40** (11), 2371-85 (2001).
Signed-digit adder using electronically addressable spatial light modulator. — Khan M. Iftekharuddin, Abdul Ahad S. Awwal, and M. A. Salam; **40** (11), 2442-5 (2001).

Optical design

Gradient-index rods as flux concentrators with applications to laser fiber optic surgery. — Daniel Feuermann and Jeffrey M. Gordon; **40** (3), 418-25 (2001).
Solving tolerancing and three-dimensional beam shaping problems by multifunctional wave optical design. — Sven Bühling and Frank Wyrowski; **40** (8), 1590-7 (2001).
Simulator for computer-aided design of holograms. — Tohru Shimizu, Yasuhiro Awatsuji, and Toshihiro Kubota; **40** (11), 2524-32 (2001).
Design and construction of a fiber bundle connector using microlenses. — Deqing Ren, Ray Sharples, J. R. Allington-Smith, G. N. Dodsworth, D. J. Robertson, and G. Dalton; **40** (12), 2709-17 (2001).

Optical devices

Zero and direction reference mark based on phase jump. — Weidong Zhou and Lilong Cai; **40** (2), 289-94 (2001).
Design and performance of modular jack type mini-MT connectors. — Masaaki Takaya and Shinji Nagasawa; **40** (6), 1045-52 (2001).

Optical disks

Autofocusing control for a DIVX burst-cutting-area recording system. — Chengping Zhang, Peisen S. Huang, Dmitry Donskoy, and Yusong Yin; **40** (7), 1337-42 (2001).

Optical engineering

Solving tolerancing and three-dimensional beam shaping problems by multifunctional wave optical design. — Sven Bühling and Frank Wyrowski; **40** (8), 1590-7 (2001).

Optical fabrication

Reduction of residual stress in extreme ultraviolet Mo/Si multilayer mirrors with postdeposition thermal treatments. — Claude Montcalm; **40** (3), 469-77 (2001).
Simulations and experimental results with a vectorial shearing interferometer. — Guillermo García-Torales, Gonzalo Paez, and Marija Strojnik; **40** (5), 767-73 (2001).
Novel one-step method of microlens mold array fabrication. — Yongqi Fu and Bryan Kok Ann Ngoi; **40** (8), 1433-4 (2001).
Limitations imposed by birefringence uniformity on narrow-linewidth filters based on mode coupling. — Franck Chollet, Jean-Pierre Goedgebuer, and Gadang Ramantoko; **40** (12), 2763-70 (2001).

Optical inspection

Zero and direction reference mark based on phase jump. — Weidong Zhou and Lilong Cai; **40** (2), 289-94 (2001).
Optical profilometer with a standalone scanning sensor head. — Alessandro Bartoli, Pasquale Poggi, Franco Quercioli, Bruno Tiribilli, and Massimo Vassalli; **40** (12), 2852-9 (2001).

Optical interconnects

Comparison of the signal latency in optical and electrical interconnections for interchip links. — E.D. Kyriakis-Bitzaros, N. Haralabidis, Y. Moisiadis, M. Lagadas, A. Georgakilas, and G. Halkias; **40** (1), 144-6 (T) (2001).
Simultaneous alignment of multiple optical axes in a multistage optical system using Hamiltonian algorithm. — Masato Mizukami, Motohisa Hirano, and Kazuasa Shinjo; **40** (3), 448-54 (2001).
Design and analysis of a scalable optical interconnection network for a computer cluster. — Wencai Jing, Ge Zhou, Yimo Zhang, Wei Liu, Jindong Tian, Xun Zhang, Haifeng Li, and Nan Zhang; **40** (6), 1057-64 (2001).
Short-wavelength vertical-cavity surface-emitting laser applications: from high-throughput multimode fiber links to two-dimensional interchip interconnections. — Rainer Michalzik, Roger King, Felix Mederer, Max Kicherer, Giorgio Giaretta, and Karl J. Ebeling; **40** (7), 1179-85 (2001).
Optical NOR gate based on silicon technology. — Alicia Vera-Marquina, Alfonso Torres-Jacome, and Francisco-J. Renero-Carrillo; **40** (10), 2261-4 (2001).
Free-space optical interconnection modules for two-dimensional photonic very large scale integration circuitry based on microlenses and gradient-refractive-index lenses. — Valérie Baukens, Irina Veretennicoff, and Hugo Thienpont; **40** (11), 2431-41 (2001).

Optical limiting

Optical limiting of pentaazadentate complexes in solution for nanosecond pulses. — Fengqi Guo, Wenfang Sun, Duoyuan Wang, and Yinglin Song; **40** (1), 138-41 (2001).
Third-order optical nonlinearities and optical limiting of octa-octyloxy phthalocyanine free base in toluene. — Chen Yu, Yunjing Li, Qu Shiliang, Song Yinglin, Yuxin Nie, and Wang Duoyuan; **40** (12), 2683-4 (2001).

Optical logic

Method to analyze the influence of hysteresis in optical arithmetic units. — Ana González-Marcos and José A. Martín-Pereda; **40** (11), 2371-85 (2001).
Code conversion from signed-digit to complement representation based on look-ahead optical logic operations. — Guoqiang Li and Feng Qian; **40** (11), 2446-51 (2001).

Optical materials

Implementation of all-optical digital matrix multiplication scheme with nonlinear material. — Sourangshu Mukhopadhyay, Debendra Nath Das, Partha Pratima Das, and Partha Ghosh; **40** (9), 1998-2002 (2001).
Fabrication of refractive microlens array by etching dichromate gelatin with enzyme solution. — Jun Yao, Fuhua Gao, Yongkang Guo, and Zheng Cui; **40** (9), 2022-5 (2001).

Optical measurement
Measurement of laser diode astigmatism using the beam-line method. — Yakov Sidorin and Roland V. Shack; **40** (6), 995-1000 (2001).

Optical networks
Advances in telecom and datacom optical components. — Louay Eldada; **40** (7), 1165-78 (2001).
Si-based resonant-cavity-enhanced photodetector. — Qiming Wang, Cheng Li, Buwen Cheng, and Qinqing Yang; **40** (7), 1192-4 (2001).
Power conversion efficiency characterization of erbium-doped silica fibers in L-band. — Jian Liu, Paul F. Wysocki, Matthew Andrejco, and Bera Palsdottir; **40** (7), 1195-8 (2001).
Erbium-doped fiber amplet and its application as a modular bandwidth management subsystem for dispersion compensation and power management. — Kevin J. Zhang, Darlene L. Hart, Koo Il Kang, and Brian C. Moore; **40** (7), 1199-203 (2001).
X-cube, an integrated bulk optic filtering device. — Jan Popelek and Yao Li; **40** (7), 1212-6 (2001).
Theoretical and experimental investigations of dispersion compensation based on transmission properties of uniform fiber Bragg gratings. — Xiaomin Ren, Jianxin Li, Yuehui Xia, Xue Chen, and Yongqing Huang; **40** (7), 1223-6 (2001).
Theory of electrically controllable long-period gratings built in liquid-crystal fibers. — Yoonchan Jeong and Byoungho Lee; **40** (7), 1227-33 (2001).
Photonics for time delay in communication systems. — Zan Shi, Jianyi Yang, James J. Foshee, Walter B. Hartman, Suning Tang, and Ray T. Chen; **40** (7), 1238-43 (2001).

Optical processing
Measurement of optical fiber dispersion and dispersion slope using a pair of short optical pulses and Fourier transform property of dispersive medium. — Farhad Hakimi and Hosain Hakimi; **40** (6), 1053-6 (2001).
Optimal synthetic aperture radar image correlation using enhanced scattering centers in holographic data storage. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **40** (11), 2624-37 (2001).

Optical properties
Enhancement of the laterally emitting thin film electroluminescent device optical outcoupling via the fabrication of novel geometry structures. — Sara Otero Barros, Robert Stevens, and Wayne Cranton; **40** (6), 934-40 (2001).
Optical properties of cyclic olefin copolymers. — G. Khanarian and Hoechst Celanese; **40** (6), 1024-9 (2001).
Theoretical and experimental studies on linear and nonlinear algorithms for the measurement of muscle oxygenation using continuous-wave near-infrared spectroscopy. — Jun Shao, Ling Lin, Masatsugu Niwayama, Nobuki Kudo, and Katsuyuki Yamamoto; **40** (10), 2293-301 (2001).
Optical properties of two photoresists designed for charge-coupled device microlenses. — Nina Nordman and Olli Nordman; **40** (11), 2572-6 (2001).

Optical recording
Theoretical investigation of the influence of a diaphragm on the flat surface of a solid immersion lens on beam parameters. — Anatoly S. Lapchuk, Vyacheslav V. Petrov, Andrey A. Kryuchin, and Semen M. Shanoylo; **40** (8), 1471-5 (2001).
Partial response maximum-likelihood system and crosstalk cancellation method for high-density optical recording. — Hangyu Cho, Jonghoe An, Sunghwan Ong, Daesik Hong, Seongkeun Ahn, and Jinyong Kim; **40** (8), 1621-8 (2001).

Optical storage
Near-field optical data storage: avenues for improved performance. — Tom D. Milster; **40** (10), 2255-60 (2001).
Design and performance analysis for a single-chip optoelectronic database filter. — Jianjing Tang, A. Rittgers, J. Lorenz, K. Miles, and Fred R. Beyette, Jr. ; **40** (11), 2419-30 (2001).

Optical systems
Optimum optical system for generating interference signals in quadrature using polarization method. — Galyna A. Lysenko and Alexander S. Korniets; **40** (3), 381-6 (2001).
New approach to superresolution. — Haifeng Wang and Fuxi Gan; **40** (5), 851-5 (2001).
Cross-talk analysis of optical time-division demultiplexer. — Graham Swift, Zabih Ghassemlooy, Chin Y. Cheung, and Alfred Decker; **40** (7), 1357-63 (2001).
Security optical systems based on a joint transform correlator with significant output images. — David Abookasis, Ortal Arazi, Joseph Rosen, and Bahram Javidi; **40** (8), 1584-9 (2001).
Amplified output of a frequency chirped diode source via injection locking. — Kevin S. Repasky, Peter A. Roos, Lei S. Meng, and John L. Carlsten; **40** (11), 2505-9 (2001).

Optical testing
Small-rotation-angle measurement using an imaging method. — Takamasa Suzuki, Hideki Nakamura, Osami Sasaki, and John E. Greivenkamp; **40** (3), 426-32 (2001).
Thickness variation of self-processing acrylamide-based photopolymer and reflection holography. — F. T. O'Neill, J. R. Lawrence, and J. T. Sheridan; **40** (4), 533-9 (2001).
Digital moiré subtraction in optical engineering. — Colin Forno and Maurice P. Whelan; **40** (10), 2199-207 (2001).
Optical reference profilometry. — Stephan R. Clark and John E. Greivenkamp; **40** (12), 2845-51 (2001).

Optics
Assessing camouflage methods using textural features. — Sten Nyberg and Lars Bohman; **40** (9), 1869-76 (2001).

Optoelectronics
Comparison of the signal latency in optical and electrical interconnections for interchip links. — E.D. Kyriakis-Bitzaros, N. Haralabidis, Y. Moisiadis, M. Lagadas, A. Georgakilas, and G. Halkias; **40** (1), 144-6 (T) (2001).
Optoelectronic quotient-selected modified signed-digit division. — Feng Qian, Guoqiang Li, and Mohammad S. Alam; **40** (2), 275-82 (2001).
Simulation and analysis of a high-efficiency silicon optoelectronic modulator based on a Bragg mirror. — Giuseppe Coppola, Andrea Irace, Mario Iodice, and Antonello Cutolo; **40** (6), 1076-81 (2001).
Optical NOR gate based on silicon technology. — Alicia Vera-Marquina, Alfonso Torres-Jacome, and Francisco-J. Renero-Carrillo; **40** (10), 2261-4 (2001).
Code conversion from signed-digit to complement representation based on look-ahead optical logic operations. — Guoqiang Li and Feng Qian; **40** (11), 2446-51 (2001).
Effect of conductivity and dielectric constant on the modulation voltage for optoelectronic devices based on nonlinear optical polymers. — James G. Grote, John S. Zetts, Robert L. Nelson, Frank K. Hopkins, Larry R. Dalton, Cheng Zhang, and William H. Steier; **40** (11), 2464-73 (2001).
Optoelectronic hidden grids and moiré patterns: basics and applications in distance measurement. — Mario Garavaglia and Anibal Pablo Laquidara; **40** (11), 2510-6 (2001).
Optical profilometer with a standalone scanning sensor head. — Alessandro Bartoli, Pasquale Poggi, Franco Quercioli, Bruno Tiribilli, and Massimo Vassalli; **40** (12), 2852-9 (2001).

Optomechanical design
Optical profilometer with a standalone scanning sensor head. — Alessandro Bartoli, Pasquale Poggi, Franco Quercioli, Bruno Tiribilli, and Massimo Vassalli; **40** (12), 2852-9 (2001).

Oscillators
Eye-safe singly resonant KTP parametric oscillator pumped inside a Nd:YAG laser cavity. — R. Dabu, A. Stratan, C. Fenic, C. Luculescu, and L. Muscalu; **40** (3), 455-9 (2001).
Relaxation oscillation with Tm:YLF laser using a double cavity in the single-longitudinal-mode oscillation. — Jun Izawa, Hayato Nakajima, Hiroshi Hara, and Yoshinori Arimoto; **40** (3), 466-8 (2001).

Ozone
Evaluation of differential absorption lidar (DIAL) measurement error by simultaneous DIAL and null profiling. — Tetsuo Fukuchi, Takashi Fujii, Naohiko Goto, Koshichi Nemoto, and Nobuo Takeuchi; **40** (3), 392-7 (2001).
Tropospheric O_3 measurement by simultaneous differential absorption lidar and null profiling and comparison with sonde measurement. — Tetsuo Fukuchi, Takashi Fujii, Nianwen Cao, Koshichi Nemoto, and Nobuo Takeuchi; **40** (9), 1944-9 (2001).
Blocking improved narrow-band filters for the UV-B region. — Hein Uhlig and Norbert Kaiser; **40** (10), 2331-7 (2001).

Parallel processing
Simultaneous alignment of multiple optical axes in a multistage optical system using Hamiltonian algorithm. — Masato Mizukami, Motohisa Hirano, and Kazuasa Shinjo; **40** (3), 448-54 (2001).

Particle sizing
Optimization of optical particle sizing in multiphase flows. — Huihe Qiu, Wangcun Jia, and Chin-Tsau Hsu; **40** (11), 2586-93 (2001).

Pattern recognition
Real-time identification of smoke images by clustering motions on a fractal curve with a temporal embedding method. — Philippe Guillemant and Jérôme Vicente; **40** (4), 554-63 (2001).
Optimal region of support for arbitrary filter spatial light modulators. — Adam Milstein, Stanley E. Monroe, Jr. , and Richard D. Juday; **40** (5), 841-50 (2001).
Jump-diffusion algorithm for multiple target recognition using laser radar range data. — Aaron D. Lanterman; **40** (8), 1724-8 (2001).
Three-dimensional object classification using shadow moiré and neural network. — Mani Maran Ratnam, Chee Peng Lim, and Ai Ni Khor; **40** (9), 2036-40 (2001).
Hybrid neural method for locating eyes in facial images. — David Zhang, Hui Peng, and Kuanquan Wang; **40** (10), 2151-8 (2001).
Chinese seal imprint recognition with joint transform correlators. — Jian-Shuen Fang and Chulung Chen; **40** (10), 2159-64 (2001).
Color pattern recognition using fringe-adjusted joint transform correlation. — Mohammad S. Alam and C. N. Wai; **40** (11), 2407-13 (2001).
Independent task Fourier filters. — H. John Caulfield; **40** (11), 2414-8 (2001).
Optimal synthetic aperture radar image correlation using enhanced scattering centers in holographic data storage. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **40** (11), 2624-37 (2001).
Algorithm of automatic cartridge identification. — Jie Zhou, Le-ping Xin, Gang Rong, and David Zhang; **40** (12), 2860-5 (2001).

Phase
Phase relationships in a two-beam grating recombiner. — Yves Jourlin, Olivier Parriaux, and Alexander V. Tishchenko; **40** (8), 1464-70 (2001).
Using differential confocal microscopy to detect the phase transition of lipid vesicle membranes. — Chau-Hwang Lee, Wan-Chen Lin, and Jyhpyng Wang; **40** (10), 2077-83 (2001).
Optical control of monocrystalline films. — Oleg V. Angelsky, Peter P. Maksimyak, S. Reed, and Vasyl V. Ryukhtin; **40** (10), 2227-33 (2001).
Optimization of optical particle sizing in multiphase flows. — Huihe Qiu, Wangcun Jia, and Chin-Tsau Hsu; **40** (11), 2586-93 (2001).

Phase compensation
Efficient method for the translational motion compensation of inverse synthetic aperture radar imagery. — Benjamin C. Flores, Jae Sok Son, and Salim Tariq; **40** (3), 433-42 (2001).

Phase contrast
Real-time self-induced nonlinear optical Zernike- type filter in a bacteriorhodopsin film. — M. D. Iturbe Castillo, D. Sánchez-de-la-Llave, R. Ramos García, L. I. Olivos-Pérez, L. A. González, and M. Rodríguez-Ortiz; **40** (11), 2367-8 (2001).

Phase measurement
Deformation analysis with temporal speckle pattern interferometry. — Xide Li, Yizhang Yang, Gang Tao, and Rongxian Li; **40** (2), 310-7 (2001).
Small-rotation-angle measurement using an imaging method. — Takamasa Suzuki, Hideki Nakamura, Osami Sasaki, and John E. Greivenkamp; **40** (3), 426-32 (2001).
Application of improved phase-measuring profilometry in nonconstant environmental light. — Wan-Song Li and Xian-Yu Su; **40** (3), 478-85 (2001).
Real-time calibration algorithm for phase shifting in phase-measuring profilometry. — Wansong Li and Xianyu Su; **40** (5), 761-6 (2001).
Sensitivity enhancement of far-infrared Fizeau interferometry by digital image processing. — Kaushal Verma and Bongtae Han; **40** (9), 1970-7 (2001).

Phase modulation
High-sensitivity surface-profile measurements by heterodyne white-light interferometer. — Akiko Hirai and Hirokazu Matsumoto; **40** (3), 387-91 (2001).

Phase retrieval
Image encryption using separable amplitude-based virtual image and iteratively retrieved phase information. — Hsuan T. Chang; **40** (10), 2165-71 (2001).

Phase shifts
Characterization of composite materials using a polarizing speckle interferometer. — Pascal Picart, Éric Lolive, and Jean-Marie Berthelot; **40** (1), 81-9 (2001).
Real-time calibration algorithm for phase shifting in phase-measuring profilometry. — Wansong Li and Xianyu Su; **40** (5), 761-6 (2001).
Phase-shifting apodizer for next-generation digital versatile disk. — Haifeng Wang, Zhongyu Chen, and Fuxi Gan; **40** (6), 991-4 (2001).
Analysis of spectrally resolved white light interferograms: use of a phase shifting technique. — S. Suja Helen, M. P. Kothiyal, and R. S. Sirohi; **40** (7), 1329-36 (2001).
Shadow moiré profilometry by frequency sweeping. — L. H. Jin, Y. Otani, and T. Yoshizawa; **40** (7), 1383-6 (2001).

Measurement of yarn densities in fabrics using phase-shifted digital moiré. — B. Xu, S. Lin, and N. Jiang; **40** (8), 1476-80 (2001).
Full field automated photoelasticity using two-load-step method. — Tong Liu, Anand Asundi, and Chai Gin Boay; **40** (8), 1629-35 (2001).
Phase errors in low-frequency vibration measurement with high-speed phase-shifting speckle pattern interferometry. — Pablo D. Ruiz, Jonathan M. Huntley, Yuji Shen, C. Russell Coggrave, and Guillermo H. Kaufmann; **40** (9), 1984-92 (2001).
Polarization eigenvectors for reflective twisted nematic liquid crystal displays. — Ignacio Moreno, Carlos R. Fernández-Pousa, Jeffrey A. Davis, and David J. Franich; **40** (10), 2220-6 (2001).

Phased arrays
Photonics for time delay in communication systems. — Zan Shi, Jianyi Yang, James J. Foshee, Walter B. Hartman, Suning Tang, and Ray T. Chen; **40** (7), 1238-43 (2001).

Photoacoustics
Multiplexed interferometer for ultrasonic imaging applications. — Todd W. Murray and Sridhar Krishnaswamy; **40** (7), 1321-8 (2001).
Open-cell photoacoustic investigation of the thermal effusivity of liquid crystals. — Nibu A. George, C. P. G. Vallabhan, V. P. N. Nampoori, A. K. George, and P. Radhakrishnan; **40** (7), 1343-7 (2001).

Photocathodes
Spectral matching factors between GaAs and multialkali photocathodes and reflective radiation of objects. — Wei Li and Benkang Chang; **40** (5), 674-8 (2001).

Photodetectors
High-speed, dual-function vertical cavity multiple quantum well modulators and photodetectors for optical interconnects. — Hong Liu, Chien-Chung Lin, and James S. Harris, Jr. ; **40** (7), 1186-91 (2001).
Si-based resonant-cavity-enhanced photodetector. — Qiming Wang, Cheng Li, Buwen Cheng, and Qinqing Yang; **40** (7), 1192-4 (2001).
Photonic radio frequency mixer using metal-semiconductor-metal photodetectors. — Bing Li, Lei Lin, Suning Tang, Yujie Liu, and Ray T. Chen; **40** (7), 1234-7 (2001).
Analysis of the spectral correction errors of illuminance meter photometric head under the influence of the diffusing element. — Irena Fryc; **40** (8), 1636-40 (2001).

Photodiodes
Measuring the illumination angle of a flatbed scanner. — T. W. Ng and A. Tajuddin; **40** (3), 415-7 (2001).
Drift-diffusion model for reach-through avalanche photodiodes. — Tamer F. Refaat, Hani E. Elsayed-Ali, and Russell J. DeYoung; **40** (9), 1928-35 (2001).
Ratio of quantum efficiency to crosstalk: a proposed figure of merit for a mosaic infrared diode array. — Vikram Dhar and Vishnu Gopal; **40** (10), 2345-9 (2001).

Photoelasticity
Full field automated photoelasticity using two-load-step method. — Tong Liu, Anand Asundi, and Chai Gin Boay; **40** (8), 1629-35 (2001).

Photography
Shape measurement by digital speckle temporal sequence correlation with digital light projector. — Hongjun Dai and Xianyu Su; **40** (5), 793-800 (2001).
Speckle photography and the fractional Fourier transform. — Robert Patten, John T. Sheridan, and Alan Larkin; **40** (8), 1438-40 (2001).

Photomasks
Effective exposure dose measurement technologies: multitone flood exposure by unresolved gratings with multilevel opening ratio. — Soichi Inoue, Tadahito Fujisawa, and Kyoko Izuha; **40** (10), 2338-44 (2001).

Photometry
Influence of nonuniform charge-coupled device pixel response on aperture photometry. — Daniel Kavaldjiev and Zoran Ninkov; **40** (2), 162-9 (2001).
Deformation detection on composite reflectance surfaces using two-image photometric stereo. — Albrecht E. Carver and Robert J. Schalkoff; **40** (2), 295-302 (2001).
Analysis of the spectral correction errors of illuminance meter photometric head under the influence of the diffusing element. — Irena Fryc; **40** (8), 1636-40 (2001).

Photonics
Photonic radio frequency mixer using metal-semiconductor-metal photodetectors. — Bing Li, Lei Lin, Suning Tang, Yujie Liu, and Ray T. Chen; **40** (7), 1234-7 (2001).
Matching information terminal based on a spatially coded moiré technique. — Kouichi Nitta, Hiroyuki Togo, and Jun Tanida; **40** (11), 2386-91 (2001).

Photons
Two-photon pumped frequency up-converted lasing properties of a new material DEASMPI. — Chun Wang, Xiaomei Wang, Zongshu Shao, Xian Zhao, Guangyotig Zhou, Dong Wang, and Minhua Jiang; **40** (5), 783-7 (2001).

Photopolymers
Grating detuning effect on holographic memory in photopolymers. — Mei-Li Hsieh and Ken Y. Hsu; **40** (10), 2125-33 (2001).
Novel passive polymer waveguides integrated with electro-optically active ferroelectric liquid crystals. — David S. Hermann, Giusy Scalia, Claire Pitois, Francesco De Marco, Koen D'havé, Giancarlo Abbate, Mikael Lindgren, and Anders Hult; **40** (10), 2188-98 (2001).

Photorefraction
Out-of-plane vibration measurement by speckle photography using photorefractive $BaTiO_3$ crystal. — K. S. Dharmsaktu, Arvind Kumar, and Kehar Singh; **40** (6), 1132-7 (2001).
Three-dimensional optical data storage using three-dimensional optics. — Yoshimasa Kawata, Masaharu Nakano, and Suk-Chun Lee; **40** (10), 2247-54 (2001).
Bit error rate and system limitations on the storage capacity of volume holographic memory systems. — Adil Lahrichi; **40** (11), 2392-9 (2001).

Photoresists
Low numerical aperture refractive microlenses in fused silica. — Ph. Nussbaum and H. P. Herzig; **40** (7), 1412-4 (2001).
Influence of object roughness on specimen gratings for moiré interferometry. — Amalia Martínez, Ramon Rodríguez-Vera, Juan A. Rayas, and José F. Vázquez; **40** (9), 1978-83 (2001).
Effective exposure dose measurement technologies: multitone flood exposure by unresolved gratings with multilevel opening ratio. — Soichi Inoue, Tadahito Fujisawa, and Kyoko Izuha; **40** (10), 2338-44 (2001).
Optical properties of two photoresists designed for charge-coupled device microlenses. — Nina Nordman and Olli Nordman; **40** (11), 2572-6 (2001).

Photothermal science
Open-cell photoacoustic investigation of the thermal effusivity of liquid crystals. — Nibu A. George, C. P. G. Vallabhan, V. P. N. Nampoori, A. K. George, and P. Radhakrishnan; **40** (7), 1343-7 (2001).

Photothermal spectroscopy
Abnormal photon absorption behavior in melanin detected by photothermal lensing due to simultaneous irradiation with multiple laser wavelengths. — Yue Han, Joseph S. Rosenshein, Z. L. Wu, Wen Ye, Marshall Thomsen, and Qiang Zhao; **40** (2), 303-9 (2001).

Picosecond phenomena
Mode-locking operation of Nd:LuYLF. — Edison Puig Maldonado, Eduardo Acedo Barbosa, Niklaus Ursus Wetter, Lilia Coronato Courrol, Izilda Marcia Ranieri, Spero Penha Morato, and Nilson Dias Vieira, Jr. ; **40** (8), 1573-8 (2001).

Picture hiding scheme
Hiding a picture in two pictures. — Ren-Junn Hwang and Chin-Chen Chang; **40** (3), 342-51 (2001).

Piezoelectricity
Noninterferometric measurement of lead zirconate titanate inverse piezoelectric extension. — Lisong Yang, Li Liu, Guiying Wang, and Zhizhan Xu; **40** (6), 909-13 (2001).

Point spread functions
Underwater image transmission and blurred image restoration. — Zhishen Liu, Yifan Yu, Kailin Zhang, and Hailong Huang; **40** (6), 1125-31 (2001).

Pointing
Zero and direction reference mark based on phase jump. — Weidong Zhou and Lilong Cai; **40** (2), 289-94 (2001).

Polarization
Depolarization bandwidth of fiber optic passive depolarizers. — Massimo Martinelli and Joseph C. Palais; **40** (1), 142-3 (T) (2001).
Optimum optical system for generating interference signals in quadrature using polarization method. — Galyna A. Lysenko and Alexander S. Korniets; **40** (3), 381-6 (2001).
Airborne lidar for fisheries applications. — James H. Churnside, James J. Wilson, and Viatcheslav V. Tatarskii; **40** (3), 406-14 (2001).
Angular alignment of a polarization-maintaining optical fiber. — Daniela de Oliveira Maionchi, Wesley Campos, and Jaime Frejlich; **40** (7), 1260-4 (2001).
Polarization eigenvectors for reflective twisted nematic liquid crystal displays. — Ignacio Moreno, Carlos R. Fernández-Pousa, Jeffrey A. Davis, and David J. Franich; **40** (10), 2220-6 (2001).
Polarization separation/combination based on self-imaging. — David M. Mackie, Tristan J. Tayag, and Ted E. Batchman; **40** (10), 2265-72 (2001).
Polarization analyses of readout signals by a solid immersion lens in phase change recording material. — Chung-Hao Tien, Yin-Chieh Lai, and Han-Ping David Shieh; **40** (10), 2285-92 (2001).

Polarizers
Fabricating microretarders by CO_2 laser heating process technology. — Chao-Hsu Tsai, Kuo-Chung Huang, Kuen Lee, and Wen-Jean Hsueh; **40** (11), 2577-81 (2001).

Polishing
New technology of precision polishing of glass optics. — Valentin V. Rogov, Yurii D. Filatov, Wolfgang Kottler, and Valerii P. Sobol; **40** (8), 1641-5 (2001).
Dwell time algorithm for computer-controlled polishing of small axis-symmetrical aspherical lens mold. — Hocheol Lee and Minyang Yang; **40** (9), 1936-43 (2001).
Laser polishing of optical fiber end surface. — Mircea Udrea, Hamdi Orun, and Alí Alacakir; **40** (9), 2026-30 (2001).

Polymers
Direct laser writing of mid-infrared microelements on polyethylene material. — Manuel Ornelas-Rodriguez and Sergio Calixto; **40** (6), 921-5 (2001).
Polymeric waveguide prism-based electro-optic beam deflector. — Lin Sun, Jin-ha Kim, Chiou-hung Jang, Dechang An, Xuejun Lu, Qingjun Zhou, John M. Taboada, Ray T. Chen, Jeffery J. Maki, Suning Tang, Hua Zhang, William H. Steier, Cheng Zhang, and Larry R. Dalton; **40** (7), 1217-22 (2001).
Development of the technology of contacting ZnSe infrared optical windows using polyethylene films. — Edward Bormashenko, Roman Pogreb, Avigdor Sheshnev, Semion Sutovski, Yelena Bormashenko, Zosya Pogreb, and Abraham Katzir; **40** (9), 1754-5 (2001).
Effect of conductivity and dielectric constant on the modulation voltage for optoelectronic devices based on nonlinear optical polymers. — James G. Grote, John S. Zetts, Robert L. Nelson, Frank K. Hopkins, Larry R. Dalton, Cheng Zhang, and William H. Steier; **40** (11), 2464-73 (2001).

Prisms
Simulations and experimental results with a vectorial shearing interferometer. — Guillermo García-Torales, Gonzalo Paez, and Marija Strojnik; **40** (5), 767-73 (2001).
Polymeric waveguide prism-based electro-optic beam deflector. — Lin Sun, Jin-ha Kim, Chiou-hung Jang, Dechang An, Xuejun Lu, Qingjun Zhou, John M. Taboada, Ray T. Chen, Jeffery J. Maki, Suning Tang, Hua Zhang, William H. Steier, Cheng Zhang, and Larry R. Dalton; **40** (7), 1217-22 (2001).

Profiles
High-sensitivity surface-profile measurements by heterodyne white-light interferometer. — Akiko Hirai and Hirokazu Matsumoto; **40** (3), 387-91 (2001).
Noncontact probe for profilometric measurement of small-form parts. — Ming Chang and Kao-Hui Lin; **40** (10), 2057-8 (2001).

Profiling
One-grating projection for absolute three-dimensional profiling. — Klaus Körner, Robert Windecker, Matthias Fleischer, and Hans J. Tiziani; **40** (8), 1653-60 (2001).
Tropospheric O_3 measurement by simultaneous differential absorption lidar and null profiling and comparison with sonde measurement. — Tetsuo Fukuchi, Takashi Fujii, Nianwen Cao, Koshichi Nemoto, and Nobuo Takeuchi; **40** (9), 1944-9 (2001).

Profilometers
Optical profilometer based on the principle of differential interference. — Qingxiang Li, Hong Gao, Shifu Xue, and Yuhe Li; **40** (5), 833-6 (2001).
Profilometer for measuring superfine surfaces. — Zhao-Fei Zhou, Tao Zhang, Weidong Zhou, and Wenjie Li; **40** (8), 1646-52 (2001).

Profilometry
Diffractive optical element-based profilometer for surface inspection. — Giuseppe Schirripa Spagnolo and Dario Ambrosini; **40** (1), 44-52 (2001).
Application of improved phase-measuring profilometry in nonconstant environmental light. — Wan-Song Li and Xian-Yu Su; **40** (3), 478-85 (2001).
Phase unwrapping algorithm based on fringe frequency analysis in Fourier-transform profilometry. — Xianyu Su and Lian Xue; **40** (4), 637-43 (2001).
Real-time calibration algorithm for phase shifting in phase-measuring profilometry. — Wansong Li and Xianyu Su; **40** (5), 761-6 (2001).

Linear integer unconcerned phase-map profilometry by changing the projection angle of the grating. — Jingang Zhong; **40** (7), 1377-82 (2001).

Projection systems

One-grating projection for absolute three-dimensional profiling. — Klaus Körner, Robert Windecker, Matthias Fleischer, and Hans J. Tiziani; **40** (8), 1653-60 (2001).

Noncontact probe for profilometric measurement of small-form parts. — Ming Chang and Kao-Hui Lin; **40** (10), 2057-8 (2001).

Propagation

Mathematical model for the irradiance probability density function of a laser beam propagating through turbulent media. — M. A. Al-Habash, L. C. Andrews, and R. L. Phillips; **40** (8), 1554-62 (2001).

Optimized approach to multiscale skeleton generation. — Luciano da Fontoura Costa and Edson Tadeu M. Manoel; **40** (9), 1752-3 (2001).

Two-dimensional space-angle product of a Gaussian beam. — George H. Seward; **40** (9), 1959-62 (2001).

Measurement of speed and attenuation of longitudinal elastic waves in optical fibers. — Brad M. Beadle and Jacek Jarzynski; **40** (10), 2115-9 (2001).

Studies on the propagation of light from a light-emitting diode through a glass tube and development of an optosensor for the continuous detection of liquid level. — N. B. Manik, S. C. Mukherjee, and A. N. Basu; **40** (12), 2830-6 (2001).

Wavefront measurement by solving the irradiance transport equation for multifocal systems. — Juan A. Quiroga, Jose A. Gómez-Pedrero, and Juan C. Martínez-Antón; **40** (12), 2885-91 (2001).

Pulses

Measurement of the temporal evolution of periodic induced displacement derivatives using stroboscopic electronic speckle-shearing interferometry. — Pablo D. Ruiz, Abundio Dávila, Gabriel Mendiola, and Guillermo H. Kaufmann; **40** (2), 318-24 (2001).

Analysis of spatiotemporal coupling in a femtosecond pulse shaper by the Wigner distribution function. — Yasunori Sutoh, Yoshiaki Yasuno, Kenji Harada, Masahide Itoh, Toyohiko Yatagai, and Masahiko Mori; **40** (8), 1717-23 (2001).

Submicron holes in copper thin film directly ablated using femtosecond pulsed laser. — K. Venkatakrishnan, B. Tan, and B. K. A. Ngoi; **40** (12), 2892-3 (2001).

Quantization

Image coding schemes based on subsampling vector quantization. — Yu-Chen Hu and Chin-Chen Chang; **40** (1), 108-14 (2001).

Relocation, scaling, and quantization effects on fractal images. — Hsuan T. Chang; **40** (6), 941-51 (2001).

Secure discrete cosine transform based technique for recoverable tamper proofing. — Kuo-Lung Hung, Chin-Chen Chang, and Tung-Shou Chen; **40** (9), 1950-8 (2001).

Subjective quality of reconstructed images obtained with classical and advanced wavelet coders. — Dušan Gleich, Peter Planinšič, Bojan Gergič, and Žarko Čučej; **40** (10), 2143-50 (2001).

Practical methods for speeding-up the pairwise nearest neighbor method. — Olli Virmajoki, Pasi Fränti, and Timo Kaukoranta; **40** (11), 2495-504 (2001).

Quantum efficiency

Infrared detector performance in an area array. — Vikram Dhar and Vishnu Gopal; **40** (5), 679-91 (2001).

Ratio of quantum efficiency to crosstalk: a proposed figure of merit for a mosaic infrared diode array. — Vikram Dhar and Vishnu Gopal; **40** (10), 2345-9 (2001).

Quantum wells

Threshold characteristics of 1.55-μm InGaAs/InGaAsP strain-compensated quantum well lasers with zero net strain. — Chunsheng Ma, Lijun Wang, and Shiyong Liu; **40** (3), 460-5 (2001).

High-speed, dual-function vertical cavity multiple quantum well modulators and photodetectors for optical interconnects. — Hong Liu, Chien-Chung Lin, and James S. Harris, Jr.; **40** (7), 1186-91 (2001).

Large-aperture multiple quantum well modulating retroreflector for free-space optical data transfer on unmanned aerial vehicles. — G. C. Gilbreath, W. S. Rabinovich, T. J. Meehan, M. J. Vilcheck, R. Mahon, Ray Burris, M. Ferraro, I. Sokolsky, J. A. Vasquez, C. S. Bovais, K. Cochrell, K. C. Goins, R. Barbehenn, D. S. Katzer, K. Ikossi-Anastasiou, and Marcos J. Montes; **40** (7), 1348-56 (2001).

Quartz

Mode suppression, its elimination, and generation of small frequency differences in birefringence He-Ne lasers. — Shulian Zhang, Yuye Jin, Jie Fu, Yan Li, Li Shiqun, and Li Jiaqiang; **40** (4), 594-7 (2001).

Simple method for measuring the extraordinary and ordinary indices of quartz plates. — Cheng-Chih Hsu and Der-Chin Su; **40** (10), 2273-6 (2001).

Radar

Laser ranging: a critical review of usual techniques for distance measurement. — Markus-Christian Amann, Thierry Bosch, Marc Lescure, Risto Myllylä, and Marc Rioux; **40** (1), 10-9 (2001).

Unusual techniques for absolute distance measurement. — Peter de Groot; **40** (1), 28-32 (2001).

Distance measurement of moving objects by frequency modulated laser radar. — Richard Schneider, Peter Thürmel, and Michael Stockmann; **40** (1), 33-7 (2001).

Low-cost three-dimensional vision system based on a low-power semiconductor laser rangefinder and a single scanning mirror. — Ernesto Garcia and Horacio Lamela; **40** (1), 61-6 (2001).

Efficient method for the translational motion compensation of inverse synthetic aperture radar imagery. — Benjamin C. Flores, Jae Sok Son, and Salim Tariq; **40** (3), 433-42 (2001).

Jump-diffusion algorithm for multiple target recognition using laser radar range data. — Aaron D. Lanterman; **40** (8), 1724-8 (2001).

Inverse synthetic aperture radar imaging using a coherent ultrawideband random noise radar system. — Daryl C. Bell and Ram M. Narayanan; **40** (11), 2612-23 (2001).

Performance assessment of a homodyne laser radar for surface displacement monitoring. — Alejandro Rodriguez, Adolfo Comeron, and Eloy Mesalles; **40** (12), 2812-21 (2001).

Radiation

Eye-safe singly resonant KTP parametric oscillator pumped inside a Nd:YAG laser cavity. — R. Dabu, A. Stratan, C. Fenic, C. Luculescu, and L. Muscalu; **40** (3), 455-9 (2001).

Development of the technology of contacting ZnSe infrared optical windows using polyethylene films. — Edward Bormashenko, Roman Pogreb, Avigdor Sheshnev, Semion Sutovski, Yelena Bormashenko, Zosya Pogreb, and Abraham Katzir; **40** (9), 1754-5 (2001).

Radiative transfer

Computer simulations of interferometric imaging with the Very Large Telescope Interferometer and its Astronomical Multibeam Recombiner instrument. — F. Przygodda, T. Blöcker, K.-H. Hofmann, and G. Weigelt; **40** (5), 753-60 (2001).

Bibliographical review for reflectance of diffusing media. — Bernadette Philips-Invernizzi, Daniel Dupont, and Claude Cazé; **40** (6), 1082-92 (2001).

Radiometers

Fiber optic infrared thermometer for accurate measurement of the core temperature of the human body. — S. Sade and A. Katzir; **40** (6), 1141-3 (2001).

Radiometry

Blocking improved narrow-band filters for the UV-B region. — Hein Uhlig and Norbert Kaiser; **40** (10), 2331-7 (2001).

Measurement of low-level gain in a visible chemical laser amplifier. — James Michael Stephens, John David Stout, Joseph Abraham, Martin Neumann, James L. Gole, Lee H. Sentman, and Mariusz Zaczek; **40** (12), 2788-801 (2001).

Wavefront measurement by solving the irradiance transport equation for multifocal systems. — Juan A. Quiroga, Jose A. Gómez-Pedrero, and Juan C. Martínez-Antón; **40** (12), 2885-91 (2001).

Radon transform

Moment patterns in the radon space: invariance to intensity scaling. — R. R. Galigekere, D. W. Holdsworth, M. N. S. Swamy, and A. Fenster; **40** (7), 1409-11 (2001).

Ranging

Laser ranging: a critical review of usual techniques for distance measurement. — Markus-Christian Amann, Thierry Bosch, Marc Lescure, Risto Myllylä, and Marc Rioux; **40** (1), 10-9 (2001).

Optical feedback interferometry for sensing application. — Thierry Bosch, Noël Servagent, and Silvano Donati; **40** (1), 20-7 (2001).

Error propagation in two-sensor three-dimensional position estimation. — John N. Sanders-Reed; **40** (4), 627-36 (2001).

Receivers

Comparing behavioral receiver operating characteristic curves to multidimensional matched filters. — William K. Krebs, Dean A. Scribner, and Jason S. McCarley; **40** (9), 1818-26 (2001).

Reflectance

Deformation detection on composite reflectance surfaces using two-image photometric stereo. — Albrecht E. Carver and Robert J. Schalkoff; **40** (2), 295-302 (2001).

Bibliographical review for reflectance of diffusing media. — Bernadette Philips-Invernizzi, Daniel Dupont, and Claude Cazé; **40** (6), 1082-92 (2001).

Reflection

Thickness variation of self-processing acrylamide-based photopolymer and reflection holography. — F. T. O'Neill, J. R. Lawrence, and J. T. Sheridan; **40** (4), 533-9 (2001).

Simple method for measuring the extraordinary and ordinary indices of quartz plates. — Cheng-Chih Hsu and Der-Chin Su; **40** (10), 2273-6 (2001).

Deformation measurement on specular surfaces by simple means. — Jürgen H. Massig; **40** (10), 2315-8 (2001).

Reflectivity

Spectral imaging, reflectivity measurements, and modeling of iridescent butterfly scale structures. — Seth E. Mann, Ioannis N. Miaoulis, and Peter Y. Wong; **40** (10), 2061-8 (2001).

Polarization eigenvectors for reflective twisted nematic liquid crystal displays. — Ignacio Moreno, Carlos R. Fernández-Pousa, Jeffrey A. Davis, and David J. Franich; **40** (10), 2220-6 (2001).

Reflectors

Generation of front-surface low-mass epoxy-composite mirrors by spin-casting. — Robert L. Richardson and Peter R. Griffiths; **40** (2), 252-8 (2001).

Si-based resonant-cavity-enhanced photodetector. — Qiming Wang, Cheng Li, Buwen Cheng, and Qinqing Yang; **40** (7), 1192-4 (2001).

Refractive index

Combining optical effects of axial strain, thermal loading, and hydrostatic pressure in tightly jacketed double-coated optical fibers. — Yu-Ching Yang; **40** (10), 2107-14 (2001).

Optical control of monocrystalline films. — Oleg V. Angelsky, Peter P. Maksimyak, S. Reed, and Vasyl V. Ryukhtin; **40** (10), 2227-33 (2001).

Simple method of Brewster-angle measurement for the determination of refractive indices in transparent biaxial crystal. — N. Kejalakshmy and K. Srinivasan; **40** (11), 2594-7 (2001).

Remote sensing

Wind infrared Doppler lidar instrument. — Ch. Werner, P. H. Flamant, O. Reitebuch, F. Köpp, J. Streicher, S. Rahm, E. Nagel, M. Klier, H. Herrmann, C. Loth, P. Delville, Ph. Drobinski, B. Romand, Ch. Boitel, D. Oh, M. Lopez, M. Meissonnier, D. Bruneau, and A. Dabas; **40** (1), 115-25 (2001).

Generation of front-surface low-mass epoxy-composite mirrors by spin-casting. — Robert L. Richardson and Peter R. Griffiths; **40** (2), 252-8 (2001).

Evaluation of differential absorption lidar (DIAL) measurement error by simultaneous DIAL and null profiling. — Tetsuo Fukuchi, Takashi Fujii, Naohiko Goto, Koshichi Nemoto, and Nobuo Takeuchi; **40** (3), 392-7 (2001).

Relaxation oscillation with Tm:YLF laser using a double cavity in the single-longitudinal-mode oscillation. — Jun Izawa, Hayato Nakajima, Hiroshi Hara, and Yoshinori Arimoto; **40** (3), 466-8 (2001).

Comparison of SNR image quality metrics for remote sensing systems. — Robert D. Fiete and Theodore Tantalo; **40** (4), 574-85 (2001).

Error propagation in two-sensor three-dimensional position estimation. — John N. Sanders-Reed; **40** (4), 627-36 (2001).

Wavelet analysis for the elimination of striping noise in satellite images. — Jorge Torres and Sergio Omar Infante; **40** (7), 1309-14 (2001).

Thermal infrared hot spot and dependence on canopy geometry. — James A. Smith and Jerrell R. Ballard, Jr.; **40** (8), 1435-7 (2001).

Lidar remote sensing of stone cultural heritage: detection of protective treatments. — Gaia Ballerini, Susanna Bracci, Luca Pantani, and Piero Tiano; **40** (8), 1579-83 (2001).

Hidden Markov model approach to spectral analysis for hyperspectral imagery. — Qian Du and Chein-I Chang; **40** (10), 2277-84 (2001).

Synthetic aperture radar image of agricultural fields with surface drainage network: simulation and spatial information retrieval. — François Meunier, Jean Meunier, and François Cavayas; **40** (10), 2319-30 (2001).

Resolution

Breadboard system and techniques to optimize the optical system of an encoder. — Yuji Matsuzoe and Nobuhiko Tsuji; **40** (2), 283-8 (2001).

Subband correlation of Daubechies wavelet representations. — Zikuan Chen and Yang Tao; **40** (3), 362-71 (2001).

New approach to superresolution. — Haifeng Wang and Fuxi Gan; **40** (5), 851-5 (2001).

Laser beam deflectometry based on a subpixel resolution algorithm. — Héctor Canabal, José Alonso, and Eusebio Bernabeu; **40** (11), 2517-23 (2001).

Resonators

Eye-safe singly resonant KTP parametric oscillator pumped inside a Nd:YAG laser cavity. — R. Dabu, A. Stratan, C. Fenic, C. Luculescu, and L. Muscalu; **40** (3), 455-9 (2001).

Extension of the self-filtering unstable resonator to a ring cavity. — Guillermo D. Santiago, Alejandro L. Peuriot, and Carlos A. Rosito; **40** (10), 2215-9 (2001).

Retarder

Fabricating microretarders by CO_2 laser heating process technology. — Chao-Hsu Tsai, Kuo-Chung Huang, Kuen Lee, and Wen-Jean Hsueh; **40** (11), 2577-81 (2001).

Reticles

Adaptive infrared counter countermeasure for two-color spinning concentric-annular-ring reticle seeker. — Hyun-Ki Hong, Surng-Gabb Jahng, Kyoung-Soo Doo, Jong-Soo Choi, and Sung-Hyun Han; **40** (6), 1093-9 (2001).

Retroreflection

Angle measurement by injection detection in a laser diode. — Guido Giuliani, Silvano Donati, Marco Passerini, and Thierry Bosch; **40** (1), 95-9 (2001).

Retroreflectors

Large-aperture multiple quantum well modulating retroreflector for free-space optical data transfer on unmanned aerial vehicles. — G. C. Gilbreath, W. S. Rabinovich, T. J. Meehan, M. J. Vilcheck, R. Mahon, Ray Burris, M. Ferraro, I. Sokolsky, J. A. Vasquez, C. S. Bovais, K. Cochrell, K. C. Goins, R. Barbehenn, D. S. Katzer, K. Ikossi-Anastasiou, and Marcos J. Montes; **40** (7), 1348-56 (2001).

Robotics

Three-dimensional perceived-shape representation fusing range data and fuzzy-like segmented image data. — Nikolaos G. Bourbakis; **40** (4), 618-26 (2001).

Roughness

Fabrication of continuous surface-relief gratings using a high-precision diamond-cutting process. — Jun Amako, Hitoshi Nakao, and Shinichiro Ochiai; **40** (8), 1456-63 (2001).

Influence of object roughness on specimen gratings for moiré interferometry. — Amalia Martínez, Ramon Rodríguez-Vera, Juan A. Rayas, and José F. Vázquez; **40** (9), 1978-83 (2001).

Laser examination of cast surface roughness. — Konrad Łukaszewski, Kazimierz Rożniakowski, and Tomasz W. Wojtatowicz; **40** (9), 1993-7 (2001).

Optical control of monocrystalline films. — Oleg V. Angelsky, Peter P. Maksimyak, S. Reed, and Vasyl V. Ryukhtin; **40** (10), 2227-33 (2001).

Ruby lasers

Numerical study of the Cr:YSO *Q*-switched ruby laser. — Yen-Kuang Kuo, Horng-Min Chen, and Jih-Yuan Chang; **40** (9), 2031-5 (2001).

Satellites

Comparison of SNR image quality metrics for remote sensing systems. — Robert D. Fiete and Theodore Tantalo; **40** (4), 574-85 (2001).

In-orbit measurements of short term attitude and vibrational environment on the Engineering Test Satellite VI using laser communication equipment. — Morio Toyoshima and Kenichi Araki; **40** (5), 827-32 (2001).

Photonics for time delay in communication systems. — Zan Shi, Jianyi Yang, James J. Foshee, Walter B. Hartman, Suning Tang, and Ray T. Chen; **40** (7), 1238-43 (2001).

Scanners

Measuring the illumination angle of a flatbed scanner. — T. W. Ng and A. Tajuddin; **40** (3), 415-7 (2001).

Scanning

Low-cost three-dimensional vision system based on a low-power semiconductor laser rangefinder and a single scanning mirror. — Ernesto García and Horacio Lamela; **40** (1), 61-6 (2001).

Scanning microscopy

Distribution of light density inside metal-coated micrometer-size optical tapers. — Laurent Thiery, Nathalie Marini, Claudine Bainier, and Daniel Charraut; **40** (6), 1010-5 (2001).

Scattering

Bibliographical review for reflectance of diffusing media. — Bernadette Philips-Invernizzi, Daniel Dupont, and Claude Cazé; **40** (6), 1082-92 (2001).

New technology of precision polishing of glass optics. — Valentin V. Rogov, Yurii D. Filatov, Wolfgang Kottler, and Valerii P. Sobol; **40** (8), 1641-5 (2001).

Tropospheric O_3 measurement by simultaneous differential absorption lidar and null profiling and comparison with sonde measurement. — Tetsuo Fukuchi, Takashi Fujii, Nianwen Cao, Koshichi Nemoto, and Nobuo Takeuchi; **40** (9), 1944-9 (2001).

Spectral imaging, reflectivity measurements, and modeling of iridescent butterfly scale structures. — Seth E. Mann, Ioannis N. Miaoulis, and Peter Y. Wong; **40** (10), 2061-8 (2001).

Optical control of monocrystalline films. — Oleg V. Angelsky, Peter P. Maksimyak, S. Reed, and Vasyl V. Ryukhtin; **40** (10), 2227-33 (2001).

Measurement system for laser bistatic lidar scattering. — Chin-Yuan Hsieh; **40** (11), 2546-51 (2001).

Optimization of optical particle sizing in multiphase flows. — Huihe Qiu, Wangcun Jia, and Chin-Tsau Hsu; **40** (11), 2586-93 (2001).

Schlieren techniques

Detection of velocity distribution of a flow field using sequences of Schlieren images. — Shan Fu and Yajue Wu; **40** (8), 1661-6 (2001).

Scintillation

Fractional moments for processing data from low-dynamics acquisition systems in laser atmospheric scintillation. — Claudia Innocenti and Anna Consortini; **40** (12), 2685-9 (2001).

Segmentation

Segmentation of forward-looking infrared image using fuzzy thresholding and edge detection. — Sun-Gu Sun and HyunWook Park; **40** (11), 2638-45 (2001).

Semiconductor lasers

Optical feedback interferometry for sensing application. — Thierry Bosch, Noël Servagent, and Silvano Donati; **40** (1), 20-7 (2001).

Compact optical instrument for surface classification using self-mixing interference in a laser diode. — Şahin Kaya Özdemir, Shigenobu Shinohara, Satoshi Ito, Sotetsu Takamiya, and Hirofumi Yoshida; **40** (1), 38-43 (2001).

Frequency stabilization of a semiconductor laser using water-vapor absorption lines. — Oliver Grohe, Harald Gottschling, Holger Jennewein, and Theo Tschudi; **40** (4), 529-32 (2001).

Sensing

Shape measurement by digital speckle temporal sequence correlation with digital light projector. — Hongjun Dai and Xianyu Su; **40** (5), 793-800 (2001).

Sensors

Optical feedback interferometry for sensing application. — Thierry Bosch, Noël Servagent, and Silvano Donati; **40** (1), 20-7 (2001).

Stereo-based registration of range and projective imagery for data fusion and visualization. — Philip W. Smith and Mark D. Elstrom; **40** (3), 352-61 (2001).

Development of a noncontact optical sensor for measuring the shape of a surface and thickness of transparent objects. — Young Kee Ryu, Choonsuk Oh, and Jong-Seul Lim; **40** (4), 500-2 (2001).

Optically interrogated MEMS pressure sensors for propulsion applications. — Jie Zhou, Sanhita Dasgupta, Hiroshi Kobayashi, J. Mitch Wolff, Howard E. Jackson, and Joseph T. Boyd; **40** (4), 598-604 (2001).

Three-dimensional perceived-shape representation fusing range data and fuzzy-like segmented image data. — Nikolaos G. Bourbakis; **40** (4), 618-26 (2001).

Multiple gold island layers on a fiber core: a promising sensing device. — F. Meriaudeau, A. Wig, A. Passian, J. P. Lauret, and T. L. Ferrell; **40** (5), 658-60 (2001).

Study of thin-film SO_2 gas sensors by photometric and ellipsometric methods. — Z. S. Tang, Z. X. Fan, and J. D. Shao; **40** (5), 856-60 (2001).

New design of a detachable bulk-optic Faraday effect current clamp. — Benshun Yi, Beatrice C. B. Chu, and Kin Seng Chiang; **40** (6), 914-20 (2001).

Algorithm for resolving 2π ambiguities in interferometric measurements by use of multiple wavelengths. — Mats G. Löfdahl and Henrik Eriksson; **40** (6), 984-90 (2001).

Bayesian sensor image fusion using local linear generative models. — Ravi K. Sharma, Todd K. Leen, and Misha Pavel; **40** (7), 1364-76 (2001).

Micro-optical distance sensor fabricated by deep x-ray lithography. — Hajime Nakajima, Patrick Ruther, Jurgen Mohr, Masahiro Tsugai, and Teruo Usami; **40** (8), 1667-73 (2001).

Red fluorescence sensor for noncontact on-line measurements in paper production. — Carl Magnus Nilsson, Lennart Malmqvist, and Jörgen Carlsson; **40** (8), 1674-81 (2001).

Perception studies. — Barbara L. O'Kane, David Bonzo, and James E. Hoffman; **40** (9), 1768-75 (2001).

Optical profilometer with a standalone scanning sensor head. — Alessandro Bartoli, Pasquale Poggi, Franco Quercioli, Bruno Tiribilli, and Massimo Vassalli; **40** (12), 2852-9 (2001).

Shearography

Opto-digital system for curvature measurement. — V. KrishnaKumar, V. M. Murukeshan, A. Kishen, and A. Asundi; **40** (3), 340-1 (2001).

Shock

Optimized approach to multiscale skeleton generation. — Luciano da Fontoura Costa and Edson Tadeu M. Manoel; **40** (9), 1752-3 (2001).

Signal detection

Comparing behavioral receiver operating characteristic curves to multidimensional matched filters. — William K. Krebs, Dean A. Scribner, and Jason S. McCarley; **40** (9), 1818-26 (2001).

Signal detection using time-frequency distributions with nonunity kernels . — Khoa Nguyen Le, Kishor P. Dabke, and Gregory K. Egan; **40** (12), 2866-77 (2001).

Signal processing

Optimum analog-to-digital converters for a laser speckle correlation-based displacement and strain sensor with optical preprocessing. — Christian Kargel and Bernhard G. Zagar; **40** (1), 90-4 (2001).

Modified cubic convolution scaler with minimum loss of information. — Jong-Ki Han and Hyung-Myung Kim; **40** (4), 540-6 (2001).

Real-time identification of smoke images by clustering motions on a fractal curve with a temporal embedding method. — Philippe Guillemant and Jérôme Vicente; **40** (4), 554-63 (2001).

Error-resilient zero-tree wavelet image coding technique over noisy channels. — Woo Young Jang, Jung Ryul Ryou, Chulhee Lee, and Kwanghoon Sohn; **40** (5), 861-7 (2001).

Partial response maximum-likelihood system and crosstalk cancellation method for high-density optical recording. — Hangyu Cho, Jonghoe An, Sunghwan Ong, Daesik Hong, Seongkeun Ahn, and Jinyong Kim; **40** (8), 1621-8 (2001).

Signal-to-noise ratio

Enhancement of signal-to-noise ratio of a double random phase encoding encryption system. — Bor Wang and Ching-Cherng Sun; **40** (8), 1502-6 (2001).

Signal detection using time-frequency distributions with nonunity kernels . — Khoa Nguyen Le, Kishor P. Dabke, and Gregory K. Egan; **40** (12), 2866-77 (2001).

Silica

Power conversion efficiency characterization of erbium-doped silica fibers in L-band. — Jian Liu, Paul F. Wysocki, Matthew Andrejco, and Bera Palsdottir; **40** (7), 1195-8 (2001).

Silicon

Optical NOR gate based on silicon technology. — Alicia Vera-Marquina, Alfonso Torres-Jacome, and Francisco-J. Renero-Carrillo; **40** (10), 2261-4 (2001).

Structure and doping optimization of SiGe heterojunction internal photoemission detectors for mid-infrared applications. — Elizabeth Corbin, Michael J. Shaw, Matt R. Kitchin, Milan Jaros, Johannes Konle, and Hartmut Presting; **40** (12), 2753-62 (2001).

Simulations

Adaptive infrared counter countermeasure for two-color spinning concentric-annular-ring reticle seeker. — Hyun-Ki Hong, Surng-Gabb Jahng, Kyoung-Soo Doo, Jong-Soo Choi, and Sung-Hyun Han; **40** (6), 1093-9 (2001).

Theoretical investigation of the influence of a diaphragm on the flat surface of a solid immersion lens on beam parameters. — Anatoly S. Lapchuk, Vyacheslav V. Petrov, Andrey A. Kryuchin, and Semen M. Shanoylo; **40** (8), 1471-5 (2001).

Guidelines for developing and validating models of visual search and target acquisition. — Theodore J. Doll and Richard Horne; **40** (9), 1776-83 (2001).

CAMEO-SIM: a physics-based broadband scene simulation tool for assessment of camouflage, concealment, and deception methodologies. — Ian R. Moorhead, Marilyn A. Gilmore, Alex W. Houlbrook, David E. Oxford, David Filbee, Colin Stroud, George Hutchings, and Albert Kirk; **40** (9), 1896-905 (2001).

Numerical study of the Cr:YSO *Q*-switched ruby laser. — Yen-Kuang Kuo, Horng-Min Chen, and Jih-Yuan Chang; **40** (9), 2031-5 (2001).

Simulator for computer-aided design of holograms. — Tohru Shimizu, Yasuhiro Awatsuji, and Toshihiro Kubota; **40** (11), 2524-32 (2001).

Single-mode fibers

Transmission of optical length information through single-mode fiber by a low-coherence tandem interferometer. — Hirokazu Matsumoto and Akiko Hirai; **40** (11), 2365-6 (2001).

Smart structures

Investigation of multifunctional fiber optic sensor in smart composite. — Boming Zhang, Zhanjun Wu, Dianfu Wang, and Shanyi Du; **40** (4), 612-7 (2001).

Sol-gels

Single-step fabrication of surface relief diffractive optical elements on hybrid sol-gel glass. — H. J. Jiang, X.-C. Yuan, Y. L. Lam, Y. C. Chan, and G. I. Ng; **40** (9), 2017-21 (2001).

Solid state lasers

Relaxation oscillation with Tm:YLF laser using a double cavity in the single-longitudinal-mode oscillation. — Jun Izawa, Hayato Nakajima, Hiroshi Hara, and Yoshinori Arimoto; **40** (3), 466-8 (2001).

Heating measurements in diode-end-pumped Nd:YVO_4 lasers. — Xiaoyuan Peng, Anand Asundi, Yihong Chen, and Zhengjun Xiong; **40** (6), 1100-5 (2001).

Simple method to calculate the radial energy and temperature distributions in diode-pumped solid state laser rods. — Wenjie Xie, Siu-Chung Tam, and Yee-Loy Lam; **40** (8), 1568-72 (2001).

Spatial filtering

Generalized filtering operations for hue images. — HyunWook Park, Taiyi Cheng, and Yongmin Kim; **40** (1), 100-7 (2001).

Spatial filters

Multi-image gradient-based algorithms for motion estimation. — Samson J. Timoner and Dennis M. Freeman; **40** (9), 2003-16 (2001).

Spatial frequencies

New approach to superresolution. — Haifeng Wang and Fuxi Gan; **40** (5), 851-5 (2001).

Spatial light modulators

Encoding complex diffractive optical elements onto a phase-only liquid-crystal spatial light modulator. — Jeffrey A. Davis, Dylan E. McNamara, Don M. Cottrell, Juan Campos, Maria J. Yzuel, and Ignacio Moreno; **40** (2), 327-9 (2001).

Algorithm for expanding the dynamic range of a Shack-Hartmann sensor by using a spatial light modulator array. — Norbert Lindlein, Johannes Pfund, and Johannes Schwider; **40** (5), 837-40 (2001).

Hologram reconstruction using a digital micromirror device. — Thomas Kreis, Petra Aswendt, and Roland Höfling; **40** (6), 926-33 (2001).

Analysis of spatiotemporal coupling in a femtosecond pulse shaper by the Wigner distribution function. — Yasunori Sutoh, Yoshiaki Yasuno, Kenji Harada, Masahide Itoh, Toyohiko Yatagai, and Masahiko Mori; **40** (8), 1717-23 (2001).

Signed-digit adder using electronically addressable spatial light modulator. — Khan M. Iftekharuddin, Abdul Ahad S. Awwal, and M. A. Salam; **40** (11), 2442-5 (2001).

Fundamental properties of spatial light modulators for the approximate optical computation of Fourier transforms: a review. — Robert W. Cohn; **40** (11), 2452-63 (2001).

Speckle

Characterization of composite materials using a polarizing speckle interferometer. — Pascal Picart, Eric Lolive, and Jean-Marie Berthelot; **40** (1), 81-9 (2001).

Optimum analog-to-digital converters for a laser speckle correlation-based displacement and strain sensor with optical preprocessing. — Christian Kargel and Bernhard G. Zagar; **40** (1), 90-4 (2001).

Measurement of the temporal evolution of periodic induced displacement derivatives using stroboscopic electronic speckle-shearing interferometry. — Pablo D. Ruiz, Abundio Dávila, Gabriel Mendiola, and Guillermo H. Kaufmann; **40** (2), 318-24 (2001).

Investigation of microcracks in wood with laser speckle intensity. — Paul Wahl, Antti Hanhijärvi, and Raimo Silvennoinen; **40** (5), 788-92 (2001).

Shape measurement by digital speckle temporal sequence correlation with digital light projector. — Hongjun Dai and Xianyu Su; **40** (5), 793-800 (2001).

Out-of-plane vibration measurement by speckle photography using photorefractive $BaTiO_3$ crystal. — K. S. Dharmsaktu, Arvind Kumar, and Kehar Singh; **40** (6), 1132-7 (2001).

Speckle photography and the fractional Fourier transform. — Robert Patten, John T. Sheridan, and Alan Larkin; **40** (8), 1438-40 (2001).

Subpixel displacement and deformation gradient measurement using digital image/speckle correlation (DISC). — Peng Zhou and Kenneth E. Goodson; **40** (8), 1613-20 (2001).

Laser examination of cast surface roughness. — Konrad Łukaszewski, Kazimierz Rozniakowski, and Tomasz W. Wojtatowicz; **40** (9), 1993-7 (2001).

Comparative study of wavelet thresholding methods for denoising electronic speckle pattern interferometry fringes. — Alejandro Federico and Guillermo H. Kaufmann; **40** (11), 2598-604 (2001).

Improvement of measuring accuracy of spatial fringe analysis method using a Kalman filter and its application. — Yasuhiko Arai and Shunsuke Yokozeki; **40** (11), 2605-11 (2001).

Experimental checking of the Rician statistics in partially compensated wavefronts. — Manuel P. Cagigal and Vidal F. Canales; **40** (12), 2690-7 (2001).

Speckle interferometry

All-optical fiber sensing system based on random phase encoding and volume holographic interconnection. — Ching-Cherng Sun, Yi-Ming Chen, and Wei-Chia Su; **40** (2), 160-1 (2001).

Deformation analysis with temporal speckle pattern interferometry. — Xide Li, Yizhang Yang, Gang Tao, and Rongxian Li; **40** (2), 310-7 (2001).

Opto-digital system for curvature measurement. — V. KrishnaKumar, V. M. Murukeshan, A. Kishen, and A. Asundi; **40** (3), 340-1 (2001).

Phase errors in low-frequency vibration measurement with high-speed phase-shifting speckle pattern interferometry. — Pablo D. Ruiz, Jonathan M. Huntley, Yuji Shen, C. Russell Coggrave, and Guillermo H. Kaufmann; **40** (9), 1984-92 (2001).

Dual-beam symmetric illumination-observation TV holography system for measurements. — Nandigana Krishna Mohan, Angelica Svanbro, Mikael Sjödahl, and Nils-Erik Molin; **40** (12), 2780-7 (2001).

Spectral matching factors

Spectral matching factors between GaAs and multialkali photocathodes and reflective radiation of objects. — Wei Li and Benkang Chang; **40** (5), 674-8 (2001).

Spectrometers

Grazing-incidence flat-field spectrometer for high-order harmonic diagnostics. — Luca Poletto, Giampiero Naletto, and Giuseppe Tondello; **40** (2), 178-85 (2001).

Miniaturization and module integration of an infrared spectrometer. — Kimmo Keränen, Pentti Karioja, Martti Blomberg, Jussi Tenhunen, Outi Rusanen, and Harri Kopola; **40** (10), 2308-14 (2001).

Spectrophotometry

Spectral estimation and color appearance prediction of fluorescent materials. — Bore-Kuen Lee, Feng-Chi Shen, and Chun-Yen Chen; **40** (10), 2069-76 (2001).

Spectroscopy

Frequency stabilization of a diode laser to absorption lines of water vapor in the 944-nm wavelength region. — Grady J. Koch, Anthony L. Cook, Colleen M. Fitzgerald, and Amin N. Dharamsi; **40** (4), 525-8 (2001).

Mode-locking operation of Nd:LuYLF. — Edison Puig Maldonado, Eduardo Acedo Barbosa, Niklaus Ursus Wetter, Lilia Coronato Courrol, Izilda Marcia Ranieri, Spero Penha Morato, and Nilson Dias Vieira, Jr. ; **40** (8), 1573-8 (2001).

Theoretical and experimental studies on linear and nonlinear algorithms for the measurement of muscle oxygenation using continuous-wave near-infrared spectroscopy. — Jun Shao, Ling Lin, Masatsugu Niwayama, Nobuki Kudo, and Katsuyuki Yamamoto; **40** (10), 2293-301 (2001).

Standards

Image analysis of standard pilling series. — María S. Millán and Héctor C. Abril; **40** (7), 1281-6 (2001).

Statistical optics

Fundamental properties of spatial light modulators for the approximate optical computation of Fourier transforms: a review. — Robert W. Cohn; **40** (11), 2452-63 (2001).

Fractional moments for processing data from low-dynamics acquisition systems in laser atmospheric scintillation. — Claudia Innocenti and Anna Consortini; **40** (12), 2685-9 (2001).

Experimental checking of the Rician statistics in partially compensated wavefronts. — Manuel P. Cagigal and Vidal F. Canales; **40** (12), 2690-7 (2001).

Stereoscopy

Coplanarity study on ball grid array packaging. — C. J. Tay, Xiaoyuan He, Xin Kang, C. Quan, and H. M. Shang; **40** (8), 1608-12 (2001).

Fabricating microretarders by CO_2 laser heating process technology. — Chao-Hsu Tsai, Kuo-Chung Huang, Kuen Lee, and Wen-Jean Hsueh; **40** (11), 2577-81 (2001).

Video-based eye tracking for autostereoscopic displays. — Yong-Sheng Chen, Chan-Hung Su, Jiun-Hung Chen, Chu-Song Chen, Yi-Ping Hung, and Chiou-Shann Fuh; **40** (12), 2726-34 (2001).

Dual-beam symmetric illumination-observation TV holography system for measurements. — Nandigana Krishna Mohan, Angelica Svanbro, Mikael Sjödahl, and Nils-Erik Molin; **40** (12), 2780-7 (2001).

Strain analysis

Measurement of the temporal evolution of periodic induced displacement derivatives using stroboscopic electronic speckle-shearing interferometry. — Pablo D. Ruiz, Abundio Dávila, Gabriel Mendiola, and Guillermo H. Kaufmann; **40** (2), 318-24 (2001).

Chirp tuning of a fiber Bragg grating by using different tapered transducers and loading procedures: an application in the accelerometer. — Yinian Zhu, Pieter L. Swart, Beatrys M. Lacquet, and Stephanus J. Spammer; **40** (10), 2092-6 (2001).

Stress analysis

Opto-digital system for curvature measurement. — V. KrishnaKumar, V. M. Murukeshan, A. Kishen, and A. Asundi; **40** (3), 340-1 (2001).

Reduction of residual stress in extreme ultraviolet Mo/Si multilayer mirrors with postdeposition thermal treatments. — Claude Montcalm; **40** (3), 469-77 (2001).

Full field automated photoelasticity using two-load-step method. — Tong Liu, Anand Asundi, and Chai Gin Boay; **40** (8), 1629-35 (2001).

Subpixels

Hiding a picture in two pictures. — Ren-Junn Hwang and Chin-Chen Chang; **40** (3), 342-51 (2001).

Surfaces

Compact optical instrument for surface classification using self-mixing interference in a laser diode. — Şahin Kaya Özdemir, Shigenobu Shinohara, Satoshi Ito, Sotetsu Takamiya, and Hirofumi Yoshida; **40** (1), 38-43 (2001).

Optical profilometer based on the principle of differential interference. — Qingxiang Li, Hong Gao, Shifu Xue, and Yufe Li; **40** (5), 833-6 (2001).

Dwell time algorithm for computer-controlled polishing of small axis-symmetrical aspherical lens mold. — Hocheol Lee and Minyang Yang; **40** (9), 1936-43 (2001).

Laser polishing of optical fiber end surface. — Mircea Udrea, Hamdi Orun, and Ali Alacakir; **40** (9), 2026-30 (2001).

Surface imperfections: specimen measurement by microscope and digital camera. — Lionel R. Baker; **40** (10), 2059-60 (2001).

Deformation measurement on specular surfaces by simple means. — Jürgen H. Massig; **40** (10), 2315-8 (2001).

Performance assessment of a homodyne laser radar for surface displacement monitoring. — Alejandro Rodriguez, Adolfo Comeron, and Eloy Mesalles; **40** (12), 2812-21 (2001).

Optical reference profilometry. — Stephan R. Clark and John E. Greivenkamp; **40** (12), 2845-51 (2001).

Switches

Liquid crystal-based self-aligning 2×2 wavelength routing module. — Sarun Sumriddetchkajorn, Nabeel A. Riza, and Deepak K. Sengupta; **40** (8), 1521-8 (2001).

Switching

Local activity indicators for hard-switching adaptive filtering of images with mixed noise. — Vladimir P. Melnik, Vladimir V. Lukin, Alexander A. Zelensky, Jaakko T. Astola, and Pauli Kuosmanen; **40** (8), 1441-55 (2001).

Numerical study of the Cr:YSO Q-switched ruby laser. — Yen-Kuang Kuo, Horng-Min Chen, and Jih-Yuan Chang; **40** (9), 2031-5 (2001).

Application of V^{3+}:YAG crystals for Q-switching and mode-locking of 1.3-μm diode-pumped neodymium lasers. — Jan K. Jabczyński, Krzysztof Kopczyński, Zygmunt Mierczyk, Antonio Agnesi, Annalisa Guandalini, and GianCarlo Reali; **40** (12), 2802-11 (2001).

Symbolic substitution

Signed-digit adder using electronically addressable spatial light modulator. — Khan M. Iftekharuddin, Abdul Ahad S. Awwal, and M. A. Salam; **40** (11), 2442-5 (2001).

Synthetic aperture radar

Selective inverse synthetic aperture radar imaging of moving targets. — Gabriel Thomas, Benjamin C. Flores, and Salim Tariq; **40** (2), 217-26 (2001).

Efficient method for the translational motion compensation of inverse synthetic aperture radar imagery. — Benjamin C. Flores, Jae Sok Son, and Salim Tariq; **40** (3), 433-42 (2001).

Synthetic aperture radar image of agricultural fields with surface drainage network: simulation and spatial information retrieval. — François Meunier, Jean Meunier, and François Cavayas; **40** (10), 2319-30 (2001).

Optimal synthetic aperture radar image correlation using enhanced scattering centers in holographic data storage. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **40** (11), 2624-37 (2001).

Synthetic apertures

Inverse synthetic aperture radar imaging using a coherent ultrawideband random noise radar system. — Daryl C. Bell and Ram M. Narayanan; **40** (11), 2612-23 (2001).

Target recognition

Multiple-target recognition using the discrete rotational Fourier transform. — Neng-Chung Hu, Kuo-Kan Yu, and Hong-I Chang; **40** (8), 1687-98 (2001).

Targets

Target identification performance as a function of temporal and fixed pattern noise. — Ronald G. Driggers, Richard Vollmerhausen, and Keith Krapels; **40** (3), 443-7 (2001).

Eigenspace transformation for automatic clutter rejection. — Lipchen Alex Chan, Nasser M. Nasrabadi, and Don Torrieri; **40** (4), 564-73 (2001).

Influence of severe vibrations on the visual perception of video sequences. — Adrian Stern, Etan Fisher, Stanley R. Rotman, and Norman S. Kopeika; **40** (6), 964-70 (2001).

New two-color cancellation algorithm for counter-countermeasures of infrared seekers. — Jeong-Su Oh, Kyung-Soo Doo, Yong-In Yoon, Dong-Sun Seo, and Jong-Soo Choi; **40** (8), 1699-708 (2001).

Jump-diffusion algorithm for multiple target recognition using laser radar range data. — Aaron D. Lanterman; **40** (8), 1724-8 (2001).

Novel background removal algorithm for Navy infrared search and track systems. — M. Diani, A. Baldacci, and G. Corsini; **40** (8), 1729-34 (2001).

Image dataset for testing search and detection models. — Alexander Toet, Piet Bijl, and J. Mathieu Valeton; **40** (9), 1760-7 (2001).

Perception studies. — Barbara L. O'Kane, David Bonzo, and James E. Hoffman; **40** (9), 1768-75 (2001).

Guidelines for developing and validating models of visual search and target acquisition. — Theodore J. Doll and Richard Home; **40** (9), 1776-83 (2001).

Visual attention and target detection in cluttered natural scenes. — Laurent Itti, Carl Gold, and Christof Koch; **40** (9), 1784-93 (2001).

Minimum error gain for predicting visual target distinctness. — Jose A. García, Joaquín Fdez-Valdivia, Xose R. Fdez-Vidal, Rosa Rodriguez-Sánchez, and José M. Fuertes; **40** (9), 1794-817 (2001).

Comparing behavioral receiver operating characteristic curves to multidimensional matched filters. — William K. Krebs, Dean A. Scribner, and Jason S. McCarley; **40** (9), 1818-26 (2001).

Evaluation of target acquisition difficulty using recognition distance to measure required retinal area. — Thomy Nilsson; **40** (9), 1827-34 (2001).

CAMEVA, a methodology for estimation of target detectability. — Christian M. Birkemark; **40** (9), 1835-43 (2001).

Predicting search time in visually cluttered scenes using the fuzzy logic approach. — Thomas J. Meitzler, Euijung Sohn, Harpreet Singh, Abdelakrim Elgarhi, and Deok H. Nam; **40** (9), 1844-51 (2001).

Image-based contrast-to-clutter modeling of detection. — David L. Wilson; **40** (9), 1852-7 (2001).

Contrast model for three-dimensional vehicles in natural lighting and search performance analysis. — Gary Witus, Grant R. Gerhart, and R. Darin Ellis; **40** (9), 1858-68 (2001).

Assessing camouflage methods using textural features. — Sten Nyberg and Lars Bohman; **40** (9), 1869-76 (2001).

Analyzing the effect of imagery wavelength on the agreement between various image metrics and human detection performance of targets embedded in natural images. — Guy Aviram and Stanley R. Rotman; **40** (9), 1877-84 (2001).

Computational models for search and discrimination. — Anthony C. Copeland and Mohan M. Trivedi; **40** (9), 1885-95 (2001).

CAMEO-SIM: a physics-based broadband scene simulation tool for assessment of camouflage, concealment, and deception methodologies. — Ian R. Moorhead, Marilyn A. Gilmore, Alex W. Houlbrook, David E. Oxford, David Filbee, Colin Stroud, George Hutchings, and Albert Kirk; **40** (9), 1896-905 (2001).

Atmospheric turbulence modulation transfer function for infrared target acquisition modeling. — Keith Krapels, Ronald G. Driggers, Richard H. Vollmerhausen, Norman S. Kopeika, and Carl E. Halford; **40** (9), 1906-13 (2001).

Search and target acquisition: single line of sight versus wide baseline stereo. — Wendell R. Watkins, Garrett D. Heath, Michael D. Phillips, Mathee Valeton, and Alexander Toet; **40** (9), 1914-27 (2001).

Segmentation of forward-looking infrared image using fuzzy thresholding and edge detection. — Sun-Gu Sun and HyunWook Park; **40** (11), 2638-45 (2001).

Simulation of target detection in ultraviolet and infrared bands. — Kyoung-Soo Doo, Jeong-Su Oh, Surng-Gabb Jahng, Hyun-Ki Hong, Jong-Soo Choi, and Dong-Sun Seo; **40** (11), 2646-54 (2001).

ABCs of foveal vision. — Roy M. Matchko and Grant R. Gerhart; **40** (12), 2735-45 (2001).

Telescopes

Generation of front-surface low-mass epoxy-composite mirrors by spin-casting. — Robert L. Richardson and Peter R. Griffiths; **40** (2), 252-8 (2001).

Computer simulations of interferometric imaging with the Very Large Telescope Interferometer and its Astronomical Multibeam Recombiner instrument. — F. Przygodda, T. Blöcker, K.-H. Hofmann, and G. Weigelt; **40** (5), 753-60 (2001).

Temperature

Thermal-recovery optimization of the SG-III prototype. — Haiwu Yu, Wanguo Zheng, Chengcheng Wang, Shaobo He, Jun Tang, Yong Liu, and Yongmei Chun Yu; **40** (1), 126-31 (2001).

Proposal of quantitative temperature measurement using two-color technique combined with several infrared radiometers having different detection wavelength bands. — Terumi Inagaki and Toshimitsu Ishii; **40** (3), 372-80 (2001).

Infrared detector performance in an area array. — Vikram Dhar and Vishnu Gopal; **40** (5), 679-91 (2001).

Temperature-compensating device with central-wavelength tuning for optical fiber gratings. — Samuel I-En Lin; **40** (5), 698-702 (2001).

Sandwich holography for simultaneous temperature visualization and heat-transfer coefficient measurement. — Dario Ambrosini, Domenica Paoletti, and Giuseppe Schirripa Spagnolo; **40** (7), 1274-80 (2001).

Temperature-insensitive fiber-Bragg-grating-based vibration sensor. — Ka On Lee, Kin Seng Chiang, and Zhihao Chen; **40** (11), 2582-5 (2001).

Texture analysis

Karhunen-Loève transform applied to region-based segmentation of color aerial images. — J. C. Devaux, P. Gouton, and F. Truchetet; **40** (7), 1302-8 (2001).

Thermal effects

Thermal-recovery optimization of the SG-III prototype. — Haiwu Yu, Wanguo Zheng, Chengcheng Wang, Shaobo He, Jun Tang, Yong Liu, and Yongmei Chun Yu; **40** (1), 126-31 (2001).

Distribution of light density inside metal-coated micrometer-size optical tapers. — Laurent Thiery, Nathalie Marini, Claudine Bainier, and Daniel Charraut; **40** (6), 1010-5 (2001).

Heating measurements in diode-end-pumped Nd:YVO_4 lasers. — Xiaoyuan Peng, Anand Asundi, Yihong Chen, and Zhengjun Xiong; **40** (6), 1100-5 (2001).

Thermal infrared hot spot and dependence on canopy geometry. — James A. Smith and Jerrell R. Ballard, Jr.; **40** (8), 1435-7 (2001).

Laser-induced temperature distributions and thermal deformations in sapphire, silicon, and calcium fluoride substrates at 1.315 μm. — Yufeng Peng, Zuhai Cheng, Yaoning Zhang, and Junlin Qiu; **40** (12), 2822-9 (2001).

Thermal imaging

Infrared image synthesis of desert backgrounds based on semiempirical thermal models. — Ali Mahmoodi, Abdolreza Nabavi, and Mehdi N. Fesharaki; **40** (2), 227-36 (2001).

Thermography

Proposal of quantitative temperature measurement using two-color technique combined with several infrared radiometers having different detection wavelength bands. — Terumi Inagaki and Toshimitsu Ishii; **40** (3), 372-80 (2001).

Chaotic neural network clustering: an application to landmine detection by dynamic infrared imaging. — Leonardo Angelini, Francesco De Carlo, Carmela Marangi, Massimo Mannarelli, Giuseppe Nardulli, Mario Pellicoro, Giuseppe Satalino, and Sebastiano Stramaglia; **40** (12), 2878-84 (2001).

Thin films

Reduction of residual stress in extreme ultraviolet Mo/Si multilayer mirrors with postdeposition thermal treatments. — Claude Montcalm; **40** (3), 469-77 (2001).

Multiple gold island layers on a fiber core: a promising sensing device. — F. Meriaudeau, A. Wig, A. Passian, J. P. Lauret, and T. L. Ferrell; **40** (5), 658-60 (2001).

Interferometric oil-spill detection system. — Yen-Chieh Huang and Uen-Chin Liang; **40** (5), 740-5 (2001).

Study of thin-film SO_2 gas sensors by photometric and ellipsometric methods. — Z. S. Tang, Z. X. Fan, and J. D. Shao; **40** (5), 856-60 (2001).

Enhancement of the laterally emitting thin film electroluminescent device optical outcoupling via the fabrication of novel geometry structures. — Sara Otero Barros, Robert Stevens, and Wayne Cranton; **40** (6), 934-40 (2001).

Normal and interfacial stresses in thin-film coated optics: the case of diamond-coated zinc sulfide windows. — Claude A. Klein; **40** (6), 1115-24 (2001).

Nanotribology of thin films in a lithium niobate optical waveguide modulator $LiNbO_3$-Ti(20 nm)-Pt(10 nm)-Au(100 nm)-Au(10 μm) using depth-sensing nanoindentation and scratching techniques. — Lotfi Chouanine; **40** (8), 1709-16 (2001).

Spectral imaging, reflectivity measurements, and modeling of iridescent butterfly scale structures. — Seth E. Mann, Ioannis N. Miaoulis, and Peter Y. Wong; **40** (10), 2061-8 (2001).

Three dimensions

Error propagation in two-sensor three-dimensional position estimation. — John N. Sanders-Reed; **40** (4), 627-36 (2001).

Improved motion stereo matching based on a modified dynamic programming. — Mikhail Mozerov, Vitaly Kober, and Tae Sun Choi; **40** (10), 2234-9 (2001).

Three-dimensional optical data storage using three-dimensional optics. — Yoshimasa Kawata, Masaharu Nakano, and Suk-Chun Lee; **40** (10), 2247-54 (2001).

New structured light encoding method for range-data acquisition. — Boxiong Wang, Wei Xiao, and Xiuzhi Luo; **40** (11), 2474-9 (2001).

Fabricating microretarders by CO_2 laser heating process technology. — Chao-Hsu Tsai, Kuo-Chung Huang, Kuen Lee, and Wen-Jean Hsueh; **40** (11), 2577-81 (2001).

Tomography

Moment patterns in the radon space: invariance to intensity scaling. — R. R. Galigekere, D. W. Holdsworth, M. N. S. Swamy, and A. Fenster; **40** (7), 1409-11 (2001).

Topography

Optical profilometer based on the principle of differential interference. — Qingxiang Li, Hong Gao, Shifu Xue, and Yuhe Li; **40** (5), 833-6 (2001).

Shadow moiré profilometry by frequency sweeping. — L. H. Jin, Y. Otani, and T. Yoshizawa; **40** (7), 1383-6 (2001).

Tracking

In-orbit measurements of short term attitude and vibrational environment on the Engineering Test Satellite VI using laser communication equipment. — Morio Toyoshima and Kenichi Araki; **40** (5), 827-32 (2001).

Multi-image gradient-based algorithms for motion estimation. — Samson J. Timoner and Dennis M. Freeman; **40** (9), 2003-16 (2001).

Video-based eye tracking for autostereoscopic displays. — Yong-Sheng Chen, Chan-Hung Su, Jiun-Hung Chen, Chu-Song Chen, Yi-Ping Hung, and Chiou-Shann Fuh; **40** (12), 2726-34 (2001).

Transforms

Suboptimal fractal coding scheme using iterative transformation. — Hyun-Soo Kang and Jae-won Chung; **40** (5), 703-12 (2001).

Two-source decomposition and discrete-cosine-transform–Hadamard-transform coding of low-correlation interframe differences. — Yoo-Sok Saw, Rae-Hong Park, Peter M. Grant, and John M. Hannah; **40** (7), 1387-95 (2001).

Optimized approach to multiscale skeleton generation. — Luciano da Fontoura Costa and Edson Tadeu M. Manoel; **40** (9), 1752-3 (2001).

Secure discrete cosine transform based technique for recoverable tamper proofing. — Kuo-Lung Hung, Chin-Chen Chang, and Tung-Shou Chen; **40** (9), 1950-8 (2001).

Transmission

Dispersion compensation in externally modulated transport system using chirped fiber grating as well as large effective area fiber. — Hai-Han Lu, Ching-Ting Lee, and Chih-Jen Wang; **40** (5), 656-7 (2001).

Photonic radio frequency mixer using metal-semiconductor-metal photodetectors. — Bing Li, Lei Lin, Suning Tang, Yujie Liu, and Ray T. Chen; **40** (7), 1234-7 (2001).

Polarization eigenvectors for reflective twisted nematic liquid crystal displays. — Ignacio Moreno, Carlos R. Fernández-Pousa, Jeffrey A. Davis, and David J. Franich; **40** (10), 2220-6 (2001).

Tunable filters

Tunable chirped fiber Bragg gratings by a distributed heater. — Zhihao Chen, Chao Lu, Jun Hong Ng, Xiufeng Yang, and Tee Hiang Cheng; **40** (7), 1156-7 (2001).

Tunable lasers

Distance measurement of moving objects by frequency modulated laser radar. — Richard Schneider, Peter Thürmel, and Michael Stockmann; **40** (1), 33-7 (2001).

Amplified output of a frequency chirped diode source via injection locking. — Kevin S. Repasky, Peter A. Roos, Lei S. Meng, and John L. Carlsten; **40** (11), 2505-9 (2001).

Turbulence

Mathematical model for the irradiance probability density function of a laser beam propagating through turbulent media. — M. A. Al-Habash, L. C. Andrews, and R. L. Phillips; **40** (8), 1554-62 (2001).

Atmospheric turbulence modulation transfer function for infrared target acquisition modeling. — Keith Krapels, Ronald G. Driggers, Richard H. Vollmerhausen, Norman S. Kopeika, and Carl E. Halford; **40** (9), 1906-13 (2001).

Ultraviolet

Single-step fabrication of surface relief diffractive optical elements on hybrid sol-gel glass. — H. J. Jiang, X.-C. Yuan, Y. L. Lam, Y. C. Chan, and G. I. Ng; **40** (9), 2017-21 (2001).

Simulation of target detection in ultraviolet and infrared bands. — Kyoung-Soo Doo, Jeong-Su Oh, Surng-Gabb Jahng, Hyun-Ki Hong, Jong-Soo Choi, and Dong-Sun Seo; **40** (11), 2646-54 (2001).

Velocity

Instantaneous bubble velocity measurements using digital image analysis. — T. Bui Dinh and T. S. Choi; **40** (2), 325-7 (2001).

Detection of velocity distribution of a flow field using sequences of Schlieren images. — Shan Fu and Yajue Wu; **40** (8), 1661-6 (2001).

Performance assessment of a homodyne laser radar for surface displacement monitoring. — Alejandro Rodriguez, Adolfo Comeron, and Eloy Mesalles; **40** (12), 2812-21 (2001).

Very large scale integration

Free-space optical interconnection modules for two-dimensional photonic very large scale integration circuitry based on microlenses and gradient-refractive-index lenses. — Valérie Baukens, Irina Veretennicoff, and Hugo Thienpont; **40** (11), 2431-41 (2001).

Vibration

Investigation of multifunctional fiber optic sensor in smart composite. — Boming Zhang, Zhanjun Wu, Dianfu Wang, and Shanyi Du; **40** (4), 612-7 (2001).

Out-of-plane vibration measurement by speckle photography using photorefractive $BaTiO_3$ crystal. — K. S. Dharmsaktu, Arvind Kumar, and Kehar Singh; **40** (6), 1132-7 (2001).

Measurement of human vocal fold vibrations with laser triangulation. — Göran Manneberg, Stellan Hertegård, and Johan Liljencrantz; **40** (9), 2041-4 (2001).

Temperature-insensitive fiber-Bragg-grating-based vibration sensor. — Ka On Lee, Kin Seng Chiang, and Zhihao Chen; **40** (11), 2582-5 (2001).

Vibration analysis

In-orbit measurements of short term attitude and vibrational environment on the Engineering Test Satellite VI using laser communication equipment. — Morio Toyoshima and Kenichi Araki; **40** (5), 827-32 (2001).

Phase errors in low-frequency vibration measurement with high-speed phase-shifting speckle pattern interferometry. — Pablo D. Ruiz, Jonathan M. Huntley, Yuji Shen, C. Russell Coggrave, and Guillermo H. Kaufmann; **40** (9), 1984-92 (2001).

Video

Modulation transfer function as a quality measure for compressed images transmitted over a lossy packet network. — Ofer Hadar, Adrian Stern, Merav Huber, and Revital Huber; **40** (10), 2134-42 (2001).

Error-resilient zerotree wavelet video coding. — Kwanghoon Sohn, Chulhee Lee, Jungryul Ryou, and Wooyoung Jang; **40** (11), 2480-8 (2001).

Vision

Laser ranging: a critical review of usual techniques for distance measurement. — Markus-Christian Amann, Thierry Bosch, Marc Lescure, Risto Myllylä, and Marc Rioux; **40** (1), 10-9 (2001).

Low-cost three-dimensional vision system based on a low-power semiconductor laser rangefinder and a single scanning mirror. — Ernesto Garcia and Horacio Lamela; **40** (1), 61-6 (2001).

Mean-quantization-based fragile watermarking for image authentication. — Gwo-Jong Yu, Chun-Shien Lu, and Hong-Yuan Mark Liao; **40** (7), 1396-408 (2001).

Jump-diffusion algorithm for multiple target recognition using laser radar range data. — Aaron D. Lanterman; **40** (8), 1724-8 (2001).

Guidelines for developing and validating models of visual search and target acquisition. — Theodore J. Doll and Richard Home; **40** (9), 1776-83 (2001).

Visual attention and target detection in cluttered natural scenes. — Laurent Itti, Carl Gold, and Christof Koch; **40** (9), 1784-93 (2001).

Minimum error gain for predicting visual target distinctness. — Jose A. García, Joaquín Fdez-Valdivia, Xose R. Fdez-Vidal, Rosa Rodriguez-Sánchez, and José M. Fuertes; **40** (9), 1794-817 (2001).

Evaluation of target acquisition difficulty using recognition distance to measure required retinal area. — Thomy Nilsson; **40** (9), 1827-34 (2001).

Contrast model for three-dimensional vehicles in natural lighting and search performance analysis. — Gary Witus, Grant R. Gerhart, and R. Darin Ellis; **40** (9), 1858-68 (2001).

Computational models for search and discrimination. — Anthony C. Copeland and Mohan M. Trivedi; **40** (9), 1885-95 (2001).

Search and target acquisition: single line of sight versus wide baseline stereo. — Wendell R. Watkins, Garrett D. Heath, Michael D. Phillips, Mathee Valeton, and Alexander Toet; **40** (9), 1914-27 (2001).

Texture synthesis using gray-level co-occurrence models: algorithms, experimental analysis, and psychophysical support. — Anthony C. Copeland, Gopalan Ravichandran, and Mohan M. Trivedi; **40** (11), 2655-73 (2001).

ABCs of foveal vision. — Roy M. Matchko and Grant R. Gerhart; **40** (12), 2735-45 (2001).

Visual compression

Efficient coding algorithm for affine motion parameters. — Yun-Ho Ko, Jae Gark Choi, Soon-Jae Cho, and Seong-Dae Kim; **40** (2), 200-8 (2001).

Volume holography

All-optical fiber sensing system based on random phase encoding and volume holographic interconnection. — Ching-Cherng Sun, Yi-Ming Chen, and Wei-Chia Su; **40** (2), 160-1 (2001).

Grating detuning effect on holographic memory in photopolymers. — Mei-Li Hsieh and Ken Y. Hsu; **40** (10), 2125-33 (2001).

Bit error rate and system limitations on the storage capacity of volume holographic memory systems. — Adil Lahrichi; **40** (11), 2392-9 (2001).

Simulator for computer-aided design of holograms. — Tohru Shimizu, Yasuhiro Awatsuji, and Toshihiro Kubota; **40** (11), 2524-32 (2001).

Wavefront sensors

Algorithm for expanding the dynamic range of a Shack-Hartmann sensor by using a spatial light modulator array. — Norbert Lindlein, Johannes Pfund, and Johannes Schwider; **40** (5), 837-40 (2001).

Wavefronts

Interferometric oil-spill detection system. — Yen-Chieh Huang and Uen-Chin Liang; **40** (5), 740-5 (2001).

Algorithm for resolving 2π ambiguities in interferometric measurements by use of multiple wavelengths. — Mats G. Löfdahl and Henrik Eriksson; **40** (6), 984-90 (2001).

Wavefront measurement by solving the irradiance transport equation for multifocal systems. — Juan A. Quiroga, Jose A. Gómez-Pedrero, and Juan C. Martínez-Antón; **40** (12), 2885-91 (2001).

Waveguides

Optical properties of cyclic olefin copolymers. — G. Khanarian and Hoechst Celanese; **40** (6), 1024-9 (2001).

Short-wavelength vertical-cavity surface-emitting laser applications: from high-throughput multimode fiber links to two-dimensional interchip interconnections. — Rainer Michalzik, Roger King, Felix Mederer, Max Kicherer, Giorgio Giaretta, and Karl J. Ebeling; **40** (7), 1179-85 (2001).

Polymeric waveguide prism-based electro-optic beam deflector. — Lin Sun, Jin-ha Kim, Chiou-hung Jang, Dechang An, Xuejun Lu, Qingjun Zhou, John M. Taboada, Ray T. Chen, Jeffery J. Maki, Suning Tang, Hua Zhang, William H. Steier, Cheng Zhang, and Larry R. Dalton; **40** (7), 1217-22 (2001).

Photonics for time delay in communication systems. — Zan Shi, Jianyi Yang, James J. Foshee, Walter B. Hartman, Suning Tang, and Ray T. Chen; **40** (7), 1238-43 (2001).

Fabrication of a waveguiding layer in Teflon AF® by ion irradiation. — M. Leitz, R. P. Podgorsek, H. Franke, D. Hernandez, E. J. Knystautas, and R. A. Lessard; **40** (7), 1315-20 (2001).

Nanotribology of thin films in a lithium niobate optical waveguide modulator $LiNbO_3$-Ti(20 nm)-Pt(10 nm)-Au(100 nm)-Au(10 μm) using depth-sensing nanoindentation and scratching techniques. — Lotfi Chouaninc; **40** (8), 1709-16 (2001).

Novel passive polymer waveguides integrated with electro-optically active ferroelectric liquid crystals. — David S. Hermann, Giusy Scalia, Claire Pitois, Francesco De Marco, Koen D'havé, Giancarlo Abbate, Mikael Lindgren, and Anders Hult; **40** (10), 2188-98 (2001).

Polarization separation/combination based on self-imaging. — David M. Mackie, Tristan J. Tayag, and Ted E. Batchman; **40** (10), 2265-72 (2001).

Wavelet transforms

Robust layered image transmission based on genetic programming for noisy channels. — Wen-Jyi Hwang, Ray-Shine Lin, and Chung-Kun Wu; **40** (2), 245-51 (2001).

Subband correlation of Daubechies wavelet representations. — Zikuan Chen and Yang Tao; **40** (3), 362-71 (2001).

Error-resilient zero-tree wavelet image coding technique over noisy channels. — Woo Young Jang, Jung Ryul Ryou, Chulhee Lee, and Kwanghoon Sohn; **40** (5), 861-7 (2001).

Wavelet-based adaptive thresholding method for image segmentation. — Zikuan Chen, Yang Tao, Xin Chen, and Carl Griffis; **40** (5), 868-74 (2001).

Wavelet analysis for the elimination of striping noise in satellite images. — Jorge Torres and Sergio Omar Infante; **40** (7), 1309-14 (2001).

Mean-quantization-based fragile watermarking for image authentication. — Gwo-Jong Yu, Chun-Shien Lu, and Hong-Yuan Mark Liao; **40** (7), 1396-408 (2001).

Signal reconstruction from multiscale edges using spline function interpolation. — Shexiang Ma, Guizhong Liu, and Zhaohua Zeng; **40** (8), 1682-6 (2001).

Error-resilient zerotree wavelet video coding. — Kwanghoon Sohn, Chulhee Lee, Jungryul Ryou, and Wooyoung Jang; **40** (11), 2480-8 (2001).

Wavelets

Tumor detection in digitized mammograms by image texture analysis. — Richard Pfisterer and Farzin Aghdasi; **40** (2), 209-16 (2001).

Predicting search time in visually cluttered scenes using the fuzzy logic approach. — Thomas J. Meitzler, Euijung Sohn, Harpreet Singh, Abdelakrim Elgarhi, and Deok H. Nam; **40** (9), 1844-51 (2001).

Subjective quality of reconstructed images obtained with classical and advanced wavelet coders. — Dušan Gleich, Peter Planinšič, Bojan Gergić, and Žarko Čučej; **40** (10), 2143-50 (2001).

Comparative study of wavelet thresholding methods for denoising electronic speckle pattern interferometry fringes. — Alejandro Federico and Guillermo H. Kaufmann; **40** (11), 2598-604 (2001).

Wigner distribution functions

Analysis of spatiotemporal coupling in a femtosecond pulse shaper by the Wigner distribution function. — Yasunori Sutoh, Yoshiaki Yasuno, Kenji Harada, Masahide Itoh, Toyohiko Yatagai, and Masahiko Mori; **40** (8), 1717-23 (2001).

Windows

Normal and interfacial stresses in thin-film coated optics: the case of diamond-coated zinc sulfide windows. — Claude A. Klein; **40** (6), 1115-24 (2001).

Development of the technology of contacting ZnSe infrared optical windows using polyethylene films. — Edward Bormashenko, Roman Pogreb, Avigdor Sheshnev, Semion Sutovski, Yelena Bormashenko, Zosya Pogreb, and Abraham Katzir; **40** (9), 1754-5 (2001).

Laser-induced temperature distributions and thermal deformations in sapphire, silicon, and calcium fluoride substrates at 1.315 μm. — Yufeng Peng, Zuhai Cheng, Yaoning Zhang, and Junlin Qiu; **40** (12), 2822-9 (2001).

X rays

Wavelet-based adaptive thresholding method for image segmentation. — Zikuan Chen, Yang Tao, Xin Chen, and Carl Griffis; **40** (5), 868-74 (2001).

Dynamically observing intratumor injection of laser-absorbing dye and immunoadjuvant using digital x-ray imaging technique. — Wei R. Chen, Hong Liu, Wei Yue, Jiping Wang, and Robert E. Nordquist; **40** (7), 1249-54 (2001).

Micro-optical distance sensor fabricated by deep x-ray lithography. — Hajime Nakajima, Patrick Ruther, Jürgen Mohr, Masahiro Tsugai, and Teruo Usami; **40** (8), 1667-73 (2001).

Zeeman effect

Optical design of a near-infrared birefringent filter system and measurement of birefringent index of calcite at 1.56 μm. — Jingshan Wang, Haimin Wang, Thomas J. Spirock, Chik-Yin Lee, Nuggehalli M. Ravindra, Jun Ma, Philip R. Goode, and Carsten Denker; **40** (6), 1016-23 (2001).